Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



MAY

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH SERVICE
PLANT QUARANTINE DIVISION
WASHINGTON 25, D.C.

LIST OF INTERCEPTED PLANT PESTS, 1961

(Pests Recorded From July 1, 1960, Through June 30, 1961)

Compiled by Bessie C. Mumford Plant Quarantine Aid

INTRODUCTION

This report covers the 48th year for which lists of interceptions have been published. It summarizes records of plant pests found in, on, or with plants, plant products, baggage, cargo, mail, and means of conveyance (1) imported into or entering the United States or its possessions, (2) offered for entry but refused, (3) held in quarters or stores of planes or ships, (4) offered for entry for immediate transportation and exportation in bond, (5) in domestic shipments to the mainland from the States of Alaska and Hawaii, the American Virgin Islands, Guam, Puerto Rico, and other offshore possessions, or (6) in preclearance inspection in the Bahamas and Bermuda.

The pests listed include insects, snails, bacteria, fungi, nematodes, and viruses of known or potential plant quarantine significance to the United States. Some common organisms are included if they are new to the country of origin or the host plant, or are of such limited distribution

in the United States that they are worthy of mention.

disease host list.

The data for this list include identifications received from the specialists during the fiscal year 1961 and represent some interceptions made during previous years. Determinations are largely made by specialists of the Entomology Research Division and the Plant Quarantine Division, although a certain amount of this work is done by collaborating State officials. Snail identifications are made by taxonomists in the Division of Mollusks, U.S. National Museum. Some critical studies and identifications are made by specialists of the Crops Research Division, who also identify many of the host plants.

Scientific names of the insects are reviewed by the specialists who identify them and also by Mr. Paul X. Peltier, entomologist, who assists in the compilation. Mrs. Alice J. Watson, mycologist, assists with the disease list. Host names are reviewed by Dr. Bernice G. Schubert of the New Crops Research Branch. Every effort is made to conform to the International Rules of Nomenclature. However, in the disease tabulation the name of the stage found is usually listed rather than the perfect stage. Family names are listed with the insects in the tabulation; orders are shown in the host list. Classes of the diseases are given in the

1

It is often difficult to trace the true origin of stores in planes and ships. Questionable cases are omitted, listed with a question mark, or shown as unknown. Pests of a serious nature reported for the first time from a country are usually listed as from an unknown origin or omitted until confirmation of the presence of the pest is given by the country concerned.

NOTES ON PESTS INTERCEPTED

The total number of interceptions for the fiscal year 1961 was 25,575, as compared with 30,230 the previous year. This does not include common pests which are widespread in this country and are no longer recorded. Of the total, 8,808 were considered of enough importance to be listed. The decrease in the number of interceptions may be due in part to the increased efforts of the Plant Quarantine Division to educate the public through the use of movies ("The Hidden Menace" and "Don't Bring Your Enemy Home") and various leaflets distributed to air and ship lines.

AIRBORNE MATERIAL

Interceptions of pests arriving by air totaled 8,722, of which 7,968 were insects or snails and 754 diseases or nematodes. There were 199 interceptions of significant insects found as stowaways on airplanes. Among the important airborne pests were 69 interceptions of the European cherry fruit fly, 3 of khapra beetle, 109 of the Mediterranean fruit fly, 28 of a chafer, *Melolontha melolontha*, 7 of the Mexican fruit fly, 30 of the olive fruit fly, 4 of the oriental fruit fly, 15 of the pink bollworm, 72 of the West Indian fruit fly, 153 of the black spot of citrus, 18 of citrus canker, 55 of the sweet orange scab, and 5 of the golden nematode.

FRUIT FLIES

A total of 685 fruit fly interceptions were identified to species as follows:

Anastrepha ludens, the Mexican fruit fly, was intercepted 151 times, 149 from Mexico and 2 from Guatemala. The hosts were cherimoya, grapefruit, mango,

pomegranate, quince, sour orange, sweet lime, and sweet orange.

Anastrepha mombin praeoptans, the West Indian fruit fly (142 times), in mamey sapote, mango, purple mombin, tropical almond, and yellow mombin from the American Virgin Islands, Colombia, Costa Rica, Cuba, Dominican Republic, El Salvador, Guatemala, Haiti, Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, Trinidad, and the West Indies (island(?)).

Anastrepha serpentina (4 times) in mamey sapote in air baggage from Mexico and Nicaragua, in star-apple in air baggage from Nicaragua, and in Tempisque jungleplum

in baggagé from Mexico.

Anastrepha suspensa (twice) on airplane window from Puerto Rico (?) and in guava

in air baggage from Puerto Rico.

Ceratitis capitata, the Mediterranean fruit fly (195 times), an adult female in an airplane from Hawaii, and larvae in apple, apricot, Arabian coffee berry, cherry, Coffea sp. berry, fig, grape, grapefruit, guava, jujube, lemon, loquat, Mandarin orange, mango, pawpaw, peach, pear, pomegranate, pricklypear, quince, soda-apple night-shade fruit, sweet orange, and tropical almond. The countries of origin were: Argentina, Azores, Brazil, Costa Rica, Cyprus, Greece, Hawaii, Iran, Israel, Italy, Lebanon, Peru, Portugal, Republic of South Africa, Spain, Turkey, United Arab Republic, and an unknown origin. C. capitata (?) (19 times) in Arabian coffee berry, Coffea sp. berry, fig, Musa sp. fruit, pepper, pomegranate, sweet orange, and tropical almond from Greece, Hawaii, Italy, and Spain.

Ceratitis colae(?) (once) in Sudan colanut in aircargo from Nigeria.

Dacus cucurbitae, the melon fly (5 times), in cucumber, tomato, and zucchini squash in stores from Hawaii. D. cucurbitae(?) (twice) in cucumber in air stores and stores from Hawaii.

Dacus dorsalis, the oriental fruit fly (22 times), in banana, guamachil apesearring pod, Indiapoon beautyleaf fruit, lychee nut, mail package, mango, Ochrosia elliptica

fruit, pitanga, and tropical almond from Guam, Fiji(?), and Hawaii. D. dorsalis(?) (12 times) in agati sesbania, betel palm nut, guava, mango, ti berry, and tropical almond from Hawaii.

Dacus oleae, the olive fruit fly (57 times), with baggage and in olive in air baggage, air stores and baggage from Austria (?), Cyprus, Greece, Italy, Lebanon, and an unknown origin.

D. oleae(?) (once) in green olive from Italy.

Euleia heraclei (once) in celery in stores from Germany.

Rhagoletis alternata(?) (once) in rosaceous berry in baggage from Italy.

Rhagoletis cerasi, the European cherry fruit fly (69 times), in cherry in air baggage, air quarters, and air stores from Czechoslovakia, Denmark, France, Germany, Greece, Hungary, Israel(?), Italy, Netherlands, Poland, Portugal, Spain, and an unknown origin. R. cerasi(?) (once) in cherry from Italy.

INSECTS OTHER THAN FRUIT FLIES

The following insects of special significance were intercepted:

Acrolepia assectella (Hyponomeutidae) in leek in stores from France, Italy, and Spain.

Adoxophyes orana (Tortricidae) in apple in air stores and peach in air baggage from

an unknown origin; and on cut roses in air baggage from the Netherlands.

Aleurocanthus spiniferus (Aleyrodidae) on sour orange leaf in stores from Japan. Aleurocanthus woglumi (Aleyrodidae), the citrus blackfly (8 times), on Citrus sp. leaf in air baggage from Nicaragua and baggage from Mexico, on lime leaf in cargo from

Mexico, and on sweet orange leaf in quarters from Jamaica.

Aspidiotus destructor (Coccidae) (19 times) on coconut in air baggage from Honduras and Mexico, baggage and cargo from Mexico, quarters from the Bahamas, and stores from Costa Rica, Mexico, Panama, and the Philippines; on kentia palm in stores from the Philippines; on oleander in quarters from the Bahamas; on palm seed in air baggage from Cuba; on rose leaf in baggage from Tortola; on screwpine in aircargo from Indonesia; and on sugar-apple and sweet orange in baggage from Cuba.

Blissus diplopterus (Lygaeidae) on hakea seed in mail from the Republic of South

Africa.

Brachycerus algirus (Curculionidae) in garlic in cargo from Spain.

Brevipalpus chilensis (Tenuipalpidae) on grape in aircargo and cargo, on lemon in air stores, and on reed jacket for liquor in air baggage from Chile.

Bruchus tristis (Bruchidae) in broadbean in baggage, grass pea in baggage and mail, and white lupine seed in baggage from Italy; and in pea in stores from Greece.

Cacaecimorpha (Archips) pronubana (Tortricidae) in chayote and pomegranate in baggage from Italy.

Carposina niponensis (Carposinidae) in apple in stores from Japan.

Ceroplastes rubens (Coccidae) on anthurium leaf in mail and maile alyxia in baggage

and mail from Hawaii.

Chilo suppressalis (Crambidae), the Asiatic rice borer (16 times), in rice straw in air baggage from Japan, baggage from Formosa, Spain, and an unknown origin, and mail and stores from Japan.

Coccus viridis (Coccidae) (40 times) on Brazil peppertree, Citrus sp. twig, coffee berry and leaf, Gardenia spp., guava, horseshoe geranium, ixora, jasmine, and lychee

from Barbados, Brazil, Cuba, Hawaii, Madeira Islands, and St. Kitts.

Coptotermes niger (Rhinotermitidae) in rosewood log in cargo from Brazil and in

virola log in cargo from Costa Rica.

Cryptoblabes gnidiella (Phycitidae) (18 times) in bamboo in baggage from Italy, on cockscomb cut flower in baggage from Greece, in lemon in air stores from Spain, on oleander cutting in air baggage from Bermuda, in pomegranate in air baggage from Israel and baggage from Italy, and in sweet orange in air baggage from Italy and air stores and stores from Spain.

Cylas formicarius (Curculionidae) in sweetpotato in aircargo and cargo from Hong

Kong and Thailand.

Dialeurodes kirkaldyi (Aleyrodidae) on Arabian jasmine in mail and on frangipani cutting in air baggage from Hawaii, on gardenia in air baggage from Tahiti, and on jasmine in aircargo from the Philippines.

Diaspis juniperi (Coccidae) on Lawson falsecypress in cargo from the Netherlands.

Dichocrocis punctiferalis (Pyraustidae) on Japanese white pine in baggage from

Japan and on rambutan in air baggage from the Federation of Malaya.

Dyspessa ulula (Cossidae) in garlic in cargo from Italy and Spain and stores from Yugoslavia.

Earias cupreoviridis (Noctuidae) in okra in stores from British West Africa.

Ectomyelois ceratoniae (Phycitidae) (33 times) in almond, Arabian coffee, assorted seed, barringtonia pod, English walnut, goldenshower senna pod, pomegranate, quince, sweet orange, and tamarind seed pod. Countries of origin were Africa (country(?)), Greece, Hawaii, Israel, Italy, Jamaica, Montserrat, Philippines, Portugal, Puerto Rico, and Turkey.

Epichorista ionephela (Tortricidae) on Cape chinkerichee in cargo and mail from the

Republic of South Africa.

Epilachna 28-punctata (Coccinellidae) in cabbage in stores from Australia.

Epinotia aporema (Olethreutidae) in broadbean in air baggage from Ecuador and in pigeonpea in air baggage from Jamaica.

Euscepes postfasciatus (Curculionidae) in sweetpotato in stores from Brazil and

Trinidad.

Evergestis forficalis (Pyraustidae) in cauliflower in stores from Norway.

Frankliniella intonsa (Thripidae) (17 times) on carnation, gladiolus, mixed cut flowers, rose, strawflower, and sweetpea in air baggage from Denmark, England, France, Germany, Hungary, Poland, and Sweden; and on rose in cargo from France.

Gnorimoschema ocellatella (Gelechiidae) in beet in air baggage from Italy and stores

from the United Arab Republic.

Grapholitha janthiana(?) (Olethreutidae) in apple in air baggage and baggage from Austria, Rumania, and Yugoslavia and in air stores from an unknown origin.

Lampides boeticus (Lycaenidae) in broadbean in stores from the United Arab

Republic and in mauna loa lei in air baggage and baggage from Hawaii.

Laspeyresia splendana (Olethreutidae) (29 times) in chestnut in air baggage and baggage from Germany, Italy, Portugal, Spain, Turkey, and Yugoslavia and in cargo from Italy.

Laspeyresia strobilella (Olethreutidae) in pine cone in baggage from England; and in

spruce cone in air baggage and baggage from Germany and an unknown origin.

Lobesia botrana (Olethreutidae) in grape in air baggage from Italy and Lebanon. Mamestra brassicae (Noctuidae) in Brassica sp. in stores from Japan, in cabbage in stores from England, France, Germany, Italy, and the Netherlands, in cauliflower in stores from Tanganyika, and in parsley in stores from Italy.

Maruca testulalis (Pyraustidae) (35 times) in cargo (with celery and chayote) from Puerto Rico, in jade flower(?) and mauna loa lei in air baggage and baggage from Hawaii, in pigeonpea in air baggage, airmail, and cargo from Puerto Rico, in sesbania in air baggage and mail from Hawaii, and in string bean in air baggage, airmail, and

cargo from Puerto Rico and stores from Brazil and Japan.

Megastes grandalis (Pyraustidae) in sweetpotato in stores from Brazil.

Melolontha melolontha (Scarabaeidae), a chafer (28 times), as stowaway on airplane from France.

Nilotaspis halli (Coccidae) on Prunus sp. scion in aircargo from Iran.

Ostrinia (Pyrausta) nubilalis (Pyraustidae) in broomcorn stalk in baggage and cargo from Italy and in mail from Yugoslavia, in chestnut in air baggage from Italy, on chrysanthemum in air baggage from Japan, with military cargo from Spain, and in string bean in stores from Japan.

Oulema (Lema) melanopa (Chrysomelidae) in soil with heather plant in baggage

from Germany and on unidentified plant in cargo from the Netherlands.

Parlatoria zizyphus (Coccidae) (49 times) on Citrus sp. leaf, grapefruit, lemon, Mandarin orange, pummelo, sour and sweet lime, and sweet orange from Algeria, Cameroun, China, Formosa, Gambia, Hong Kong, Israel, Italy, Japan, Liberia, Okinawa, Philippines, Spain, Thailand, and an unknown origin.

Pectinophora gossypiella (Gelechiidae), the pink bollworm (33 times), in bale of cotton in cargo from India; in bale of cotton motes in cargo from Brazil; in cotton boll in air baggage from Haiti, Hawaii, Italy, and Turkey, baggage from Mexico, and mail from Hawaii; in cottonseed in air baggage from Brazil and Grand Cayman, baggage from Mexico, cargo from Hong Kong and the United Arab Republic, and quarters from Mexico; in hibiscus lei in air baggage from Cuba; in Levant cotton boll in air baggage from Trinidad; in okra in air baggage from the Dominican Republic, Haiti, and Jamaica and in aircargo and stores from the Dominican Republic; and in seed cotton in quarters from Mexico.

Perkinsiella saccharicida (Delphacidae) on anthurium flower in air baggage from

Phalonia zephyrana (Phaloniidae) in carrot in stores from Italy.

Pieris brassicae (Pieridae) on cabbage in stores from Italy, on lettuce in stores from the Azores, and with military cargo from Greece and Morocco.

Pityogenes chalcographus (Scolytidae) in conifer dunnage from Belgium and Germany.

Prays oleellus (Hyponomeutidae) in olive leaf cutting and fruit in air baggage and baggage from Italy.

Prodenia litura (Noctuidae) in pepper in stores from Israel.

Rhynchites auratus (Curculionidae) in sloe seed in mail from Scotland.

Sesamia cretica (Noctuidae), the durra stem borer, in sorghum stalk in cargo from

Italy.

Stenoma catenifer (Stenomidae) (23 times) in avocado in air baggage and baggage from Brazil, Colombia, Ecuador, El Salvador, Guatemala, Honduras, Mexico,

Nicaragua, and Panama.

Taeniothrips gracilis (Thripidae) (18 times) on amaryllis bulb in cargo from Japan, on cut gladiolus in air baggage from Bermuda, on Lycoris spp. bulbs in cargo from Japan, on polyanthus narcissus bulb in air baggage from Formosa, and on sweetpea in air baggage from Bermuda.

Tetranychus viennensis (Tetranychidae) on apple in air baggage from Germany, air

stores from an unknown origin, and stores from Japan.

Thrips major (Thripidae) on fig in air baggage from Italy, on heather in air baggage from Germany, on lily-of-the-valley in air quarters from an unknown origin, on mixed cut flowers in air baggage from Denmark and Scotland, and on roses in air baggage from the Azores, England, France, and Germany and in aircargo from France.

Trogoderma granarium (Dermestidae), the khapra beetle (202 times), with bagging (including used burlap and wrappers on cinnamon, cotton waste, guar gum, karaya gum, pigeonpea, rice, stores, etc.), bean, celery seed, chickpea, cinnamon, common cassava, cottonseed, cumin seed, debris, food, filbert nut, ginger root, gum, gum arabic, gum ghatti, guar gum, gutta-percha, karaya gum, lima bean, myrobalan, pea, peanut, pistache nut, quarters of ship, rice, rye straw, stores (including bean, chickpea, corn, flour, grits, lentil, macaroni, noodles, pigeonpea, sesame seed, soybean, and miscellaneous dry stores), and wheat. Infested materials were from the following countries: Ceylon, China, England, Federation of Malaya, Formosa, France, Germany, Greece, Hong Kong, India, Iraq, Italy, Japan, Korea, Kuwait, Mozambique, Netherlands, Nigeria, Pakistan, Philippines(?), Senegal, Singapore, Sudan, Thailand, United Arab Republic, and an unknown origin.

Unaspis yanonensis (Coccidae), the yanone scale (467 times), on Citrus aurantium var., Citrus sp., grapefruit, ichandarin, ichang bitter-orange, King orange, lemon, lime, Mandarin orange, sour orange, sweet orange, and tangelo from Japan and the

Philippines.

Zeadiatraea lineolata (Crambidae) in corn in air baggage from Honduras.

SNAILS

The following snails of particular interest were intercepted:

Bradybaena similaris (13 times) on various cut flowers and foliage in air baggage, baggage, cargo, and mail from Hawaii; and in soil with asparagus plant in air baggage from Bermuda.

Achatina fulica, the giant African snail (5 times), with air baggage and in mail from

Hawaii; and with stone in cargo from Guam.

Cochlicella barbara (26 times) on military cargo from France, Morocco, Spain, and Turkey; and in soil in baggage from Italy.

Cochlicella conoidea on military cargo from Spain.

Cochlicella ventrosa (10 times) on military cargo from the Azores, Bermuda, Italy, Morocco, and an unknown origin.

Euglandina striata (17 times) on banana in cargo from Ecuador.

Ten species of *Helicella* were intercepted a total of 41 times from the Azores, France, Greece, Italy, Libya, Morocco, Netherlands, Spain, Turkey, and an unknown origin. The hosts were cabbage seed, camomile, military cargo, nasturtium seed, romaine lettuce, soil sample, soil with automobile, and sweet orange.

Monacha cantiana on lettuce in stores from Italy, military cargo from France, and

unidentified plant in cargo from Germany.

Monacha carthusiana on cabbage seed in baggage and on military cargo from Italy. Porphyrobaphe iostoma (8 times) on banana in cargo from Ecuador and an unknown origin; and in quarters from Ecuador.

Rumina decollata in soil in baggage from Italy.

Solaropsis monile (3 times) on banana in cargo from Ecuador.

Subulina octona on bromeliad plant in aircargo from Surinam and on avocado

seedling in air baggage from St. Lucia.

Theba pisana, the Mediterranean land snail (64 times), on camomile in aircargo, on military cargo, in quarters, and on beet, cabbage, lettuce, other mollusks, and sweet

orange in stores from the following countries: France, Italy, Libya, Morocco, Spain,

Turkey, and an unknown origin.

Other snails of potential economic importance were Cecilioides acicula, Cepaea hortensis(?), Helicina strebeli, Helix aspersa, H. pomatia, Lamellaxis gracilis, Limax marginatus, L. maximus, Otala lactea, O. vermiculata, Oxychilus alliarius, and O. draparnaldi.

DISEASES

Elsinoe australis, the sweet orange scab, was intercepted a total of 163 times; 98 from Brazil, 55 from Argentina, 7 from an unknown origin, and 3 from Uruguay.

The hosts were grapefruit, lemon, lime, Mandarin orange, and sweet orange.

Phoma citricarpa (perfect stage is Guignardia citricarpa Kiely), the black spot of citrus, was intercepted 255 times; 75 of these came from an unknown origin, 46 from Japan, 34 from Hong Kong, 28 from Australia, 27 from the Republic of South Africa, 25 from China, 8 from Formosa, 3 from África (country(?)), 2 each from Asia (country(?)), Fiji, and Mozambique, and 1 each from Brazil, New Zealand, and the West Pacific. The hosts were Citrus sp., citron, grapefruit, lemon, Mandarin orange, pummelo, sour orange, sweet orange, and tangelo.

Xanthomonas citri, citrus canker, was intercepted 127 times; 107 came from Japan, 4 from Hong Kong, 3 each from China, Formosa, India, and an unknown origin, 2 from the Philippines, and 1 each from Thailand and Vietnam. The hosts were Citrus sp., grapefruit, ichandarin, lemon, lime, Mandarin orange, pummelo, Satsuma orange,

sour orange, and sweet orange.

Xanthomonas sp. (Cancrosis B) was intercepted 5 times; 3 from Argentina and 2 from an unknown origin, on grapefruit and lemon.

Other pathogens of special interest were:

Gymnosporangium haraeanum on pyramid Chinese juniper and sargent Chinese juniper in air baggage, aircargo, and cargo from Japan.

Phomopsis occulta var. ginkgoina on dwarf ginkgo tree in cargo from Japan.

Phomopsis palmicola on betel palm nut in mail from Guam.

Phomopsis pterophila on samara wing of European ash seed in cargo from Italy.

Phyllosticta salicifoliae on irontree in air baggage from Australia. Phyllostictina cordylines on ti in air baggage and aircargo from Hawaii.

Phyllostictina mangiferae on mango leaf in baggage from Mexico.

Prospodium perornatum on herbarium specimen of trumpet tree in baggage from Mexico.

Prospodium pithecoctenii on Mexican monkeycomb seed pod in air baggage and baggage from Mexico.

Puccinia hordei on barley straw in mail from Kenya. First interception of this pathogen from that country.

Puccinia kusanoi on bamboo leaf in airmail from Japan.

Puccinia noccae on Lagascea glandulosa cutting in herbarium press in baggage from Mexico. New host as far as is known.

Sphenospora mera on Catasetum sp. and Mormodes sp.(?) orchid leaves in aircargo from Peru.

Sphenospora saphena on Oncidium pulchellum orchid leaf in air baggage from Haiti and aircargo from Jamaica, on Oncidium sp. leaf in aircargo from Peru, and on orchid leaf in air baggage from Haiti. S. saphena(?) on Ionopsis utricularioides leaf in air baggage from Jamaica. This is a new host for this rust.

Uredo nidularii on bromeliad leaf in aircargo from Costa Rica and on tillandsia leaf

in baggage and cargo from Mexico.

Uredo oncidii on Ornithocephalus sp. orchid leaf in aircargo from Panama and Peru and on Rodriguezia sp.(?) orchid leaf in aircargo from Peru.

Uromyces aloes on Aloe dewetii, A. simii, and A. vryheidensis in aircargo from the

Republic of South Africa.

Uromyces fabae (5 times) on lentil in air baggage from Argentina, cargo and quarters from Chile, and stores from an unknown origin; and on broadbean in stores from the Netherlands.

NEMATODES

Aphelenchoides bicaudatus in sweetpotato in baggage from Mexico.

Aphelenchoides fragariae(?) in hyacinth bletilla stem in cargo from Japan.

Criconemoides mutabile in soil with flamboyant-tree, philodendron, and unidentified plant in baggage from Mexico.

Ditylenchus dipsaci in narcissus bulb in mail from England.

Helicotylenchus nannus in soil with asparagus, botree fig, citrus, Echeveria sp., laurel, pepper, spiderwort, and unidentified plant in baggage from Mexico.

Heterodera avenae, the oat nematode (12 times), in soil with the following: Freesia bulb in cargo from England, garlic and onion in cargo and grape root and lemon tree in baggage from Italy, potato in stores from Belgium, rose bush in mail from Germany, tulip bulb in cargo from Denmark, and used automobile in cargo from Sweden.

Heterodera cacti (27 times) in soil with begonia, cactus, fern, garlic, philodendron, tuberose, railway car, and unidentified plants from Argentina, Chile, France, Germany,

Italy, Mexico, and Switzerland.

Heterodera punctata (14 times) in soil with amaryllis, automobile, babysbreath, begonia, cactus, grass sod, heather, philodendron, railway car, rose, and unidentified

plant from Austria, Belgium, England, Germany, Mexico, Norway, and Switzerland. Heterodera rostochiensis, the golden nematode (29 times), in soil sample and soil with chrysanthemum, shamrock, and violet plants in air baggage; in soil with strawberry plant in airmail; in soil with amaryllis, begonia, cactus, fern, Haworthia papillosa, ivy, palm, peony, and unidentified plant in baggage; in soil with dahlia root, Dianthus sp., horseshoe geranium, Medinilla magnifica, and rose plant in mail; and in soil with celeriac, celery, horseradish, lettuce, potato, and turnip in stores. Countries of origin were Belgium, England, Germany, Ireland, Mexico, Netherlands, Poland, Spain, and Sweden.

Meloidogyne arenaria, M. arenaria arenaria (first interception), M. hapla, M. incognita, M. incognita acrita, and M. javanica, rootknot nematodes, were intercepted from Argentina, England, Germany, Guatemala, Italy, Japan, Mexico, Netherlands, and the Republic of South Africa. Hosts were roots of the following: Alocasia, asparagus, beet, caladium, calla lily, capefuchsia, carrot, clematis, common edelweiss, coriander, Cussonia sp., Euphorbia multiceps, fragrant viburnum, gardenia, gerbera,

rose bush, tuberose, tuberous begonia, and yam.

Pratylenchus penetrans in dahlia root in mail from Australia. Pratylenchus pratensis in geranium in baggage from Mexico.

Psilenchus hilarulus in mesembryanthemum and in soil with unidentified plant in baggage from Mexico.

Radopholus similis in anthurium root in baggage from Hawaii.

Scutellonema brachyurum in soil with Crassula sp. and African-violet plants in Scutellonema christiet in soil with philodendron plant in baggage from Mexico.

Tylenchorhynchus capitatus in soil with citrus plant in baggage from Mexico. Tylenchus costatus in soil with African-violet plant in baggage from Mexico. Tylenchus filiformis in soil with African-violet plant in baggage from Mexico.

INCOMPLETELY DETERMINED PESTS

Sometimes it is not possible to complete a determination as to species, due to the stage or condition of the insect or pathogen when intercepted or the fact that it is undescribed. Many of these pests are (1) of potential economic importance, (2) unreported from the country of origin or the United States, or (3) new to the host plant. Some of the significant ones are included in this writeup, but not in the table. This year there were 2,765 insects, 525 diseases, and 195 nematodes, or a total of 3,485 incompletely determined interceptions considered important enough to record.

INCOMPLETELY DETERMINED FRUIT FLIES

There were 230 incompletely determined fruit fly interceptions as follows:

Anastrepha sp., possibly fraterculus (Wied.) (4 times) in coffee berry in air baggage from Brazil and Colombia, loquat in air baggage from Brazil, and quince in air baggage from Peru.

Anastrepha sp., possibly ludens (9 times) in kaki persimmon in air baggage from Mexico, mamey and mamey sapote in baggage from Mexico, mango in baggage from Mexico and quarters from Panama, sweet orange in air stores from Guatemala, and

white sapote in baggage from Mexico.

Anastrepha sp., possibly mombin praeoptans (15 times), in avocado in air baggage from El Salvador; in mango in air baggage from Aruba, El Salvador, Guatemala, and Panama and in airmail, baggage, and quarters from Puerto Rico; in mombin in air baggage from Costa Rica and Guatemala; in tropical almond in air baggage from Jamaica; and in unidentified fruit in baggage from Mexico.

Anastrepha sp., possibly serpentina (3 times), in mamey in air baggage and sapote

in air baggage and baggage from Mexico.

Anastrepha sp., possibly striata (Schin.) (9 times), in guava in air baggage from Panama and baggage from Mexico; and in sweet orange in air baggage from Guatemala.

Anastrepha sp., possibly suspensa (11 times), in guava in air baggage from Cuba and Puerto Rico, in rose-apple in air baggage from the Dominican Republic, in sapodilla in air baggage from Cuba, and in tropical almond in air baggage from Jamaica

and Puerto Rico and baggage from an unknown origin.

Anastrepha sp., (127 times) in Annona sp., apple, baggage, cherimoya, custard-apple grapefruit, guava, mamey, mango, Matisia cordata, palm fruit, pear, pepper, purple mombin, quince, sapodilla, sapote, star-apple, sweet orange, tropical almond, unidentified fruit, and yellow mombin. Countries of origin were Argentina, Barbados, Brazil, British Honduras, Colombia, Costa Rica, Dominican Republic, Ecuador, El Salvador, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama, Peru, Puerto Rico, Trinidad, an unknown origin, and Venezuela. Anastrepha sp. (?) (twice) in Arabian coffee berry in air baggage from Jamaica and Mandarin orange in air stores from Brazil (?).

Dacus sp., probably ciliatus Loew (once) in cucumber in stores from Senegal. Dacus sp., possibly cucumerius Sack (once) in cucumber in stores from French West Africa (intercepted before the division of this country).

Dacus sp. (7 times) in avocado in air quarters from an unknown origin, cucumber in stores from the Ivory Coast, and guava in air baggage from American Samoa, Hawaii, and the Philippines. Dacus sp.(?) (once) in soursop in air baggage from French Equatorial Africa (intercepted before the division of this country).

Rhagoletis sp., possibly cerasi (once), in plum in air stores from Spain.

Rhagoletis sp. (13 times) in apple, black walnut, and red haw in baggage from Mexico and jujube in air baggage from Italy. Rhagoletis sp.(?) (6 times) in apple in air baggage from Mexico, air stores from an unknown origin, and baggage from Italy; in Crataegus grayana fruit in mail from an unknown origin; in miyama cherry seed in mail from Japan; and in pear in baggage from Mexico.

Tephritidae, genus and species of Tephritinae (twice) on Bellis sp. in air quarters from an unknown origin and on flower with seed in air baggage from Guatemala. Tephritidae, probably Tephritinae (once) on composite flower in packing material in

cargo from Mexico.

Tephritidae (16 times) in common smoketree seed in mail from Austria, globe artichoke leaf in air baggage from Italy, green pea in stores from Japan, guava in airmail from Puerto Rico, mango skins in air quarters from Brazil, Osteospermum spinosum seed in aircargo from the Republic of South Africa, peach in air baggage from an unknown origin, pepper in air baggage from the Philippines, Physalis sp. in cargo from Mexico, plantain in air baggage from Hawaii, pomegranate in baggage from Italy, Satsuma orange in air baggage from Colombia, shelled corn in air baggage from Brazil, and tropical almond in air baggage and mail from Hawaii. Tephritidae(?) (twice) in Dioon edule plant in cargo from Mexico and tuberose lei in air baggage from Tahiti.

Terellia sp. (once) in globe artichoke in baggage from France.

INSECTS OTHER THAN FRUIT FLIES

Of special interest among the incompletely determined insects, other than fruit flies, were the following:

Acalles sp. (Curculionidae), not in the U.S. National Museum Collection, in cyclamen bulb in cargo from Italy.

Aegyptobia n. sp. (Tenuipalpidae) on leaf of dwarf pyramid Chinese juniper in baggage from Japan.

Agriotes sp., near obscurus (L.) (Elateridae), in beet in stores from Italy.

Aleyrodidae, new genus near Aleurodicus, n. sp., on Epidendrum fragrans leaf in aircargo from Nicaragua; and on orchid leaf in aircargo from British Honduras and baggage and cargo from Mexico.

Aphidae, perhaps Pemphiginae, not found in literature or in the U.S. National

Museum Collection, on clematis seed in airmail from Japan.

Argyresthia sp., near eugeniella Busck (Hyponomeutidae), in guava in air baggage

Argyresthia sp. (Hyponomeutidae) on pyramid Chinese juniper in air baggage

from Japan.

Argyroploce sp. (Olethreutidae) in bell pepper in stores from the Republic of South Africa.

Athalia sp. (Tenthredinidae) in petsai in stores from Japan.

Athous sp. (Elateridae) in soil with azalea plant in air baggage from Belgium.

Blastodacna sp. (Cosmopterygidae) in peach in air stores from Italy.

Blissus n. sp. (Lygaeidae) on Andropogon sp. grass sample in baggage from Mexico. Brachyrhinus sp. (Curculionidae) with packing material in cargo from the Netherlands.

Cacaecimorpha sp., near or pronubana (Tortricidae), in sweet orange in baggage from Italy.

Ceroplastes sp., may be cirripediformis Comst. (Coccidae), on holly malpighia in

air baggage from Bermuda.

Ceroplastes sp., may be rusci complex (Coccidae), on Eucalyptus sp.(?) leaf in air

baggage from India.

Ceroplastes sp. (Coccidae) on bird-of-paradise-flower leaf in aircargo from Italy, on chrysanthemum plant in air baggage from Venezuela, on gardenia leaf in mail from Australia, on laurel in quarters from Italy, on mint plant in air baggage from Cuba, on passionflower in baggage and plumeria in air baggage from Hawaii, and on unidentified leaf in baggage from Italy.

Chirothrips sp., probably aculeatus Bgn. (Thripidae), on mixed cut flowers in air

baggage and nursery stock in cargo from Germany.

Chrysomphalus sp., undescribed (Coccidae), on bromeliad leaf in aircargo from Jamaica.

Cocotrypes sp. (Scolytidae) in betel palm nut in baggage from India.

Coptotermes sp., probably testaceus (L.) (Rhinotermitidae), in rosewood log in cargo from Brazil.

Coptotermes sp. (Rhinotermitidae) in Paurotis wrighti log in cargo from Mexico.

Dallasiellus sp. (Pentatomidae), not in U.S. National Museum Collection, on orchid
leaf in aircargo from Nicaragua and baggage from Mexico.

Diaprepes sp., evidently famelicus (Ol.) var. (Curculionidae), on marigold flower

in air baggage from Bermuda.

Diatraea sp., near or considerata Hein. (Crambidae), on sugarcane in baggage from Mexico.

Diatraea sp., near or magnifactella Dyar (Crambidae), on sugarcane in baggage from Mexico.

Dinurothrips sp., may be hookeri Hood (Thripidae), very pale for any described species, on orchid plant in aircargo from Peru.

Dysdercus sp., possibly mavrus Dist. (Pyrrhocoridae), with bromeliad plant in

airmail from Brazil.

"Eulia" sp. (Tortricidae) in plum, peach, and grape in cargo from Chile.

Eurytoma sp. (Eurytomidae) in bromeliad seed pod in aircargo from Peru, with kafirbread seed in mail from the Republic of South Africa, and in galls on eucalyptus in aircargo from Australia.

Euura sp. (Tenthredinidae) in willow twig tie in air baggage from Switzerland.

Euzophora sp., near or bigella (Zell.) (Phycitidae), in quince in baggage from Greece. Fiorinia sp., not placed as anything described (Coccidae), on date in air baggage from Saudi Arabia.

Gnorimoschema sp., near or borsaniella (Koehl.) (Gelechiidae), in pepper in air baggage from Argentina.

Harmolita sp. (Eurytomidae) on pampasgrass in air baggage from Turkey and on esparto grass in cargo from Italy.

Heilipus sp. (Curculionidae) in avocado seed in air baggage from Panama and

baggage from Mexico.

Heliothis sp., presumably armigera (Hbn.) (Noctuidae), with cauliflower in stores from Greece, in chili pepper in stores from Japan, in tomato in cargo from the Canary Islands, in eggplant in stores from the Republic of South Africa, and in corn stalk in aircargo from Spain.

Hyperodes sp. (Curculionidae) in carrot in stores from Argentina.

Ips sp. (Scolytidae) in pine bark in dunnage from Japan and crate in cargo from Italy.

Laspeyresia sp. (Olethreutidae), not represented by larval stage in the U.S. National Museum Collection, in broadbean in aircargo from Italy.

Lecanium sp. (Coccidae) on dwarf English yew in cargo from England and on podocarpus leaf in airmail from the Netherlands.

Lixus sp. (Curculionidae) on wawa log in cargo from Ghana.

Lygaeidae, subfamily Pachygronthinae, not represented in the U.S. National Museum Collection, on protea seed in aircargo from the Republic of South Africa.

Malacorhinus sp. (Chrysomelidae), not in the U.S. National Museum Collection, on orchid plant in air baggage from Jamaica(?).

Megastigmus sp. (Torymidae) in white spruce seed in cargo from Denmark.

Mesolecanium sp. (Coccidae), not placed as described, on bromeliad in cargo from Mexico.

Miridae, subfamily Bryocorinae, tribe Bryocorini, not in the U.S. National Museum

Collection, on agave in cargo from Mexico.

Myelois group (Phycitidae), a species not represented in the U.S. National Museum Collection, on Ivorycoast cherry-orange in airmail from the Republic of the Congo.

Nematus sp. (Tenthredinidae) on birch leaf in air baggage from Italy.

Neocattarus sp. (Lygaeidae), probably new, on bromeliad, orchid, and philodendron plants in baggage from Mexico and orchid plant in aircargo from Guatemala.

Olethreutidae, not represented by larval stage in the U.S. National Museum Collec-

tion, in legume pod in stores from Japan.

Phatnoma sp. (Tingidae), not in the U.S. National Museum Collection, in cacao bean pod in air baggage from Ecuador.

Phyllobrotica sp. (Chrysomelidae) on lily bulb in cargo from Japan.

Pieris sp., probably brassicae (Pieridae), with military cargo from Greece.

Premnotrypes sp. (Curculionidae) (7 times) in potato in air baggage and stores from Colombia and Peru.

Reticulitermes sp., probably lucifugus (Rossi) (Rhinotermitidae), on dahlia root in baggage from Greece.

Steneotarsonemus sp. (Tarsonemidae), probably 11. sp., on sweet orange in air stores

from Jamaica.

Stephanopachys sp., probably quadricollis (Marseul) (Bostrichidae), in pine wood in cargo from Portugal.

Tetranychus sp, probably undescribed, near cinnabarinus (Bois) (Tetranychidae),

on nettlespurge in baggage from Aruba.

Xyloperthodes sp, probably nitidipennis (Murray) (Bostrichidae), in wawa log in cargo from Ghana.

INCOMPLETELY DETERMINED DISEASES

Of the 525 incompletely determined diseases which were recorded, the following are of special interest:

Ascochyta sp. on Glycine javanica seed in mail from Ethiopia. None reported from Ethiopia as far as is known.

Cercospora sp. on coriander in cargo from Puerto Rico and on mahonia in air baggage

from Japan. None reported on mahonia as far as is known.

Colletotrichum sp. on leaf of oyster rhoeo in mail from Hawaii. None reported on this host as far as is known.

Coniothecium sp., may be chomatosporum Cda., on apple in cargo from New Zealand. Coniothyrium sp. on lemon in stores from Aruba and on sour orange in stores from Japan.

Curvularia sp., probably geniculata group, on Strongylodon macrobotrys in aircargo

from the Philippines.

Diorchidium sp. or Dicheirinia sp., probably new, on senna in baggage from Mexico. Dothiorella sp., probably new, on orchid stem in aircargo from British Honduras and Venezuela.

Eremotheca sp. on Odontoglossum sp. leaf in cargo from Mexico.

Graphium sp. on Hindu lotus in stores from Japan. None reported on this host as far as is known.

Hormiscum sp. on boojamtree plant in baggage from Mexico.

Massaria sp. on Conyza velutina cutting in aircargo from the Federation of Malaya. None reported on this host as far as is known.

Monilia sp. on Bombax sp.(?) fruit in baggage from Mexico. Mycosphaerella sp. on tree peony plant in aircargo from Japan. Ophiobolus sp. on coconut in baggage from Hawaii and Tahiti.

Phomopsis sp. on flame amherstia in aircargo from Indonesia, Lucia calathea leaf petiole in aircargo from Canada, and smooth senna seed in mail from Southeast Asia. Phyllosticta sp. on teatree in aircargo from Australia.

Phyllostictina sp. on maile alyxia in air baggage from Hawaii and nandina in air

baggage from Japan.

Robillarda sp., close to agrostidis Sprague, on Bermuda grass in airmail from India. Robillarda sp. on vanda orchid leaf in baggage from Venezuela.

Septoria sp. on common anthurium leaf in aircargo from Belgium and on coriander in baggage from Mexico.

Sphenospora sp., may be new, on *Huntleya burtii* orchid plant in aircargo from Costa Rica, on *Lycaste* sp.(?) leaf in aircargo from Peru, and on pansyorchid leaf in air baggage from Panama.

Sporodesmium sp., close to tropicale Ellis, on sago palm plant in air baggage from

Okinawa. New to host as far as is known.

INCOMPLETELY DETERMINED NEMATODES

Aphelenchoides sp., closely related to parietinus (Bastian) Steiner, in dahlia root in

mail from France.

Aphelenchoides sp. in dahlia root in cargo from Japan, geranium leaf in baggage from Mexico, oxalis bulb in aircargo from the Netherlands, narcissus plant in baggage from Mexico, and in soil with elephantsear plant, tuberose bulb, and unidentified cutting in baggage from Mexico.

Aphelenchus sp. in dahlia root in mail from France and in narcissus plant and soil

with tuberose bulb in baggage from Mexico.

Criconemoides sp. in soil with banana and jasmine plants in baggage from Mexico.

Ditylenchus sp. in narcissus plant in baggage from Mexico.

Helicotylenchus sp. in soil sample and soil with African-violet, banana, cactus, coleus, gardenia, and unidentified cutting and plant in baggage from Mexico.

Heterodera sp., probably rostochiensis, in soil with Haworthia papillosa plant in

baggage from Mexico.

Other members of the genus *Heterodera* were intercepted a total of 91 times from Argentina, Bahamas(?), Belgium, Bermuda, Chile, Colombia, Czechoslovakia, El Salvador, England, France, Germany, Ireland, Italy, Japan, Mexico, Netherlands, Norway, Spain, Sweden, and Yugoslavia. These were taken from a soil sample and soil, in air baggage and baggage, with gladiolus corm, unidentified bulb, and the following plants: Asparagus, begonia, cactus, carnation, Compositae, flamboyant-tree, gerbera, gloxinia, heather, ivy, Ming tree, myrtle, parsley, rosemary, sansevieria, unidentified plant, and walnut seedling; from soil in aircargo and cargo with aircraft engine, automobile, machinery, sun dried adobe brick, tank tracks, and the following plant material: Cape-cowslip bulb, garlic, lily bulb, and onion; from soil in air stores and stores with beet, carrot, celeriac, parsley, potato, turnip, and yam; and from soil in mail with dahlia root, iris rhizome, laurel tree, and rose bush.

Meloidogyne sp., probably hapla, in dahlia root in soldier's mail from an unknown

origin.

Meloidogyne sp., probably n. sp., in tuberose bulb in cargo from Italy.

Meloidogyne sp. was intercepted 51 times in roots of agapanthus, alumroot, Andromischus sp., astilbe, begonia, caladium, calla lily, canna, clematis, Compositae, dahlia, dasheen, delphinium, echeveria, eucharis, freesia, gentian, gerbera, gloxinia, Japanese iris, monkshood, plantain-lily, Rechsteineria cardinalis, roundleaf resurrection-lily, rose bush, and unidentified cutting and plant. Countries of origin were Australia, Cuba, England, France, Germany, Greece, Guatemala, India, Israel, Italy, Japan, Mexico, Netherlands, Republic of South Africa, Spain, and Switzerland.

Pratylenchus sp. in dahlia root and Japanese iris rhizome in cargo from Japan, Christmas-rose and primrose roots in cargo from the Netherlands, resurrection-lily root in aircargo from England, and soil with laurel tree in baggage from Mexico.

Psilenchus sp. in soil with laurel tree and spiderwort plant in baggage from Mexico.

Rotylenchulus sp. in soil with unidentified plant in baggage from Jamaica.

Rotylenchus sp. in root of poinsettia plant in stores from Hawaii.

Scutellonema sp. in soil with unidentified plant in baggage from Mexico.

Tylenchorhynchus sp. in aluminum plant in air baggage from Germany and in soil with African-violet, laurel tree, and unidentified plant in baggage from Mexico.

Tylenchus sp. in soil with cactus plant and tuberose bulb in baggage from Mexico.

Xiphinema sp. in soil with unidentified plant in baggage from Mexico.

Summary of Numbers of Interceptions Listed in Main Table

Country	Insect	Disease	Country	Insect	Disease
Africa:			Europe—Continued		
Africa (country(?))	$\frac{2}{2}$	3	Belgium	18	8
Angola		0	Bulgaria Czechoslovakia	$\frac{2}{2}$	
Angola British West Africa	i	Ŏ	Denmark	5	3
Cameroun	1	ŏ	England	99	28
Canary Islands	1	0	Finland	1	(
Cape Verde Islands	3	0	France	96	
Ethiopia	1	0	France(?)	2	
Federation of Rhodesia and			Germany	47	16
Nyasaland	3	0	Greece		
Gambia Konyo		$\begin{vmatrix} 0 \\ 1 \end{vmatrix}$	Hungary Ireland	9 69	
KenyaLiberia			Italy		14
Libya	5	ŏ	ItalyItaly(?)	1	
Madeira Islands	ĭ	ŏ	Netherlands	59	
Morocco	57	Ŏ	Netherlands(?)	1	1
Mozambique	1	2	Netherlands(?) Northern Ireland	137	
Nigeria	1 5	U	Norway	8	
Republic of South Africa	27	35	Poland	14	2
Republic of the Congo	1	0	Portugal		
Senegal	1	0	Rumania	1	
Sudan	16	0	Scotland	16	
Tanganyika	$\frac{1}{26}$	0	Spain	69 4	
United Arab RepublicAsia:	20	0	Sweden Switzerland		1
Asia (country(?))	0	2	Yugoslavia	7	1
Burma.	1	0	North America:		
Ceylon	7	0	Bermuda	14	
China	6	32	Canada	1	
CyprusFederation of Malaya	4	0	Central America:		
Federation of Malaya	3	0	British Honduras	36	
Formosa	20	12	Canal Zone	17	
Hong Kong	11	38	Costa Rica	25	
India	83	7	El Salvador	22	
Indonesia	$\frac{2}{4}$	0	Guatemala	35	4
Iran		0	Honduras	21	4
IraqIsrael	1 14	0	Nicaragua	17 25	
Israel(?)	14	0	Panama	20	1
Japan	603	468	Mexico	479	130
Japan(?)	6	0	West Indies:	113	100
Korea	3	ž	American Virgin Islands	2	
Kuwait	1	$\bar{0}$	Anguilla	1	
Lebanon	12	0	Antigua	4]
Pakistan	15	2	Bahamas	15	8
Singapore	7	1	Barbados	3	
Thailand	, 8	3	British West Indies	2	9
TurkeyVietnam	8	0	Cuba	75	1 :
Australasia:	1	1	Curacao Dominica	$\frac{1}{2}$	
American Samoa	3	1	Dominican Republic	22	
Australia	12	41	Grand Cayman	3	
Australia(?)	1	0	Haiti	30	
Canton Island	1	ŏ	Jamaica	52	1
Christmas Island	4	0	Martinique	1	
Eniwetok	0	1	Montserrat	1	
Fiji	6	2	Netherlands West Indies	1	
Fiji(?)	2	0	Puerto RicoPuerto Rico(?)	41	
Guam	6	2	Puerto Rico(?)	1	
Guam(?)	482	0 13	St. Kitts	3	
Hawaii Kwajalein Kwajalein	482	13	St. Lucia Tortola	3 1	
Netherlands New Guinea	1	0	Trinidad	17	
New Guinea	î	ŏ	West Indies (island(?))		
New Zealand	2.	2	South America:	-	
Norfolk Island	0	8	Argentina	17	6
Okinawa	6	1	Argentina(?)	1	
Okinawa(?)	2	0	Brazil	89	10'
Palmyra Island	1	0	Brazil(?)	1	
Palmyra Island(?)	1	0	British Guiana	5	
Philippines (?)	38	9	Chile	32	\$
Solomon Islands	3	0	Chile(?)	0	
South Pacific	$\frac{1}{2}$		Colombia	20 60	
Southwest Pacific		0	Ecuador Peru	19	18
Tahiti	8		South America (country(?))		18
West Pacific	0	1	Surinam	2	,
Europe:		1	Uruguay	0	3
Austria	2	1	Venezuela	10	1
Austria(?)	ĩ	Ō	Venezuela(?).		

Summary of Numbers of Interceptions Listed in Main Table—Continued

Country	Insect	Disease	Country	Insect	Disease
Totals: Africa Asia Australasia Europe North America South America Unknown Total	161 821 588 1,079 977 259 125	41 568 82 117 211 200 94	Totals—Continued Total incompletely determined pests Total insect interceptions Total disease interceptions_ Grand total*	2, 765 6, 775	720 2, 033 8, 808

^{*} This total represents only pests of known or potential plant quarantine importance or organisms of scientific interest. The total of all interceptions made during the year was 25,575.

NOTE.—Interceptions were also made from Aruba, Bolivia, Guadeloupe, Ivory Coast, Jordan, Midway Islands, St. Martin, Saudi Arabia, and Wake Island.

			aber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Acanthoderes circumflexa (DuVal) (Ceramby-					
cidae): Airplane	Jamaica		1		Fla.
Acanthoscelides obreptus Bridwell (Bruchidae): Phaselous lunatus (lima bean)	Peru		1		Calif.*
Acanthothrips coriaceus (Hal.) (Phlaeothripidae): Lathyrus odoratus (sweetpea) flower	Sweden				N.Y.
Aceria hibisci (Nal.) (Eriophyidae):	American Samoa				Hawaii.
Hibiscus rosa-sinensis (Chinese hibiscus)					
Acer sp. (maple) leaf	Iran			1	D.C.
Pluchea odorata (leaf)	Haiti				Fla.
Allium cepa (onion) A. sativum (garlic)	EcuadorArgentina, Venezuela		$\begin{array}{ c c }\hline 1\\ 2\\ \end{array}$		Calif.* Fla., N.Y.
Achaea janata (L.) (Noctuidae): Flowers	Hawaii	1			Hawaii.
Achatina fulica Bowdich (Achatinidae): Baggage					Hawaii.
Baggage Mail (shell collection) Stone	Guam	1			Hawaii. Calif.*
Aclerda fraterna (Stal) (Pentatomidae): Vitis sp. (grape)	Chile				
Acrolepia assectella (Zell.) (Hyponomeutidae):					N.Y.
Allium porrum (leek)	France, Italy, Spain				N.Y., Pa.
Juniperus chinensis (pyramid Chinese juniper) Adoretus sinicus Burm. (Scarabaeidae):	Japan			1	Hawaii.
Alpinia purpurata	Hawaii				Hawaii.
Malus sylvestris (apple)	Unknown		1		N.Y. N.Y.
Malus sylvestris (apple) Prunus persica (peach) Rosa hybrid (rose) Aegiale hesperiaris (Wlk.) (Megathymidae):	Netherlands			1	N.Y.
Agave americana (century plant)	Mexico				
Airplane	Japan		1		Hawaii.
Aganactesis indecora Dyar (Galleriidae): Cassia fistula (goldenshower senna) pod	Jamaica Dominican Republic	1			Fla.
Cassia sp. Agroiconota propinqua (Boh.) (Chrysomelidae):					N.Y.
Bromeliad Aleurocanthus spiniferus (Q.) (Aleyrodidae):	Mexico	1			Ariz.
Citrus aurantium (sour orange) leaf	Japan				
Citrus aurantifolia (lime) leaf	Mexico Jamaica Mexico, Nicaragua	1	1		Tex. Fla.
Citrus sp. (leaf)	Mexico, Nicaragua	6			Calif.,* Tex.
Psidium guajava (guava) leaf	Mexico				Calif.
Citrus sinensis (sweet orange)	Japan		1		Calif.*
Aleurotrachelus camelliae (Kuw.) (Aleyrodidae): Camellia japonica (common camellia) leaf	do			1	D.C.
Aleurotuberculatus aucubae (Kuw.) (Aleyrodidae):					•
Citrus aurantium (sour orange) C. reticulata (Mandarin orange) C. sinensis (sweet orange)	do		1 1		Calif.* Calif.*
	ł .				Calif.,* Hawaii.
Osmanthus fragrans (sweet osmanthus)Alloxacis spinosus Arnett (Oedemeridae):					Calif.*
Airplane	Antigua		1		Am. V.I.
Ananas comosus (pineapple)	Mexico	3			Tex.
Amitermes foreli Wasmann (Termitidae): Dalbergia sp. (rosewood) log	Brazil	1			La.
Amitermes wheeleri (Desn.) (Termitidae): Cactus	Mexico	ļ	 -	1	Tex.

[IIII asverisk inc									
			nber o						
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—				
Anastrepha ludens (Loew) (Tephritidae):									
Annona cherimola (cherimoya)	do	1			Tex.				
Citrus aurantifolia (sweet lime)	do	6			Ariz., Tex. Tex.				
C. paradisi (grapefruit) C. sinensis (sweet orange)	do	8	1		Tex.				
C. sinensis (sweet orange)	Guatemala, Mexico	47	18		Ala., Ariz., Calif., Calif.,* Fla., Ga., Ill., La.,				
Cydonia oblonga (quince)	Mexico	2			Tex.				
Mangifera indica (mango)	Guatemala, Mexico	66			Ariz., Calif., Calif.,*Ill., N.Y., Tex.				
Punica granatum (pomegranate)	Mexico	1			Ariz.				
Calocarpum sapota (sapote)	Goods Disc Gobs Do	1			Tex.				
Mangifera indica (mango)	Costa Rica, Cuba, Do- minican Republic, El Salvador, Guatemala, Haiti, Honduras, Ja-	103	21		Ala., Calif., Calif.,* Fla., Ga., Ill., La.,				
	maica, Mexico, Nicaragua, Panama, Puerto Rico, Trinidad, West Indies				Md.,N.Y., Pa., P.R., Tex.				
Spondias mombin (yellow mombin)	(island(?)). El Salvador, Guatemala, Honduras, Nicaragua, Puerto Rico.	14			Calif.,* Fla., P.R.				
S. purpurea (purple mombin)	Colombia	1			Fla.				
Spondias sp. Terminalia catappa (tropical almond)	Costa RicaAmericanVirginIslands	1 1			Fla. Fla.				
Anastrepha serpentina (Wied.) (Tephritidae): Calocarpum sapota (sapote)	Mexico, Nicaragua								
Chrysophyllum cainito (star-apple)	Mexico			1	rex.				
Airplane Psidium guajava (guava) Ancognatha scarabaeoides Er. (Scarabaeidae):	Puerto Rico(?)								
AirplaneAncylostomia stercorea (Zell.) (Phycitidae):	Unknown								
Cajanus cajan (pigeonpea)	Bahamas, British West Indies, Colombia, Do- minican Republic, Haiti, Panama, St. Kitts.	,			Am. V.I., Bahamas, Fla., N.Y., P.R., Tex.				
Phaseolus vulgaris (bean) Pisum sativum (pea)	Jamaica, Panama	3 2			Fla. Calif.,* Ill.				
Andrector salvini (Baly) (Chrysomelidae): Orchid Anoplotermes ater (Hagen) (Termitidae):	Canal Zone		1						
Wood (crate for monkey)	Colombia		1						
Digitaria decumbens (pangolagrass)	Hawaii								
Anuraphis apiifoliae (Theob.)(?)(Aphidae): Foeniculum vulgare (common fennel) Petroselinum crispum (parsley) Anuraphis cardui (L.) (Aphidae):			1						
Cynara scolymus (artichoke)		2	1 1		N.Y., Tex. Mass.				
Aonidiella citrina Coq. (Coccidae): Citrus limon (lemon)	IsraelJapan		1 1		Mich. Hawaii.				
C. sinensis (sweet orange)	Australia		1		Hawaii.				
C. sinensis x Poncirus trifoliata (citrange)	Japan Australia Argentina Japan, Lebanon		1	1	D.C. N.J., Hawaii				
Aonidiella comperei McKenzie (Coccidae): Jasminum sp. (jasmine)	1				Fla.				
Jasminum sp. (jasmine)	· Cuba	1	1	1	r 1a.				

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued

[An asterisk indicates State inspection]

(IIII assertible intercence > tave inspection)							
			nber o				
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—		
Aonidiella inornata McKenzie (Coccidae):	Dhilinning				TTowell		
Mangifera indica (mango)	PhilippinesGermany, Norway,	3		1	Hawaii.		
Apion carduorum Kirby (Curculionidae):	Scotland.	3		1	N.I.		
Cynara scolymus (artichoke)	Italy				N.Y.		
Rosa hybrid	do				N.Y.		
Dianthus caryophyllus (carnation) Argyresthia conjugella (Zell.) (Hyponomeutidae):	Germany				N.Y.		
Malus sylvestris (apple)	Norway, Poland Mexico				Ill., N.Y.		
Ascia monuste (L.) (Pieridae):	Cuba				Fla.		
Ascia monuste (L.) (Pieridae): Baggage (with dog crate) As pidiotus degeneratus (Leon) (Coccidae): Camellia sp. (leaf)				2	D.C.,		
Vaccinium bracteatum (oriental blueberry)		1		1	Hawaii.		
Aspidiotus destructor Sign. (Coccidae): Annona squamosa (sugar-apple)	•				Fla.		
Citrus sinensis (sweet orange) Cocos nucifera (coconut)	do	1			Fla.		
	Honduras, Mexico,	i			Tex.		
Kentia sp. (palm)	Philippines Bahamas		1		Calif.* Fla.		
Palm (seed coat) Pandanus amaryllifolius (screwpine)	CubaIndonesia			1 1	Fla. D.C.		
Aspidiotus excisus Green (Coccidae):	Tortola			1	Am. V.I.		
Cocos nucifera (coconut) Aspidiotus herculeanus Ckll. & Hadden (Cocci-	Philippines		1		Calif.*		
dae): Macadamia sp. (bark) Aspidiotus mendax (McKenzie) (Coccidae):	Australia			1	Calif.*		
Aspidiotus mendax (McKenzie) (Coccidae): Orchid (leaf) Aspidiotus palmae Ckll. (Coccidae):	Guatemala			1	Fla.		
Citrus sinensis (sweet orange)	Costa Rica		1		Calif.*		
Cocos nucifera (coconut) cap and stem	Philippines		1		Calif.*		
Aspidiotus pangoensis Doane & Ferris (Coccidae):	Guatêmala			•	Fla.		
Cocos nucifera (coconut) Aspidiotus pyri Licht. (Coccidae):	American Samoa	i	1		Hawaii.		
Platanus orientalis (oriental planetree) Aspidiotus zonatus Frfid. (Coccidae):	Greece		1		D.C.		
Quercus pontica (Pontic oak)	Netherlands				D.C.		
Rubus sp. (leaf) Asterolecanium bambusae (Bdv.) (Coccidae):	France				Mass., Wash.		
Bambusa multiplexAsterolecanium epidendri (Bouché) (Coccidae):	Puerto Rico				D.C.		
Bifrenaria aureofulva (hardy terrestrial orchid) leaf.	Brazil				Fla.		
Broughtonia sp. (orchid) leaf	Brazil			1	N.J.		
Cattleya sp. (orchid) leaf Epidendrum ciliare (orchid) leaf Eridendrum ciliare (orchid)	Costa Rica			1	Calif.*		
Epidendrum sp. (leaf)Orchid (leaf)	Brazil, Germany,			1 5	Fla. Fla., N.Y.		
Peristeria pendula (orchid) leaf	Jamaica. British Guiana			1	N.Y.		
Asterolecanium inlabefactum Rsl. (Coccidae): Chamaedorea oblongata (palm) leaf Asterolecanium miliaris robustum Green (Cocci-	Mexico	1			Tex.		
dae): Bamboo (leaf)	do	1			Ariz.		
Asterolecanium simile Rsl. (Coccidae): Palm			_				

	,		nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Athalia colibri (Christ) (Tenthredinidae):					
Lactuca sativa (lettuce)	France		1		N.Y.
Augocoris illustris (F.) (Pentatomidae): Quarters	Cuba		1		Fla.
Aulacaspis crawii (Ckll.) (Coccidae): Murraya paniculata (orange-jasmine)	Hawaii	1			Hawaii.
Aulacas pis tubercularis Newst. (Coccidae): Mangifera indica (mango)	El Salvador, Honduras,	7	1	1	Calif.,* Fla.,
Aulacoscelis melanocera Dup. & Chevr. (Chryso-	Philippines, Venezuela.		_		Hawaii, P.R.
melidae):	mar .			4	m
CactusAutomolis ataenia Schaus (Arctiidae):	Mexico			$\begin{vmatrix} 1 \end{vmatrix}$	Tex.
Musa paradisiaca (plantain)	Guatemala	1			La.
Coffee arabica (Arabian coffee) berry	Costa Rica				Fla.
Ficus carica (fig) stem Batrachedra linaria Clarke (Cosmopterygidae):	Brazil			1	P.R.
Agave sp	Mexico			2	Calif.
Bemisia citricola Gomez-Menor (Aleyrodidae): Citrus sinensis (sweet orange) leaf	France	1			Ohio.
Bemisia tahaci (Genn.) (Aleyrodidae): Cananga odorata (ylangylang)	Singapore			1	Hawaii.
Bephrata maculicollis Cam. (Eurytomidae): Annona muricata (soursop) seed	Colombia	1			Fla.
Cocos nucifera (coconut)	Hawaii	1			Hawaii.
Hakea sp. (seed)	Republic of South Africa.			1	D.C.
Bostrychoplites cornutus (Ol.) (Bostrichidae): Wood (carving)	do	1			Tex.
Brachycerus algirus (F.) (Curculionidae): Allium sativum (garlic) Bradybaena similaris (Fer.) (Bradybaenidae):	•	1	1		
Alpinia purpurata	Hawaii			1	Hawaii. Hawaii.
Cordyline terminalis (ti)	do			1	Calif.*
FlowersHeliconia sp	do	1			Hawaii. Hawaii.
Ipomoea batatas (sweetpotato) Orchid	do	1			Hawaii. Hawaii.
Soil with Asparagus sp	Bermuda	3-		1	Mass.
Heliconia sp	do	ž			Hawaii.
Automobile	Ireland		1	ŧ .	
Brevipalpus chilensis Baker (Tenuipalpidae): Citrus limon (lemon)	Chile		2		Fla.
Vitis Sp. (grape)	do	1 2			Fla. Fla., N.Y.
Brevipalpus obovatus Donn. (Tenuipalpidae):					
Citrus limon (lemon)	Italy(?), Spain		1		N.Y. Hawaii
Lippia sp.	Argentina			î	Fla. Tex.
Mentha sp. (mint)Rhododendron sp. (azalea)	Japan			1	Hawaii.
Ruta graveolens (common rue)	Mexico			1	- Carri
Annona muricata (soursop)	Haiti	1 1			Fla. Fla.
C. reticulata (Mandarin orange)	Argentina, Brazil, Argentina, Brazil, Colombia.	5	2 2		Fla., N.Y. Fla., N.Y.
Coffee sp. (coffee) leaf	Brazil	1			Tex. Hawaii.
Ixora sp. (flower) Tecomaria capensis (Cape honeysuckle)	Hawaii	1			Hawaii.
Wood (twig—unidentified)	Spain		I		ria.
Bruchus affinis Froel. (Bruchidae): Lathyrus odoratus (sweetpea) seed	Netherlands			1	N.J.

			nber o					
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—			
		Con	No.	Pro ti				
Bruchus emarginatus Allard (Bruchidae): Lathyrus latifolius (perennial pea) seed Bruchus ervi Froel. (Bruchidae):	France			1	Calif.*			
Lens culinaris (lentil) Pisum sativum (pea) Bruchus guttalis Rey (Bruchidae): Straw (jacket)	Lebanon.	12		1	D.C., Mass., N.Y. N.Y.			
Straw (jacket)		1 5			Fla. N.J., S:C.			
Lens culinaris (lentil)	Germany, Greece, Italy, Spain.	6	9		Mass., Mich. N.Y., N.C., Pa., S.C., Tex.			
Bruchus signaticornis Gyll. (Bruchidae): Lens culinaris (lentil) Bruchus tristiculus Fahr. (Bruchidae):	France, Italy, Spain							
Cicer arietinum (chickpea) Lathyrus sp. (seed) Bruchus tristis Boh. (Bruchidae):	AzoresBelgium				Mich.			
Lathyrus sativus (grass pea) Lupinus albus (white lupine) seed Pisum sativum (pea)	Italy do Greece	1	1		N.Y. La.			
Vicia faba (broadbean)					N.Y.			
Chrysanthemum morifoliumCacaecimorpha pronubana (Hbn.) (Tortricidae): Punica granatum (pomegranate)	Japan							
Sechium edule (chayote)	Greece	_			N.Y.			
Baggage	Japando	1			Hawaii. Hawaii. Fla.			
Packing (cellulose paper) Paeonia suffruticosa (tree peony) Pinus sp. (pine) Callidium violaceum (L.) (Cerambycidae):	do	1.		2	N.Y. N.J. Fla			
Callidium violaceum (L.) (Cerambycidae): Wood (crate) Callipogon armillatum (L.) (Cerambycidae):	Spain	1			Va.			
Airplane Callosobruchus ademptus (Sharp) (Bruchidae): Pueraria lobata (seed)	Unknown Korea				Fla. N.J.			
Callosobruchus analis (F.) (Bruchidae): Cajanus cajan (pigeonpea) Stores (flour and sugar) Vicia faba (broadbean)			t .					
Callosobruchus thodesianus (Pic) (Bruchidae):								
Lens culinaris (lentil) Phaseolus vulgaris (bean) Vigna sinensis (common cowpea) Caly ptocephala marginipennis Boh. (Chrysomelidae):					N.Y. D.C.			
Chamaedorea oblongata (palm) leaf	Mexicododo	ì			Tex.			
Carposina niponensis Wlsm. (Carposinidae): Malus sylvestris (apple)	Japan		1		N.C.			
Cassia fistula (goldenshower senna) pod	Nigeria Hawaii do			l I	Hawaii. Hawaii.			
C. tora (sickle senna) Cassia sp. (pod) Dialium quineense (velvet-tamarind) pod	Kenya Hawaii Cape Verde Islands	1		1	N.J. Hawaii. N.Y.			
Seed—unidentified Tamarindus indica (tamarind) pod	Hawaii	5		1	Hawaii. Hawaii, N.Y.,Tex., Wash.			

		 			
4			mber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Cassida circumdata Hbst. (Chrysomelidae): Airplane	South Pacific		1		Hawaii.
Cecilioides acicula (Müller) (Achatinidae): Fragaria sp. (strawberry) plant Orchid (plant) Soil	Switzerland Canal Zone Czechoslovakia, Mexico			1	Calif.* Fla. Mich., Tex.
Centrotus cornutus (L.) (Membracidae): Rosa hybrid (rose) leaf Cepaea hortensis (Müller) (?) (Helicidae):	France				N.Y.
Tropaeolum sp. (nasturtium) seed	Netherlands Panama			1	Pa. Fla.
Musa paradisiaca var. sapientum (banana) Ceratitis capitata (Wied.) (Tephritidae):	Ecuador	4			Fla., La., N.Y.
AirplaneAsimina sp. (pawpaw)	Lebanon	1 1	1		Hawaii. N.Y. N.Y.
C. paradisi (grapefruit) C. reticulata (Mandarin orange)	Turkey, United Arab Repbulic.	19	1		Ga., N.Y.
C. sinensis (sweet orange)	Spain, unknown. Argentina. Brazil.	12	12		Mass., N.Y., Pa. Ala., Calif.,*
	Greece, Italy, Portugal, Spain, unknown.		12		Fla., La., Md., N.Y. Md.,N.Y., P.R., S.C.,
Coffea arabica (Arabian coffee)	Costa Rica, Hawaii	63			Tex. Calif.,* Fla., Hawaii.
Coffea sp	Brazil, Costa Rica, Hawaii.				Calif.,* Fla., Hawaii, N.Y.,P.R. Tex.
Cydonia oblonga (quince)	Azores, Cyprus, Greece, Italy.	$\begin{bmatrix} 3 \\ 7 \end{bmatrix}$	1		
Malus sylvestris (apple)	Italy, unknown Hawaii Italy	10			N.Y., P.R. Hawaii. N.Y., Pa.
Opuntia sp	Greecc, Italy Portugal, Republic of South Africa.	10	1		N.Y. N.Y.
P. persica (peach) Prunus sp. (cherry)	Italy, Peru, Portugal, Spain, unknown. Lebanon	4 1 2			Fla., Mass., N.Y.,P.R. N.Y.
Psidium guajava (guava) Punica granatum (pomegranate)	Greece	1			Mass., Hawaii. Ohio. Calif.,* N.Y.
Pyrus communis (pear) Solanum aculeatissimum (soda-apple night-shade). Terminalia catappa (tropical almond)		1			Hawaii.
Vitis sp. (grape)	Spain Italy	1	1 .		P.R. N.Y.
Capsicum annuum (pepper)	Hawaii				
Ficus sp. (fig) Musa sp. Punica granatum (pomegranate) Terminalia catappa (tropical almond)	ItalyHawaii	1 1			Mich. Hawaii.
Ceratitis colae Silv.(?) (Tephritidae): Cola acuminata (Sudan colanut)	Nigeria				
Annona sp.	Colombia, Jamaica, Venezuela. Brazil(?)	3			Fla., Md. N.Y.
	.,				

		1		1	
			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Ceresium unicolor (F.) (Cerambycidae):	TT:				TT
Gossypium sp. (seed cotton) Ceronema japonica Mask. (Coccidae): Camellia iaponica (common comellia)	Hawaii Japan	1		1	Hawaii. D.C.
Camellia japonica (common camellia)	Hawaii			1	
Alyxia olivae for mis (maile alyxia)	nawandododo			1	Calif.,* Hawaii.
Anthurium sp	Italy	1			Hawaii.
Ficus carica (fig)				2	Calif.,*'N.Y.
Plant—unidentified Charidotis seminulum (Boh.) (Chrysomelidae):	Netherlands Mexico			1	N.J.
Chilo loftini Dyar (Crambidae):					Tex.
Chilo suppressalis (Wlk.) (Crambidae):	do				Ariz., Calif.
Oryza sativa (rice) straw	Formosa, Japan, Spain, unknown.	10	6		Calif.,* Fla., Hawaii, N.Y., Tex.
"Chionaspis" leucadendri Brain (Coccidae): Protea sp. (leaf)	Republic of South Africa.	1			Mass.
Chionaspis wistariae Cooley (Coccidae): Wisteria sp	Japan			1	Wash.
Zinnia sp. (cut flower)	Israel	1			N.Y.
Chrysogramma octomaculata Jac. (Chrysomelidae): Orchid (plant)	Guatemala			1	Fla.
Chrysomphalus agavis (Towns. & Ckll.) (Coccidae): Agave sp	Mexico			2	Tex.
Chrysomphalus albopictus (Ckll.) (Coccidae): Cocos nucifera (coconut) stem and cap	Costa Rica Mexico		1		Calif.*
Persea americana (avocado) leaf	Nicaragua				Tex. Calif.*
Chrysomphalus inopinatus (Leon) (Coccidae): Acer syriacum (Syrian maple) seed	Israel Greece, Lebanon		}		*
Pistacia sp. (pistache)					
Calocarpum sapota (sapote)	Panama				Calif.*
Orchid (leaf) (Comst.) (Coccidae):	Kenya				N.Y. Ariz.
Calocarpum sapota (sapote) leaf	do	1			Tex. Calif.*
Citrus aurantifolia (lime) C. sinensis (sweet orange)	Brazil, unknown		11		Calif.,* Fla., N.Y.
Mangifera indica (mango)	Nicaragua				Calif.,* Tex.
Persea americana (avocado) Vriesia sp	MexicoFrance	2		1	Tex. N.J.
Chrysomphalus sphaerioides (Ckll.) (Coccidae): Palm (leaf)	Mexico				Calif.*
Chrysomphalus tenax (McKenzie) (Coccidae):					Tex.
Philodendron sp. Chrysomphalus umboniferus (Newst.) (Coccidae): Anthurium sp. (leaf)	Colombia			1	
Bromeliad (leaf) Epidendrum sp. (orchid) leaf	Brazil, Guatemala			$\frac{2}{1}$	Fla.
Orchid (leaf)	British Honduras, Canal Zone, El Salvador, Guatemala.			7	Calif.,* Fla.
Schomburgkia sp. (orchid) leaf	Panama. Mexico			1	Tex.
Cladius pectinicornis (Fourc.) (Tenthredinidae): Rosa hybrid (rose) cut flower	England, France, Germany.	5			III., N.Y.

			nber o		
Pest and host	Country of origin	å	>		Collected
		n u	ntr	aga 1	in—
		Consump- tion	Nonentry	Propaga- tion	
		Ö	Z	P	
Clanis phalaris (Cramer) (Sphingidae):					
Airplane	Japan				Hawaii.
Clerada a picicornis Sign. (Lygaeidae): Bromeliad (plant) Cocconotus degeeri (Stal) (Tettigoniidae):	Peru			1	Fla.
Cocconotus degeeri (Stal) (Tettigoniidae): Orchid (plant)	Canal Zone				Fla.
Coccotry pes carpophagus (Horng.) (Scolytidae): Palm (seed)	Brazil			_	
Coccus alnimus DaT atta (Capidaa).		j			La.
Coffee sp. (coffee)	do	1			Fla.
Citrus sp. (twig) Coffee arabica (Arabian coffee)	Madeira Islands			1	Fla. Hawaii.
Coffee sp.	Brazil, Cuba, Hawaii	2		1	Calif.,*
					Hawaii, N.Y.
Gardenia jasminoides	,				Calif.,* Fla., Hawaii.
G. taitensis	Hawaii	2			Calif.*
Irora sp. Jasminum sp. (jasmine)	Cuba, Hawaii Hawaii	1	1	2	Calif.,* Fla. Hawaii.
Jasminum sp. (jasmine) Litchi chinensis (lychee)	Barbados Hawaii			1	N.Y.
Pelargonium zonale (horseshoe geranium) Psidium guajava (guava) leaf	St. Kitts			1	Am.V.I. Fla.
Schinus terebinthifolia (Brazil peppertree)	Hawaii	i			
Cochlicella barbara (L.) (Helicellidae): Military cargo	France, Morocco,	25			La., N.Y.,
	Spain, Turkey.				N.C., S.C. Va.
Soil	Italy	1			N.Y.
Cochlicella conoidea (Drap.) (Helicellidae): Military cargo	Spain	2			N.Y., Va.
Cochlicella ventrosa (Fer.) (Helicellidae): Military cargo	Azores, Bermuda,	10			La., N.Y.,
	Italy, Morocco, unknown.				S.C., Vá.
Conchaspis orchidarum Mamet (Coccidae):					Toll-
Epidendrum sp. (orchid) Conoderus ru fangulus (Gyll.) (Elateridae):	Canal Zone				Fla.
Vitis sp. (grape) Conotelus mexicanus Murr. (Nitidulidae):	Chile				N.Y.
Chrysanthemum sp. Lactuca sativa (lettuce)	Mexico	5			Tex.
Medicago sativa (alfalfa)	do	1			Tex.
Nerium oleander (oleander) Portulacd oleracea (purslane)	1 *a.a* •	_			Va. Tex.
Plumeria rubra (Mexican frangipani)	Hawaii	3			Hawaii. Hawaii.
Coptotermes crassus Snyder (Rhinotermitidae):					
Pinus sp. (pine) stump	Honduras				La.
Dalbergia sp. (rosewood) log	Brazil Costa Rica	1			La. La.
Coptoter mes testaceus (L.) (Rhinotermitidae): Dalbergia sp. (rosewood) log	Brazil.				La.
Corimelaena palmeri (McA. & Mall.) (Pentato-	DIQUII.	1			10.
midae): Orchid(plant)	Costa Rica			1	Tex.
Corythucha mcelfreshi Drake (Tingidae): Pelargonium sp. (geranium)	Mexico				Tex.
Cosmopolites sordidus (Germ.) (Curculionidae):					D.C.
Musa acuminata (rhizome) Musa sp. (rhizome)	Philippines			$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	D.C.
Cryptoblabes gnidiella (Mill.) (Phycitidae):	Guinea, New Guinea.				
Bamboo	Italy Greece	1		1	N.Y. N.Y.
Citrus limon (lemon)	Spain	-;-	1		Fla.
Citrus limon (lemon)	Bermuda	1		1	Va.
Punica granatum (pomegranate)	Israel, Italy	11			N.Y.

			nber o		
Pest and host	Country of origin	-dı	h		Collected
		Consump- tion	Nonentry	Propaga- tion	in—
Cryptophlebia illepida (Btlr.) (Olethreutidae):	TT	2			TTownsii
Litchi chinensis (lychee)	Hawaii	1			Hawaii. Hawaii.
Macadamia ternifolia (nut)					
dae): Litchi chinensis (lychee) nut	do	1			Hawaii.
Pithecellobium dulce	do	1			Hawaii.
Samanea saman (raintree saman)	Philippines	1			Hawaii. Wash.
Cryptotermes brevis (Wlk.) (Kalotermitidae):					
Flowers Mail (food parcel)	Hawaii	1 1			Hawaii.
Cryptothelea minuscula (Btlr.) (Psychidae):	Japan.	1			Hawaii.
Military cargo	Vietnam	1			Va.
Ipomoea batatas (sweetpotato)	Hong Kong, Thailand	3			Hawaiil
Cylas formicarius elegantulus (Summers) (Curculionidae):	3,				
Ipomoea batatas (sweetpotato)	Cuba, Dominican	6	4		Ala., Am.
	Republic, Hong				V.I.,
	Kong, Netherlands West Indies, Philip-				Calif.,* Fla.,
	pines, Puerto Rico.				Hawaii,
					La., Pa., P.R.
Cylas formicarius formicarius (F.) (Curculioni-					1 .10.
dae): Ipomoea batatas (sweetpotato)	Hong Kong	2			Hawaii.
Cyrtomenus bergi Froeschner (Pentatomidae):					
Bromeliad Dactylotry pes uyttenboogaarti Egg. (Scolytidae):	Colombia			1	Fla.
Chamaerops humilis (Mediterranean palm) seed.	Canary Islands, Spain			2	N.J.
Dacus cucurbitae (Coq.) (Tephritidae):	TT				C 116 *
Cucumis sativus (cucumber) Cucurbita pepo (zucchini squash) Lycopersicon esculentum (tomato)	Hawaii do		1		Calif.*
Lycopersicon esculentum (tomato)	do		$\bar{3}$		Calif.*
Dacus cucurbitae (Coq.) (?) (Tephritidae): Cucumis sativus (cucumber)	do		9		Calif *
					IIG W GIII .
Dacus dorsalis Hend. (Tephritidae): Calophyllum inophyllum (Indiapoon beautyleaf) fruit.	do	1			Hawaii.
Eugenia uniflora (pitanga)	do	1			Hawaii.
Litchi chinensis (lychee)	do	1			Calif.
Mail package	Guam Hawaii	. 1	2		Hawaii.
Musa paradisiaca var. sapientum (banana)	Fiji (?), Hawaii	2	ī		Calif.*
Ochrosia elliptica	Hawaii	1	<u>-</u>		Calif.*
leaf) fruit. Eugenia uniflora (pitanga) Litchi chinensis (lychee) Mail package Mangifera indica (mango) Musa paradisiaca var. sapientum (banana) Ochrosia elliptica Pithecellobium dulce (guamachil apesearring) Terminalia catappa (tropical almond)	do	4			Calif.,*
Dacus dorsalis Hend. (?) (Tephritidae):					Hawaii.
Areca cathecu (betel palm) nut	do	1			Hawaii.
Cordyline terminalis (ti) berry	do	1			Hawaii.
Cordyline terminalis (ti) berry Mangifera indica (mango)	ao	2			Hawaii
Psidium guajava (guava)	do	3			Hawaii.
Sesbania grandiflora (agati sesbania)	do	1			Hawaii.
Dacus oleae (Gmel.) (Tephritidae):					
Baggage	Italy	2			N.Y. Mass.,
Olea europaea (olive)	Austria (?), Cyprus, Greece, Italy,	54	1		Mass., Hawaii.
Danie ologo (Comol) (9) (The alastic)	Lebanon unknown.				Hawaii, N.J., N.Y.
Dacus oleae (Gmel.) (?) (Tephritidae): Olea europaea (olive)	do	1			Mass.
tomidae).					
Bromeliad Dasyneura inclusa (Frfid.) (Cecidomyiidae):	Peru			2	Fla.
Phragmites sp. (reed) cane	Germany	1			Oreg.
	•	-			

			nber c		
		terce	ptions	s in—	
Pest and host	Country of origin	Consump-	Nonentry	Propaga-	Collected in—
Deloyala guttata (Ol.) (Chrysomelidae):				1	_
Chamaedorea elegans (palm) leaf	Mexico	1 1			Tex. Tex.
OTCHIO	do	1		2	Tex. Tex.
Dialeurodes chittendeni Laing (Aleyrodidae): Rhododendron catawbiense (leaf) Rhododendron sp. (leaf)					
Rhododendron sp. (leaf)	do			6	N.Y.
Dialeurodes citrifolii (Morg.) (Aleyrodidae): Citrus sp. (leaf)	Cuba	1			Fla.
Dialeurodes kirkaldyi (Kot.) (Aleyrodidae): Gardenia sp.	į	Į.	Į.		
Gardenia sp	Tahiti Hawaii Philippines	1		1	Hawaii.
Plumeria sp	Hawaii			ī	Hawaii.
Dialeurodes tristylii Takah. (Aleyrodidae): Ilex integra (leaf)	Japan		2		Calif.*
Diaphone eumela (Stoll) (Noctuidae): Ornithogalum sp. (chinkerichee)	Republic of South Africa.	1			N.J.
Diaspis juniperi (Bche.) (Coccidae): Chamaecyparis lawsoniana 'Gimbornii'	Netherlands			1	D.C.
Diaspis minima Targ. (Coccidae): Juniperus sp. Diaspis zamiae Morg. (Coccidae):		1		1	N.Y.
Cycad	Australia Republic of South			1	Fla.
Encephalartos sp. (cycad)	l Africa.			l i	- 1101
Fruit—unidentifiedStrelitzia sp. (leaf)	France, Italy	2		1	N.J. N.Y.
Dichocrocis punctiferalis (Guen.) (Pyraustidae): Nephelium lappaceum (rambutan) Pinus parviflora (Japanese white pine)	Federation of Malaya	1			Hawaii. Wash.
Dicyphus annulatus (Wolff) (Miridae): Lactuca sativa (lettuce)	Italy				N.Y.
Dinoderus brevis Horn (Bostrichidae): Bamboo	India	1			Ala.
Borassus flabellifer (palmyra)					
Cocos nucifera (coconut)	Hawaii	2			Calif.*
dae): Orchid	Mexico			1	Tex.
Diploptera punctata (Esch.) (Diplopteridae): Plant material	Hawaii			1	Hawaii.
Doru albipes (F.) (Forficulidae): Orchid	Puerto Rico				P.R.
Drasterius bimaculatus (Rossi) (Elateridae):	Italy				P.R.
Ficus carica (fig) tree	Grand Cayman				Fla.
Orchid					Fla.
Dysdercus mimus (Say) (Pyrrhocoridae):	Ecuador				
Bromeliad Cargo	Costa Rica Ecuador Honduras	1		1	Fla. Calif.*
Cucumis sativus (cucumber)	Honduras	1			Fla.
Dysdercus ruficollis (L.) (Pyrrhocoridae): Cargo.	Ecuador	1			Tex.
Dysdercus suterellus (Herrich-Schaeffer)(?) (Pyrrhocoridae):					733
Cucumis sativus (cucumber)	Honduras				
Allium sativum (garlic)	Italy, Spain, Yugo- slavia.	3	1		La., N.Y., P.R.
Earias cu preoviridis (Wlk.) (Noctuidae): Hibiscus esculentus (okra)	British West Africa		1		Tex.
Ecpantheria eridanus (Cram.) (Arctiidae): Brassica oleracea var. capitata (cabbage)					
Ecpantheria icasia (Cram.) (Arctiidae): Allium cepa (onion)					
Attium cepa (omon)	ALGIUI.	•			

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
		Conti	Non	Prof tio	
Ectomyelois ceratoniae (Zell.) (Phycitidae): Barringtonia sp. (pod) Cassia fistula (goldenshower senna)	Hawaii	1			Hawair. Hawaii,
Citrus sinensis (sweet orange)	Africa (country(?)),		3		Calif.,* N.J.,
Coffea arabica (Arabian coffee)	Greece, ItalyItaly	$\begin{vmatrix} 2\\4 \end{vmatrix}$	[Hawaii. N.Y. N.Y.
Prunus amygdalus (almond)	Greece, Italy	4	1		N.Y.
Seed—assorted	Turkey. Hawaii Jamaica, Montserrat, Philippines, Puerto Rico.	3		1	Hawaii. Fla., Wash.
Ectomyelois muriscis (Dyar) (Phycitidae): Cassia sp. (senna) seed pod Enterolobium sp. (earpodtree) seed pod	Mexico	1		1	Tex. Tex.
Elimaea punctifera (Walk.) (Tettigoniidae): Baggage Endelomyia aethiops (F.) (Tenthredinidae):	Hawaii				
Rosa hydrid (rose) cut flower Engonus subcylindricus Fahrs. (Anthribidae):	Italy, Poland				
Airplane	Venezuela				3
	myra Island(?). Philippines, Southwest Pacific.				
Baggage Flowers Mail package	Hawaii	1			Hawaii. Hawaii. Hawaii.
Orchid (flower)	do			<u>-</u> 1	Hawaii. Hawaii.
Ephestia calidella Guen. (Phycitidae): Ficus carica (fig) Ribes sp. (current)	Greece Bulgaria	1 1			Va. N.Y.
Epichorista ionephela (Meyr.) (Tortricidae): Ornithogalum thyrsoides (Cape chinkerichee)	Republic of South	2			N.Y.
Epidias pis piricola (del. Guer.) (Coccidae): Malus sylvestris (apple) Epilachna borealis (F.) var. (Coccinellidae):	France				
Musa paradisiaca var. sapientum (banana) Epilachna 28-punctata (F.) (Coccinellidae): Brassica oleracea var. capitata (cabbage) Epinotia aporema (Wlsm.) (Olethreutidae):	EcuadorAustralia			1	
Cajanus cajan (pigeonpea)	Jamaica Ecuador	1 1			N.Y. Fla.
Eremocoris plebejus (Fall.) (Lygaeidae): Soil with Vaccinium sp. (blueberry) plant Eriococcus araucariae Mask. (Coccidae):					N.Y.
Araucaria excelsa (Norfolk-İsland-pine)	Bermuda			1	N.J. Mass.
Buxus sp. (boxwood) Eriophyes leionotus (Nal.) (Eriophyidae):	Unknown				Wash.
Betula sp. (birch) Euborellia plebeja (Dohrn) (Labiduridae): Fragaria sp. (strawberry)	Japan	1			Hawaii.
Pinus sp. (pine) dwarf tree	Dominica			1	Wash.
Eucalymnatus tessellatus (Sign.) (Coccidac): Heliconia sp. Euconocephalus platynotum (M.&S.) (Tetti-	Unknown	1	Í		N.Y.
goniidae): Airplane	Japan		1		Hawaii.
Euglandina striata (Müller) (Oleacinidae): Musa paradisiaca var. sapientum (banana)	Ecuador	17			Ala., Calif.,* Fla., La., N.Y.

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Euleia heraclei (L.) (Tephritidae): Apium graveolens (celery)	Germany		1		N.Y.
Eurydema ornatum (L.) (Pentatomidae): Punica granatum (pomegranate)	Israel				N.Y.
Eurytoma infracta Mayr (Eurytomidae): Salvia officinalis var. purpurascens (purple	Italy				N.Y.
sage). Eurytoma orchidearum (Westw.) (Eurytomidae):					
Cattleya skinneri (orchid) Orchid	Costa RicaColombia, El Salvador_			1 4	Calif.* Fla.
Euscelis plebejus (Fall.) (Cicadellidae): Gladiolus hybrid Euscepes porcellus Boh. (Curculionidae):	Italy		1		N.Y.
Ipomoea batatas (sweetpotato)	British Honduras	1			Fla.
Ipomoea batatas (sweetpotato)	Brazil, Trinidad		6		Ala., Calif.,* Pa.
Eutetranychus banksi (McG.) (Tetranychidae): Artocarpus altilis (breadfruit) leaf	Jamaica	2			Fla.
Everes comuntas (Godt.) (Lycaenidae): Phaseolus vulgaris var. (string bean)	Mexico	3			Tex.
Evergestis forficalis (L.) (Pyraustidae): Brassica oleracea var. botrytis (cauliflower) Exitianus obscurinervis (Stal) (Cicadellidae):	Norway		1		N.Y.
AirplaneFlowers	Unknown Mexico	1	1		N.Y. Tex.
Exptochiomera oblonga (Stal) (Lygaeidae): Tillandsia sp.	do		1	1	Ariz.
Farinococcus guatemalensis Ferris (Coccidae): Orchid	Guatemala			2	Ariz., N.J.
Fiorinia proboscidaria Green (Coccidae): Citrus limon (lemon)	Japan				
Cocos nucifera (coconut) Forficula decipiens Géné (Forficulidae):	Mexico	2	1		Calif.*
Forficula decipiens Géné (Forficulidae): Pisum sativum (pea)	Italy	1			N.Y.
Pisum sativum (pea)	1 00				
Soil with Iris sp. plants	do			1	N.Y.
Forficula senegalensis Serv. (Forficulidae): Cupressus sp. (cypress) cone Flowers	Republic of South Africa.	1			N.Y. N.Y.
Frankliniella formosae Mlt. (Thripidae): Chrysanthemum morifolium		2			Hawaii.
Chrysanthemum sp Dianthu's caryophyllus (carnation)	Korea Japan	1			Wash.
Frankliniella intonsa (Tryb.) (Thripidae): Dianthus caryophyllus (carnation)	Hungary, Sweden	2	 		N.Y.
Flowers	Denmark, England, Germany, Poland.	5			N.Y.
Gladiclus hybridHelichrysum bracteatum (strawflower)	Gormany	1			N.Y. N.Y.
Lathyrus odoratus (sweetpea)Rosa hybrid	Denmark, England,	7			Ill., N.Y.
The late of the la	France, Germany, Poland.				
Frankliniella lilivora Kurosawa (Thripidae): Lilium sp. (lily) bulb	Japan			1	N.Y.
Lilium sp. (lily) bulb	Argentina		1		Fla.
Nerine lucida (seed)	Republic of South Africa.				D.C.
Frankliniella sulphurea Schmutz (?) (Thripidae): Capsicum annuum (pepper)	Hawaii	1			Hawaii.
Furcas pis haematochroa Ckll. (Coccidae): Kentia sp. (palm) lcaf	Philippines		1		Calif.*
Furcaspis oceanica Ldgr. (Coccidae): Cocos nucifera (coconut)	Guam (?), Kwajalein	4			Hawaii.

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Gelechia ericetella (Hbn.) (Gelechiidae):	Scotland, unknown	1	1		N.Y.
Calluna vulgaris (heather) Geniocremnis chilensis (Boh.) (Curculionidae): Prunus domestica (plum) Geotomus pygmaeus (Dallas) (Cydnidae):	Chile				N.Y.
BaggageGnorimoschema gudmannella (Wlsm.) (Gele-	Hawaii	2			Hawaii.
chiidae): Capsicum annuum (pepper)	Cuba, Guatemala, Mexico.	10			Ariz., Calif., Calif.,* Fla., La., Tex.
Gnorimoschema ocellatella (Boyd) (Gelechiidae): Beta vulgaris (beet)	Italy, United Arab Republic.	1	2		N.Y., Pa.
Gortyna flavago (Schiff.) (Noctuidae): Cynara scolymus (artichoke) Grapholitha janthiana (Dup.) (?) (Olethreutidae):	Italy		1		Md.
Grapholithajanthiana (Dup.) (?) (Olethreutidae): Malus sylvestris (apple)	Austria, Rumania, unknown, Yugoslavia	4	1		Ill., Mich., N.Y.
Grapholitha packardi Zell. (Olethreutidae): Crataegus sp. (red haw)	Mexico	1			Tex.
Crataegus sp. (red haw) Graptostethus manillensis (Serv.) (Lygaeidae): Ipomoea sp. Gymnococcus agavium (Dougl.) (Coccidae):	Hawaii	1			Hawaii.
Gymnococcus agarium (Dougl.) (Coccidae): Agare shawii	Mexico			1	Calif.
Agave sp Gynaikothrips ficorum (Marchal) (Phlaeothripidae):	Spain			1	N.Y.
Airplane Laurus nobilis (Grecian laurel) Haplothrips aculeatus (F.) (Phlaeothripidae):	Cuba Mexico		1	1	Fla. Calif.
Plant—unidentified Haplothrips clarisetis Pr. (?) (Phlaeothripidae):	Netherlands			2	N.J.
Lactuca sativa (lettuce) Haplothrips cottei (Vuillet) (Phlaeothripidae):	Mexico				Calif.
Flowers	Greece				N.Y.
Crinum sp.	Hawaii	1			Hawaii. N.Y.
Flowers	Bermuda Israel	1			N.Y.
Plumeria rubra (Mexican frangipani)	Hawaii Israel	1			Hawaii. N.Y.
Hedylepta indicata (F.) (Pyraustidae):	Cuba				
Phaseolus vulgaris var. (string bean) Helicella caperata (Montagu) (Helicellidae):					
Military cargo Helicella conspurcata (Draparnaud) (Helicellidae):	Italy	1			La.
Military cargo	Azores, France, Italy, Libya, Morocco, Spain.	9			La., N.Y., N.C.,S.C.
Helicella derbentina (Andrz.) (Helicellidae): Military cargo	Turkey	1			N.Y.
Helicella ericetorum (Müller) (Helicellidae): Tropaeolum sp. (nasturtinm) seed	Netherlands			1	Pa.
Helicella itala (L.) (Helicellidae): Brassica oleracea var. capitata (cabbage) seed	ItalyItaly, unknown			1	N.Y.
Military cargo					
Lactuca sativa var. longifolia (romaine lettuce). Military cargo	FranceFrance, ItalySpain.	3	1		N.Y. La., N.Y.
Stores (with sweet orange) Helicella neglecta (Draparnaud) (Helicellidae):					
Military cargo	do				La.
Military cargo	Greece			1	La.
Military cargo	France, Greece, Italy,	7			La., N.Y.,

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Helicella variabilis (Draparnaud) (Helicellidae): Anthemis sp. (camomile)	Spain	1			P.R.
Lactuca sativa var. longifolia (romaine lettuce)	France		1 2		N.Y.
Military cargoSoil with automobile	Unknown France	4			N.Y. Fla.
Helicina strebeli Pfeiffer (Helicinidae): Chamaedorea sp. (palm) Helix aperta Born (Helicidae):	Mexico				
Helix aperta Born (Helicidae):	Mexico				
Brassica oleracea var. botrytis (cauliflower) B. oleracea var. capitata (cabbage)	Germany, Netherlands_ Italy Greece		2		Ga., S.C.
Lactuca sativa var. loggifolia (romaine lettuce)_	Greece		i		N.Y.
Helix aspersa Müller (Helicidae): Baggage (as food)	Italy	1			N.Y.
Baggage (as food) Lactuca sativa (lettuce)	Italy		2		N.Y.
Military cargo Orchid	Peru			1	Fla.
Stores (on egg crate) Helix pomatia L. (Helicidae):	Deigium		1		WHICH.
Baggage (as food) Stores (food for crew)	ItalyUnknown	1			N.Y. La.
Hellula undalis (F.) (Pyraustidae): Brassica oleracea var. capitata (cabbage)	United Arab Republic			l i	Pa.
Hemiargus hanno (Stoll) (Lycaenidae): · Airplane	Venezuela (?)			ł	
Hemimene juliana (Curt.) (Olethreutidae):	Italy, Portugal			i i	Mass., N.Y.
Castanea sp. (chestnut) Heterobostrychus aequalis (Waterh.) (Bostrichidae):					
Wood (crate)	India Cuba, Philippines, Thialand.	3			Md. Fla., Ill.
Heterotermes cardini (Snyder) (Rhinotermitidae): Crescentia linearifolia (calabash tree)	Haiti				Fla.
Heterotermes convexinotatus (Snyder) (Rhinotermitidae):	1.10:01	1			ra.
Cardboard (box)	ido	1	- -		Fla.
Dalbergia sp. (rosewood) log	Brazil Martinique Honduras	1			P.R.
Pinus sp. (pine) stump.	Honduras	1			La.
Homoeogryllus japonicus (Haan) (Gryllidae): Baggage (as caged pets)	Japan	1			Hawaii.
Baggage (as caged pets)	Yugoslavia	_		1	Calif.*
Ficus carica (fig) stem	Mexico				Fla.
Orchid	*				
Automobile	do				Tex.
Pinus sp.(?) (crate)	Norway	1			N.Y.
Bromeliad Hayr (Formicidae):	Mexico			1	Ariz.
Orchid	Guatemala				Fla., La.
Bromeliad	Brazil			1	Fla.
Bromelia sp	Mexico			1	Tex.
Baggage	Colombia	1			Tex.
Kalotermes immigrans Snyder (Kalotermitidae): Mail package	Hawaii				Hawaii.
Labia arcuata Scudd. (Labiidae):					
Chamaedorea oblongata (palm) leafLamellaxis gracilis (Hutton) (Achatinidae):	Mexico				Tex.
Persea americana (avocado) seed	St. Lucia Mexico	1		1	P.R.
SoilSoil with miscellaneous plants	Jamaica			1	Fla.
Tsuga diversifolia (Japanese hemlock) seed					N.J.
Lampides boeticus (L.) (Lycaenidae): Canavalia microcarpa (mauna loa) lei Canavalia sp	Hawaii	5			Hawaii.
		_			Calif.,* Hawaii.
Vicia faba (broadbean)	United Arab Republic.		1		Pa.

			nber o		
Pest and host	Country of origin	Consump-	Nonentry	Propaga- tion	Collected in—
Las peyresia nigricana (Steph.) (Olethreutidae): Pisum sativum (pea)	Italy	1			N.Y.
Las peyresia splendana (Hbn.) (Olethreutidae): Castanea sp. (chestnut)	Germany, Italy, Portugal, Spain, Turkey,				Mass., Mich., N.Y.
Las peyresia strobilella (L.) (Olethreutidae): Picea sp. (spruce) cone	Yugoslavia. Germany, unknown England	3			N.Y. N.Y.
Pinus sp. (pine) cone	FranceFrance	1			N.Y. Wash.
Prunus sp. (bark) Rosa hybrid (rose) budwood. Lecanium coryli (L.) (Coccidae): Acer platanoides (Norway maple)	FranceBelgium		i		N.Y. N.J.
Lecanium persicae (F.) (Coccidae): Prunus domestica (plum) stem Lepidosaphes conchiformis (Gmel.) (Coccidae):	Chile				N.Y.
Diospyros kaki (kaki persimmon) Lepidosaphes ficus (Sign.) (Coccidae):	Japan	1	4		Calif.,* Hawaii.
Ficus carica (fig) cutting	Italy				Calif.,* N.Y.
Diospyros sp. (persimmon) Lepidosaphes newsteadi (Sulc.) (Coccidae): Juniperus chinensis (pyramid Chinese juni-	Japando			1	Wash. Calif.*;
per) dwarf. Lepidosaphes philococcus (Ckll.) (Coccidae): Cactus				1	Fla.
Nolina sp	do			1	Tex.
Lepidosaphes punicae Laing (Coccidae):	Japan Thailand		1	1	Calif.* D.C.
Erythrina sp. (coralbean) Lepidosaphes tokionis (Kuw.) (Coccidae): Codiaeum variegatum (croton)	Hawaii				Calif.,* .Hawaii.
Codiaeum sp. Lepidosaphes tuberculata Mal. (Coccidae):	Hawaii, Panama				Fla., Hawaii.
Orchid	Australia Japan	1			N.Y. Hawaii.
Lepidosaphes yanagicola (Kuw.) (Coccidae): Dios pyros kaki (kaki persimmon)	do	1			Hawaii.
Salix sp. (willow)	France(?)		1		Mich.
Airplane	Philippines Mexico		1		Hawaii.
Leptoglossus chilensis (Spin.) (Coreidae): Vitis sp. (grape) Leptopharsa usingeri Drake (Tingidae):					N.Y.
Yucca sp. (seed) Leucaspis lowi Colvee (Coccidae):	Mexico		1		Tex.
Pinus sp. (pine) needles Leucas pis pusilla Loew (Coccidae): Pinus sp. (pine) needles	Austria	1	1		Ill. N.Y.
Leucoptera coffeella GM. (Lyonetiidae): Coffea sp. (coffee) leaf					Fla.
Ligyrocoris aurivilliana (Dist.) (Lygaeidae): Cucumis melo var. cantalupensis (cantaloupe) Ligyrocoris nitidulus (Uhler) (Lygaeidae):		1			Tex.
Agave victoriae-reginae					Tex.
Brassica oleracea var. botrytis (broccoli) B. oleracea var. capitata (cabbage) Lactuca sativa (lettuce)	Azores, Italy Italy Spain		2 1 1		N.Y. N.Y. N.Y.
Limax maximus L. (Limacidae): Brassica oleracea var. capitata (cabbage)	Italy		1		N.Y.

[111 45001778 1110								
			nber o					
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—			
Limothrips angulicornis (Jablwki.) (Thripidae): Prunus persica var. nectarina (nectarine)	Chile	1			N.Y.			
Limothrips denticornis (Hal.) (Thripidae): Calluna vulgaris (heather)	ScotlandNetherlands			1	N.Y. N.J.			
Lincus ru fospilotus (Westw.) (Pentatomidae): Orchid	Colombia, Peru			3	Fla.			
Listronotus palustris Blatchley (Curculionidae): Airplane Lobesia botrana (Schiff.) (Olethreutidae):	Unknown		1		Fla.			
Vitis sp. (grape) Lobesia botrana (Schiff.)(?) (Olethreutidae):	Italy, Lebanon				N.Y.			
Quarters (with Phoenix dactylifera) Lorryia formosa Cooreman (Tydeidae): Citrus limon (lemon)	UnknownArgentina				Mass.			
Lorryia mali Oud. (Tydeidae):	Snain		1					
Loxostege bifidalis (F.) (Pyraustidae): Portulaca sp. Lyctus africanus Lesne (Lyctidae):	Mexico	1			Tex.			
Wood—unidentified	England, India	5			Fla., Mass., N.Y.,Wis.			
Lyctus brunneus (Steph.) (Lyctidae): Wood—unidentified	American Samoa, Brazil.	2			Calif.,* Ohio.			
Lyctus linearis (Goeze) (Lyctidae): BaggingGum.	India	1 1			N.Y. N.Y.			
Lygus lineolaris (P. de B.) (Miridae): Chrysanthemum sp. Lygus lucorum (Meyer-Dur.) (Miridae):					Tex.			
Macroplax fasciata (Herrich-Schaeffer)	Netherlands			1	N.J.			
(Lygaeidae): Stipa tenacissima (esparto needlegrass) Macrosiphum formosanum Takah. (Aphidae):		i		1				
Lactuca sativa (lettuce)	_	1						
Brassica oleracea var. botrytis (cauliflower) B. oleracea var. capitata (cabbage)	England, France, Germany, Italy, Nether-		7		Ga., N.Y., P.R., Tex.			
Brassica sp Petroselinum crispum (parsley) Maruca testulalis (Gever) (Pyraustidae):	Japan Italy		1 1		Wash. Pa.			
Maruca testulalis (Geyer) (Pyraustidae): Cajanus cajan (pigeonpea)	Puerto Rico Hawaii	5 5 5			Ill., P.R. Hawaii. Calif.,*			
Phaseolus vulgaris var. (string bean)	Brazil, Japan, Puerto	11	3		Calif.,* Ill.,			
Sesbania grandiflora (agati sesbania)	Hawaii	2			Hawaii. Hawaii.			
Strongylodon macrobotrys (?) Matsucoccus matsumurae (Kuw.) (Coccidae): Pinus sp. (pine)		1		1	Calif.,*			
Matsumuraeses phaseoli (Mats.) (Olethreutidae): Phaseolus vulgaris var. (string bean)		1			Wash.			
	Peru			1	Wash.			
Megacerus alternatus Bridw. (Bruchidae): Seed—assorted	Hawaii							
Megastes grandalis Guen. (Pyraustidae): Ipomoea batatas (sweetpotato)	Brazil		1		Md.			
Cryptomeria japonica (seed)	Japan				N.J.			
midae): Cedrus deodara (deodar cedar) seed	France (?)			1	N.J.			

[An asterisk indicates State inspection]							
			nber o				
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—		
Melolontha melolontha (L.) (Scarabaeidae):	France		28		N.Y.		
Mesochelidura peringueyi Burr (Forficulidae): Protea sp. (cut flower)	Republic of South	1			N.Y.		
Metamasius hemipterus sericeus (01.) (Curculionidae):	Africa.						
Musa paradisiaca var. sapientum (banana)	Costa Rica, Ecuador, Panama.	20			Ala., Fla., La., N.Y., S.C., Tex		
Metopoplax ditomoides (Costa) (Lygaeidae): Airplane Micrapate labialis Lesne (Bostrichidae):	Morocco		1		Fla.		
Wood (crate)	Mexico				Calif., N.Y.		
Prunus domestica (plum)	Chile			•	N.Y.		
Orchid	British Guiana Jamaica			1	Fla. D.C.		
Airplane Legume (seed)	Venezuela Hawaii		1	1	P.R. Hawaii.		
Seed—unidentified	Mexico			1	Tex.		
Bamboo Wood (crate)	India Brazil, England, Thailand, Venezuela (?).	4			Fla., Ill., Ohio.		
Molorchus minor (L.) (Cerambycidae): Wood (crate) Monacha cantiana (Montagu) (Helicellidae):	Sweden	1	 -		Wis.		
Lactuca sativa (lettuce)	Italy France	2	1		N.Y. La.		
Plant—unidentified	Germany			1	N.J.		
Military cargo	do						
Dendrobium sp. (orchid) Fruit—miscellaneous	Philippines	1		1	Fla. Wash.		
Gladiolus hybrid Grass (plant) Herbs (dried)	l India	1			Hawaii. D.C. N.Y.		
Mail package	Hawaii India	1		1	Hawaii. D.C.		
Quarters	Unknown		1		Ill.		
Zea mays (corn)	Mexico						
Citrus aurantifolia (lime)							
C. paradisi (grapefruit) C. reticulata (Mandarin orange) C. sinensis (sweet orange) Plant—unidentified Mormidea inermis Dallas (Pentatomidae):	Japan		$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$		Calif.* Calif.*		
C. sinensis (sweet orange) Plant—unidentified	Bermuda	1	1		Calif.* Mass.		
Orchid	Mexico			1	Tex.		
Bamboo	do	2			Fla., Tex.		
Orchid	do				Fla.		
Rosa hybrid (rose) petal	France.	ĺ			N.Y.		
Allium cepa (onion) Aster sp. (plant) Stores (on lettuce)	Germany Unknown		4	1	N.J. N.J. N.Y.		
Nasutitermes corniger (Motsch) (Termitidae)					Tex.		
Cyathea sp. (treefern) Dalbergia sp. (rosewood) log	Honduras			1 1	La. Fla.		
Wood (crate)	Colombia:	1			Fla.		

•					
			nber o		
Pest and host	Country of origin	-dun	ntry	lga-	Collected in—
		Consump- tion	Nonentry	Propaga- tion	
Nasutitermes costalis (Holmgr.) (Termitidae): Wood (limb with orchid on it)	Trinidad				Fla.
Bromeliad Orchid	British Honduras, British Honduras, Dominican Republic		 	3	Fla. Fla.
Schomburgkia sp. (orchid)	Dominican Republic British Honduras			1	Fla.
AirplaneBromeliad	do		1	4	Fla. Fla.
Orchid	Brazil, British Hon-			$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	Fla.
	duras.				
Schomburgkia sp. (orchid)	British Honduras			1	Fla.
Vitis sp. (grape)	Chile				N.Y.
Lucopersicon esculentum (tomato)	do	2			Tex.
Solanum melongena (eggplant)	Brazil, Venezuela Haiti	1	1		N.Y., P.R.
S. quitoense	Haiti	1			Fla.
Bromeliad	Costa Rica				Fla.
Araucaria sp	Hawaii			1	Hawa <u>i</u> i.
Dioscorea sp. (yam)	Haiti	1			N.Y.
Nephotettix apicalis (Motsch.) (Cicadellidae): Airplane	Japan (?), Philip- pines (?).		4		Hawaii.
Nezara viridula (L.) (Pentatomidae):	* '				
Military cargo	Morocco, unknown Chile, Republic of South Africa.	5			N.Y., S.C. N.Y.
Nilotaspis halli (Green) (Coccidae):					
Prunus sp	Iran		ì		
Phragmites communis (reed)	Japan				Calif.*
Bromeliad Nysius delectulus Perkins (Lygaeidae):	British Honduras				Fla.
Airplane	Hawaii				
Lactuca sativa (lettuce)					
Plant—unidentified	Mexico	3			Tex.
Plant—unidentified	do	1 1			Tex.
Portulaça sp	do	î			Tex.
Portulaca oleracea (purslane) Portulaca sp. Zea mays (corn)	do	2			Tex.
Nysius tenellus Barber (Lygacidae): Agave victoriae-reginae	do			1	Tex.
Airplane	British West Indies		1		P.R.
Chrysanthemum parthenium	Mexico	1			Tex.
Odonas pis ruthae Kot. (Coccidae): Cynodon dactylon (Bermuda grass)	Republic of South			1	D.C.
Cynodon sp. (dogtooth grass)	Africa. Ethiopia			1	D.C.
Oenopiella unidentata (Spinola) (Pentatomidae): Airplane	Argentina (?)		1		Fla.
Ogdoecosta biannularis (Boh.) (Chrysomelidae): Bromeliad	Mexico			1	Ariz.
Onthophagus taurus (Schr.) (Scarabaeidae): Automobile	Unknown	1			N.Y.
Onychaspidium apicale (Will.) (Chloropidae): Orchid	Mexico			1	Tex.
Opogona sacchari (Bojer) (Tineidae): Haworthia arachnoidea	Republic of South		- 1		N.J.
Log		1		<u>-</u> -	La. N.J.
Orminogurant Sp. (Chilikerichee)	Africa.				

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued
[An asterisk indicates State inspection]

		Number of interceptions in—			
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Orchidophilus aterrimus (Waterh.) (Curculioni-					
dae): Orchid Vanda 'Miss Joaquim' (orchid) Orphulella punctata (DeG.) (Acrididae):	Hawaiido	1			Hawaii. Hawaii.
AirplaneOrthezia praelonga Dougl. (Coccidae):	Dominican Republic		1		P.R.
Anthurium sp.	Trinidad	1			P.R.
Ostrinia nubilalis (Hbn.) (Pyraustidae): Castanea sp. (chestnut)	Italy	1			N.J
Castanea sp. (chestnut) Chrysanthemum morifolium Chrysanthemum sp. Military cargo	Japando	1			Hawaii. Wash.
Phaseolus vulgaris var. (string bean)	Spain Japan	1	2		Cam.,
Sorghum vulgare var. technicum (broomcorn) Otala lactea (Müller) (Helicidae):	Italy, Yugoslavia				Wash. N.Y.
Brassica oleracea var. botrytis	do		1		N.Y. N.Y.
Military cargoOtala vermiculata (Müller) (Helicidae):	Morocco	2			
Military cargo	Italy, Morocco, Spain	5			La., N.Y., Va.
Otosema odorata (L.) (Noctuidae): Airplane	Venezuela		1		Fla.
Oulema melanopa (L.) (Chrysomelidae): Plant—unidentified	Netherlands Germany			2	
Soil with Calluna vulgaris (heather)					Mich.
Baggage Oxychilus alliarius (Müller) (Zonitidae):	Mexico		1		
Orchid	Italy Mexico			1	N.Y. Hawaii.
Oxychilus draparnaldi (Beck) (Zonitidae): Military cargo Oxycopis vittata (Fab.) (Oedemeridae):	France	1			La.
Airplane	Puerto Rico		1		P.R.
Pachybrachius albocinctus Barber (Lygaeidae): Lycopersicon esculentum (tomato) Pagiocerus fiorii (Egg.) (Scolytidae):	Mexico	1			Ariz.
Zea mays (corn)	Peru	1	1		La., N.Y.
Dioscorea sp. (yam) Palpifer sexnotatus (Moore)(?) (Hepialidae):	Jamaica, Trinidad	2			N.Y.
Colocasia antiquorum (taro). Paragonatas divergens (Dist.) (Lygaeidae):	China	1			Wash.
Bromeliad	British Guiana			1	Fla.
Zantedeschia sp. (calla lily)Parisoschoenus expositus (Champ.) (Curculioni-	India			1	N.J.
dae): Chamaedorea sp. (palm) seed Parisoschoenus flavolimbatus (Champ.) (Curculionidae):	Mexico			1	Tex.
Chamaedorea oblongata (palm) stem					
Citrus aurantifolia (lime) C. grandis (pummelo)	Brazil, India	1	3	1	Calif.* Calif.,* D.C.
C. limon (lemon)	Argentina, Brazil, un-		4		Ala., Calif.*
C. paradisi (grapefruit)	Surinam, Tahiti,		7		Calif.*
C. reticulata (Mandarin orange)	Trinidad, unknown. Philippines		1.		Hawaii.
C. sinensis (sweet orange)	Argentina, Brazil, Ecuador, Mexico, Tahiti, unknown.	5	18		Calif.,* Fla., N.Y.
Parlatoria crotonis Dougl. (Coccidae): Codiaeum variegatum (croton) Parlatoria crypta McKenzie (Coccidae):	Hawaii			1.	Hawaii.
Parlatoria crypta McKenzie (Coccidae): Jasminum sp. (jasmine)	India			1	Wash.

		Number of interceptions in—					
Pest and host	Country of origin		~		Collected		
rest and nost	Country of origin	Consump- tion	Nonentry	ga-	in—		
		onsur	neī	opa			
		Coo	No No	Propaga- tion			
Parlatoria pittospori Mask. (Coccidae):	Danishlia of Canth				D. C.		
Leucadendron sp.	Republic of South Africa.			1	D.C.		
Parlatoria zizyphus (Lucas) (Coccidae): Citrus aurantifolia (sour lime)	Cameroun, Gambia,	1	ą		Calif.,*		
Our wo awrancesoura (Sour mine)	Japan.				Mass		
C. aurantifolia (sweet lime)	Italy	1			N.Y. Mass.		
C. grandis (pummelo)	Japan	1	2		Calif.*		
C. limon (lemon)	Algeria, Italy, Japan, Liberia.	1	8		Calif.,* N.Y. Tex.		
C. paradisi (grapefruit)	China, Thailand		3		Calif.*		
C. reticulata (Mandarin orange)	China, Formosa, Hong Kong, Japan, Okina-	7	2		Calif.,* Hawaii.		
	wa. Philippines.						
C. sinensis (sweet orange)	Kong, Israel, Italy,	4	14		Calif.,* Hawaii.		
	Japan, Philippines,				Hawaii, Mass., N.Y.		
Citrus sp. (leaf)	Spain, unknown. Japan, Thailand	1	1	 	Calif*		
Paroxacis antillarum (Champ.) (Oedemeridae):					Hawaii.		
Airplane	Venezuela		1		Fla.		
Patanga ja ponica (Bol.) (Acrididae): Baggage.	Japan						
Pealius hibisci (Kot.) (Aleyrodidae):							
Gardenia sp	Hawaii	Į.		1	Calif.*		
Gossunium herbaceum (Levant cotton: ball)	Trinidad			1	Fla.		
Gossypium sp. (cotton; bale) Gossypium sp. (cotton; boll)	Haiti. Hawaii. Italy.	7			Calii.* Fla Hawaii.		
	Mexico, Turkey.	I			N.Y., Tex.		
Gossypium sp. (cotton; motes) Gossypium sp. (cottonseed)		1 7	2		S.C. Fla., N.Y.,		
•	Hong Kong, Mexico, United Arab Repub-				S.C., Tex.		
	lic.						
Gossypium sp. (seed cotton)	Mexico Dominican Republic,	6	4 3		Tex. Fla., N.Y.,		
	1 年前、1449年 。 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・				Pa., P.R.		
Hibiscus sp. (lei)Pelopidas mathias oberthuri Evans (Hesperiidae):	Cuba	1			Va.		
Airplane	Japan(?)		1		Hawaii.		
Pemphigus populiromulorum Riley (Aphidae): Populus sp. (leaf)	Mexico	1			Ariz.		
Populus sp. (leaf) Pentalonia nigronervosa Coq. (Aphidae):	Canal Zona			1	Ela		
Alocasia sp. (leaf)	Hawaii	1			Hawaii.		
A. purpurata	Hawaii, Panama Canal Zone, Hawaii,	9		1	Fla., Hawaii. Fla., Hawaii.		
	Donomo	1	1		1		
Calochortus sp. (mariposa)	Cuba	1		1	N.Y. Fla.		
FernHeliconia humilis	Hawaii	1			Hawaii.		
Heliconia sp	Ecuador	1			Fla. Fla.		
Strelitzia sp. (bird-of-paradise-flower)	Jamaica, Panama			2	Fla., N.Y. Hawaii.		
Zingiber sp. (ginger) Pentamerismus oregonensis McG. (Tenuipalpi-	Hawaii	2			nawan.		
dae): Juniperus chinensis (pyramid Chinese juni-	Japan			1	N.Y.		
per) dwarf.							
Juniperus sp Periphyllus aceris (Koch) (Aphidae):	do	1		l .			
Acer pseudoplatanus (sycamore maple)	France		1		Mass. N.Y.		
Acer sp	do		İ				
Anthurium sp.	Hawaii		1				
Phalonia zephyrana (Treit.) (Phaloniidae): Daucus carota var. sativa (carrot)	Italy		4		Fla., Pa.		

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
		0		<u></u>	
Phaneroptera furcifera Stal (Tettigoniidae): Airplane	Guam		1		Hawaii.
Dhaidala magaanhala (E) (Enmisidae).					
Alpinia purpurata (cut flower) Anacharis sp. (waterweed) Ananas comosus (pineapple) Bromeliad Calliandra sp. Capsicum annuum (pepper) Cibotium sp. (fern)	Cuba			1	Fla. Fla.
Bromeliad	British Honduras			7	Fla.
Calliandra sp	Singapore			1	Hawaii.
Cihotium sp. (fern)	Hawaii	1		1	Hawaii. Hawaii.
Capsicum annuum (pepper) Cibotium sp. (fern) Coccoloba uvifera (seagrape) Cocos nucifera (coconut) Cordyline terminalis (ti) Crotalaria sp.	Bermuda	1			Mass.
Cocos nucifera (coconut)	Hawaii	3		1	Hawaii.
Crotalaria sp	do	1		1	Hawaii. Hawaii.
Cycas revoluta (sago palm)	Okinawa			1	Hawaii.
Cycas revoluta (sago palm) Dalbergia sp. (rosewood) log Debris	Brazil	1			La.
Flowers	Bermuda	1	1		Fla. N.Y.
Food	Hawaii	î			Hawaii.
Hibiscus sp.	Languarda				
Indiscus Sp. Ipomoea batatas (sweetpotato) Ixora chinensis (lei) Lansium domesticum (langsat) Lathyrus odoratus (sweetpea) Mail package Managan (spirome)	Fiii	1			Hawaii.
Lansium domesticum (langsat)	Philippines	1			Hawaii.
Lathyrus odoratus (sweetpea)	Bermuda	1 1			N.Y. Hawaii.
was sp. (rinzome)	Solomon Islands			1	D.C.
Orchid	British Honduras.	1			Fla., Hawaii.
	Canal Zone, Hawaii, Honduras, Mexico.				
Plant—unidentified	Singapore			1	
Plumeria sp	Hawaii			1	Hawaii.
Saccharum officinarum (sugarcane)	Portugal St. Kitts	1	1		Fla. Am. V.I.
Samanea saman (raintree saman) log	Fiji	3			Hawaii.
Saccharum officinarum (sugarcane) Samanea saman (raintree saman) log Soil with Mentha sp. (mint) plant Waterlily	Cuba			1	N.Y.
Phenacaspis cockerelli (Cooley) (Coccidae):					
Mangifera indica (mango) Philas pis bivulnerata (Boh.) (Chrysomelidae):	Philippines		1		Hawaii.
Baggage (with artificial flowers)	Mexico	1			111.
Vitis sp. (grape) Phoebolampta excellens (Walk.) (Tettigoniidae):	Republic of South Africa				
QuartersPhorodon menthae (Buckt.) (Aphidae):	Haiti		1		Tex.
Mentha piperita f. rubescens Mentha sp. (mint)	Bulgaria England, Mexico	1		1	
Phricodus hystrix (Germ.) (Pentatomidae): Sesamum angolense	Republic of South Africa		:	1	D.C.
AirplanePhyllophaga analis (Burm.) (Scarabaeidae):	Dominican Republic		1		Fla.
Manihot sp. (cassava)	Cuba				
Chrysanthemum sp	Bahamas, France	8			Fla., N.Y., Ohio.
Phytomyza rufipes Meig. (Agromyzidae): Brassica oleracea var. botrytis (cauliflower)					N.Y., Pa., Tex.
B. oleracea var. capitata (cabbage)	Rolgium Fnglond		3		NV Po
B. rapa (turnip) Cichorium endivia (endive) C. intybus (chicory) Lactuca sativa (lettuce) Raphanus sativus (redish)	England Belgium, Netherlands	11	1		Tex. Mass., N.Y.
Lactuca sativa (lettuce)	Netherlands	2	1		Pa.
Traphanas carras (tadisti)	Unknown		1		N.Y.
Dignie brancings (T \ (Dignides).					
Brassica oleracea var. capitata (cabbage) Lactuca sativa (lettuce) Military cargo	Azores Greece, Morocco	3	1		N.Y. N.Y., S.C.

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued
[An asterisk indicates State inspection]

			nber o		
Pest and host	Country of origin	Consump-	Nonentry	Propaga- tion	Collected in—
Pinnaspis buxi (Bouché) (Coccidae):					73
Cocos nucifera (coconut) Cordyline terminalis (ti) Cordyline sp. Palm (leaf) Philodendron sp.	Hawaii, Panama	8		3	Fla., Hawaii.
Cordyline sp	Hawaii Janan	1		1	Hawaii. Calif.*
Philodendron sp.	Hawaii			1	Hawaii.
Scindapsus sp. (ivy-arum) leaf	00			1	Hawaii.
Ophiopogon sp. (lilyturf)	Puerto Rico			1	D.C.
Camellia sasanqua	Formosa			1	D.C.
Conifer (dunnage)	Belgium, Germany		2		Fla.
Plagiomorpha scabricula (Stal) (Chrysomelidae):	Mexico			1	Tex.
Plagionotus arcuatus (L.) (Cerambycidae):		}		-	
Pinus sp. (pine) dunnage	Unknown				Ohio.
Musa paradisiaca (plantain)	Guatemala	1			Fla.
Ananas comosus (pineapple)	Mexico	1			Tex.
Platypus rugulosus Chap. (Platypodidae): Nectandra rodiei (greenhart) piling	British Guiana	1			Tex.
Plusia orichalcea (F.) (Noctuidae): Allium sativum (garlic)	Spain		1		Mich.
Podisus lineolatus (Herrich-Schaeffer)	_				
(Pentatomidae): Tillandsia sp	Mexico			1	Tex.
Polyancistrus serrulatus (P. de B.) (Tettigonii-dae):					
Orchid	Dominican Republic			1	Fla.
Polyglypta costata Burm. (Membracidae): Bromeliad	Mexico			1	Tex.
Polytus mellerborgi (Boh.) (Curculionidae):	Philippines			1	D.C.
Musa acuminata (rhizome) Musa sp. (rhizome)	do			1	D.C.
Popillia lewisi Arrow (Scarabaeidae): Airplane	Okinawa		3		Hawaii.
Porphyrobaphe iostoma Sowerby (Bulimulidae): Musa paradisiaca var. sapientum (banana)	Ecuador, unknown		į.		Calif.,* La.,
Quarters	Ecuador	į.			N.Ý. Fla.
Praeacedes thecophora (Wlsm.) (Tineidae):			ì		Hawaii.
Prays oleellus (F.) (Hyponomeutidae):	Hawaii				
Olea europaea (olive) Procryptotermes hubbardi (Banks)	Italy	4		1	N.Y.
(Kalotermitidae):	Mexico	1			Ariz.
Wood—unidentified Prodenia litura (F.) (Noctuidae):					
Capsicum annuum (pepper)Protopulvinaria longivalvata Green (Coccidae):	Israel				
Leaf—unidentified	Guatemala Puerto Rico	1		<u>-</u> -	Tex. D.C.
Piper nigrum (black pepper) leafProtopulvinaria pyriformis (Ckll.) (Coccidae):					
Gardenia jasminoides (leaf)	Cuba				Fla.
Persea americana (avocado)	Mexico	1			Tex.
Pseudaonidia clavigera (Ckll.) (Coccidae): Gardenia sp. (leaf)	Hawaii			1	Calif.*
Hibiscus sp	do			1	Hawaii.
Citrus aurantifolia (lime)	BrazilArgentina, Brazil	1	$\begin{vmatrix} 2\\12 \end{vmatrix}$		N.Y. Calif* Fla
C. limon (lemon)			_		N. I I . IV.
C. sinensis (sweet orange)	Jamaica		1		Calif.*
Mangifera indica (mango) Pseudischnas pis alienus (Newst.) (Coccidae):	Philippines	1			mawan.
Cattleva sp. (orchid) leaf	British Honduras, Costa			4	Fla., Tex.
Epidendrum sp. (orchid)	Rica, Guatemala. British Honduras			1	Tex.

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued
[An asterisk indicates State inspection]

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Pseudischnaspis alienus—Continued Oncidium baueri (orchid) Oncidium sp. (orchid) Orchid Pseudischnaspis bowreyi (Ckll.) (Coccidae):	do			1	Wash. Tex. Calif.,* Fla., La., Tex.
Agave sp. Pseudischnaspis longissima (Ckll.) (Coccidae):	Jamaica			1	Fla.
Citrus sinensis (sweet orange) Pseudococcus azaleae (Tins.) (Coccidae):	Costa Rica		1		Calif.
Rhododendron sp	Japan			1	N.J.
Pseudococcus boninsis (Kuw.) (Coccidae): Saccharum officinarum (sugarcane)	Australia, Bahamas, Nigeria.	2	1		Bahamas, Hawaii, Mass.
Pseudococcus citriculus Green (Coccidae): Citrus reticulata (Mandarin orange) Pseudococcus cocotis (Mask.) (tentative) (Coccidae):	Japan		1		
Cocos nucifera (coconut) leaf Pseudococcus gahani Green (Coccidae):	Christmas Island		1		Hawaii.
Citrus limon (lemon) Diospyros kaki (kaki persimmon)	Unknown		1		N.Y.
Protea sp. (cut flower) Pseudococcus giffardi Ehrh. (Coccidae):	Chile Republic of South Africa.	1			N.Y.
Pandanus odoratissimus	Hawaii	1			Hawaii.
Pseudococcus lilacinus (Ckll.) (Coccidae): Psidium guajava (guava)	Philippines	1			Wash.
Cordyline terminalis (ti) leaf	Hawaii	1			Hawaii.
Basella alba (white vinespinach) Pseudococcus palmarum (Ehrh.) (Coccidae):	Palmyra Island	1			Hawaii.
Cocos nucifera (coconut)	Hawaii	11		3	Calif.,* Hawaii.
Pinus parviflora (Japanese white pine)	Japan				Hawaii.
Araucaria sp	Hawaii				Hawaii.
Bromeliad	Brazil]	Fla.
Malus sp. (apple) scion Ptilia versicolor (Klug) (Argidae):					Wash.
Tillandsia sp					Tex.
Citrus aurantium (sour orange)			ł		Calif.*
Alpinia purpurata	Hawaiido	4 3		1	Hawaii. Calif.,*
				1	Hawaii. Hawaii.
Hedychium sp. (ginger lily) leaf	Okinawa		1		Hawaii.
Zingiber spectabile (redbract ginger)	Hawaii	1			Hawaii.
Puto barberi (Ckll.) (Coccidae): Seed pod—unidentified Puto mericanus (Ckll.) (Coccidae):	Colombia	1			Calif.*
Puto mexicanus (Ckll.) (Coccidae): Cephalocereus senilis (oldman cactus)	Mexico			1	Tex.
Trichopilia tortilis (orchid)	do			1 1	Hawaii. Hawaii.
Puto ulter Ferris (Coccidae): Cypripedium sp. (orchid)	Guatemala			1	Calif.*
Odontoglossum grande (orchid)	do			1	Tex. Tex.
Odontoglossum var. Oncidium sp. (orchid)	do			1	Calif.* Calif.*
Orchid	do			3	Ariz., Fla.

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued [An asterisk indicates State inspection]

[An asterisk indicates state inspection]							
			aber o				
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—		
Rehimena phrynealis Wlk. (Pyraustidae): Airplane Reticulitermes speratus (Kolbe) (Rhinotermiti-	Philippines (?)		1		Hawaii.		
dae): Wood—unidentified	Japan	1			Hawaii.		
Rhagoletis alternata (Fall.) (?) (Tephritidae): Rosaceae (berry)	Italy	1			N.Y.		
Prunus sp. (cherry)	Czechoslovakia, Den- mark, France, Ger- many, Greece, Hungary, Israel (?), Italy, Netherlands, Poland, Portugal, Spain, unknown.	40	29		Calif.,* Ill., Mass., Mich., N.Y.		
Rhagoletis cerasi (L.) (?) (Tephritidae): Prunus sp. (cherry)	Italy		1		Mass.		
Rhaphogaster nebulosa (Poda) (Pentatomidae): Military cargo	Spain	1			La.		
Rhynchites auratus (Scop.) (Curculionidae): Prunus spinosa (sloe) seed	Scotland			1	N.J.		
Rhynchotermes nasutissimus (Silv.) (Termitidae): Bromeliad	Peru			1	Fla.		
Rhyparochromus pini (L.) (Lygaeidae): Fragaria sp. (strawberry)	Germany			1	Ill.		
Ribua innoxia Hein. (Phycitidae): Ananas comosus (pineapple)	Cuba, Dominican Republic.	21			Fla., N.Y.		
Rumina decollata (L.) (Achatinidae): Soil	Italy	1			N.Y.		
Soil	South Pacific		1		Hawaii.		
Schoenobius incertulas (Wlk.) (Schoenobiidae): Airplane	Unknown		1		Hawaii.		
Selenothrips rubrocinctus (Giard) (Thripidae): Codiaeum sp. (leaf)	Hawaii Peru	1		1	Hawaii. Fla.		
Sesamia cretica Led. (Noctuidae):	Italy	1			Md.		
Sesamia inferens (Wlk.) (Noctuidae): Oryza sativa (rice) Sesamia nonagrioides (Lef.) (Noctuidae):	Jāpan						
Sesamia nonagrioides (Let.) (Noctuidae): Zea mays (corn) stalk Sessinia livida (Fab.) (Oedemeridae):	spam	i	1	1			
Airplane	Canton Island, Christmas Island.		3		Hawaii.		
Sinoxylon anale Lesne (Bostrichidae): Wood (crate)	India						
Sinoxylon conigerum Gerst. (Bostrichidae): Airplane	Okinawa (?) Hawaii England, India,	1	1		Hawaii. Hawaii.		
Mail package	England, India, Pakistan.	5			Calif.,* Fla., N.Y., S.C.		
Sinoxylon ruficorne Fahr. (Bostrichidae): Wood (crate)							
Siphanta acuta (Wlk.) (Flatidae): Alpinia purpurata (cut flower)	Hawaii	1			Hawaii. Hawaii.		
Alpinia purpurata (cut flower)	do				Hawaii. Hawaii.		
Phaeomeria magnifica (cut flower)	Germany	1	1		Wis.		
Sitona lineata (F.) (Curcullollidae):	Portugal		1		N.Y.		
Leaf—unidentifiedPlant—unidentified	Netnerlands	2		2	N.J. N.Y.		
Syringa sp. (lilac) cut flower		3			Ala., Fla.		
Musa paradisiaca var. sapientum (banana) Solenopsis saevissima richteri Forel. (Formicidae):							
Juglans regia (English walnut)	(country (?)).	1	1				

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued [An asterisk indicates State inspection]

[All asterisk indicates state inspection]								
			nber o					
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—			
Sparedrus depressus (Champ.) (Oedemeridae): Orchid	Mexico			1	Tex.			
Sparteus villosus (F.) (Bruchidae): Laburnum alpinum (seed)	Italy				N.J.			
L. anagyroides (seed)Specularius erythrinae Bridw. (Bruchidae):	do			1	N.J.			
Erythrina abyssinica (seed)	and Nyasaland.				N.J.			
E. humeana (Hume coralbean) seed	Federation of Rhodesia and Nyasaland, Republic of South Africa.			2	N.J.			
Erythrina sp.	Federation of Rhodesia and Nyasaland.			1	N.J.			
Stator limbatus (Horn) (Bruchidae): Legume (seed)	Hawaii			1	Hawaii.			
Pithecellobium mexicanum (seed)Samanea saman (raintree saman) seed	Mexico	1		1	Ariz. Hawaii.			
Stator pruininus (Horn) (Bruchidae): Dianthus caryophyllus (carnation) lei Leucaena leucocephala (seed)	do	2			Hawaii. Hawaii.			
Steneotarsonemus laticeps (Halb.) (Tarsonemidae):		1			iiawaii.			
Narcissus sp. (bulb)	England, Ireland, Northern Ireland.	-,		266	N.J.			
Stenoma catenifer Wlsm. (Stenomidae): Persea americana (avocado)	Brazil, Colombia, Ecuador, El Salva- dor, Guatemala, Honduras, Mexico, Nicaragua, Panama.	22		1	Ariz., Calif.,* Fla., La., Tex.			
Stenoptilia stigmatodactyla Zell. (Pterophoridae): Gentiana sp. (cut bloom)	Switzerland	2			N.Y.			
Stephanitis pyri (F.) (Tingidae): Chrysanthemum sp. Stephanitis pyrioides (Scott) (Tingidae):	Greece			1	N.Y.			
Stephanitis tunica (Dist.) (Tingidae):	Japan				Hawaii.			
Garcinia sp. (fruit)Stephanoderes hampei (Ferr.) (Scolytidae):	Philippines	1			Wash.			
Sternochetus mangiferae (F.) (Curculionidae):					D.C.			
Mangifera indica (mango) Sterrha inguinata (Scop.) (Geometridae):	Guam, Hawaii, India	29	14	2	Calif.,* Hawaii, Pa.			
Anthemis sp. (camomile) tea	Yugoslavia Italy	1 1			Ill. N.Y.			
Herbs (dried) Stromatium longicorne (Newm.) (Cerambycidae): Airplane	Okinawa(?)							
Subulina octona (Bruguiere) (Achatinidae): Bromeliad Persea americana (avocado)	Surinam St. Lucia			1 1	Fla. P.R.			
Subulitermes microsoma (Silv.) (Termitidae):	Brazil				La.			
Suidasia medanensis Oud. (Acaridae): Secale cereale (rye) straw	France				Fla.			
Sybra alternans (Wied.) (Cerambycidae): Baggage Syneda confirmans Wlk. (Noctuidae):	Hawaii	1			Hawaii.			
QuartersSynyrias diffundens (Wlk.) (Noctuidae):	Bahamas				Fla.			
AirplaneSystole albipennis Wlk. (Eurytomidae):	Venezuela							
Stores Tagniothrine atratus (Hell) (Thrinides):	3			- 1				
Callistephus chinensis (China-aster) Calluna vulgaris (heather) Dianthus caryophyllus (carnation)								
Dianthus sp	Norway, unknown	1	1		N.Y.			

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued
[An asterisk indicates State inspection]

[An asterisk indicates State inspection]								
		Num	ber o					
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—			
Taeniothrips atratus—Continued Flowers—mixed	England, Germany,	7			Mass., N.Y.			
	Poland.				N.Y.			
Gladiolus hybrid	Hungary England	1			Mass.			
Lavandula sp. (lavender)	do				Mass. N.J.			
Rosa hybrid	England, Poland	3			N.Y.			
Taeniothrips dianthi Pr. (Thripidae): Dianthus caryophyllus (carnation)	Germany, Hungary	2			Ill., N.Y.			
Dianthus sp	UnknownPoland, unknown	2			N.Ý. N.J., N.Y.			
Flowers—mixed Taeniothrips distalis Karny (Thripidae):	· ·	_			·			
Chrysanthemum morifolium Dianthus caryophyllus (carnation)	Japando	1 1			Hawaii. Hawaii.			
Tagniothrine gricage (Hall) (Thrinidae).								
Calluna vulgaris (heather)	Norway, Scotland	4	1	2	Ill., Mass., N.Y.			
Rosa hybrid	England				N.Y.			
Taeniothrips gracilis Mlt. (Thripidae): Amaryllis sp. (bulb)	Japan			2	N.Y.			
Gladiolus hybrid	Bermuda	1 1			N.Y. N.Y.			
Lucoris aurea (bulb)	Japan			2	Calif.,* N.Y.			
L. sprengeri (bulb)	do			$\begin{vmatrix} 1 \\ 6 \end{vmatrix}$	N.Y. Calif.,* N.Y.			
L. squamigera (bulb)	[00			4	Calif.*			
Narcissus tazetta (polyanthus narcissus)	Formosa			1	Hawaii.			
Taeniothrips hawaiiensis (Morg.) (Thripidae): Dendrobium superbum (orchid)	Hawaii	1			Hawaii.			
Pendrobium superbum (orchid)	Australia, Hawaii	54	1		Hawaii.			
G. taitensis	Hawaii	1			Calif.*			
Orchid	Ceylon				Hawaii.			
Polianthes tuberosa (tuberose)	do				Hawaii.			
Plumeria rubra (Mexican frangipani) Plumeria sp. Polianthes tuberosa (tuberose) Rosa hybrid Strongylodon magrobatrus	Australia		1		Hawaii.			
Strongylodon macrobotrys Taeniothrips vitticornis (Karny) (Thripidae):								
Canavalia microcarpa	Philippines	. 1			Hawaii. Hawaii.			
Wood—unidentified	7.7							
Annona cherimola (cherimoya) Taphropeltus contractus Herrich-Schaeffer	Mexico	3			Calif., Tex.			
(Lygaeidae): Fragaria sp. (strawberry)	France			. 1	N.Y.			
Targionia glomerata (Green) (Coccidae): Saccharum sp	India			. 1	D.C.			
"Targionia" hartii (Clyll) (Coccidae):	Dominican Republic	1			N.Y.			
Arum sp Dioscorea sp. (yam)	Dominican Republic Anguilla, Cuba, St.	3		-	Fla., N.Y., P.R.			
Zingiber officinale (ginger)	Ducia.	4		-	Calif.,* Ill., Mass., Wash.			
"Targionia" sacchari (Ckll.) (Coccidae):								
Cumbonogon citratus (lemongrass)	Puerto Rico	-	-	1	D.C. N.Y.			
Saccharum officinarum (sugarcane)	Cuba	-		1	D.C.			
Saccharum spp. Targionia vitis (Sign.) (Coccidae):	Italy		1		N.Y.			
Taylorilyays pallidulus (Blanch.) (Miridae):	10019 22222222							
Cucumis sativus (cucumber)								
Tenthecoris bicolor Scott (Miridae): Orchid	British Honduras, Mexico.		-	_ 2	Fla., Tex.			
Tenthecoris confusus Hsiao & Sailer (Miridae): Orchid	British Honduras, El Salvador.			- 2	Fla.			

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued [An asterisk indicates State inspection]

			nber o		
		terce	ptions	s in—	
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Tenthecoris distinctus Hsiao & Sailer (Miridae):	_				
Amaryllis spOrchid	Peru Mexico, Peru			$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	Fla. Fla., Tex.
Tenthecoris vestitus (Dist.) (Miridae): Oncidium sp. (orchid) leaf	Nicaragua				Fla.
Oncidium sp. (orchid) leaf	Japan	l .	1		Wash.
Tenuipalpus pacificus Baker (Tenuipalpidae): Phalaenopsis sp. (orchid)	Philippines	}	İ		Hawaii.
Vandopsis sp. (orchid) Tenuirostritermes cinereus (Buckley) (Termi-	do			1	Hawaii.
tidae): Railway car	Mexico		1		Tex.
Termes his paniolae (Banks) (Termitidae): Schomburgkia sp. (orchid)	Grand Cayman				Fla.
Tetranychus cinnabarinus (Bois.) (Tetranychi-dae):	Grand Cayman:			•	1
Citrus limon (lemon)	ItalyArgentina	1			N.Y. Fla.
Tetranychus ludeni Zacher (Tetranychidae): _Citrus limon (lemon)	Italy				N.Y.
Tetranychus neocalidonicus Andre (Tetranychi- dae):	luary	1			14.1.
Arum sp	Hawaii			1	Hawaii.
Malus sylvestris (apple)	Germany, Japan, un-	1	2		Fla., N.C., Wash.
Tetrapriocera longicornis (Ol.) (Bostrichidae): Wood (crate) Thaumatomyia notata flavifrons Macq.	known. Cuba	4			Fla.
(Chloropidae): Airplane	Morocco	1			Fla.
Theba pisana (Müller) (Helicidae): Anthemis sp. (camomile)					
Beta vulgaris (beet) Brassica oleracea var. capitata (cabbage)	Unknown		1 2		Mich.
Citrus sinensis (sweet orange)	Morocco		$\frac{1}{2}$		S.C.
Lactuca sativa (lettuce) L. sativa var. longifolia (romaine lettuce) Military cargo	France Italy Libys		ī		N.Y.
Williamy eargo	Morocco, Spain,	J1			N.C., S.C. Va.
Mollusks			1		N.Y.
Quarters Thrips angusticeps Uzel (Thripidae):					
Cynara scolymus (artichoke) Lactuca sativa (lettuce) Theirs desire Schropk (Theiridee):	Spain England, unknown		3		N.Y.
Thrips flavus Schrank (Thripidae): Althaea sp. Calluna vulgaris (heather)	France			1	N.J.
Chrysanthemum morifolium	Japan, unknown	1	1		Mass., N. I. Mass., Hawaii.
Flowers—mixed	Germany, Scotland	2			N.Y.
Paeonia suffruticosa (tree peony)	Japan	1		1	N.J.
Plant—unidentified	Netherlands Denmark, Germany	3	1	5	N.J. Ill., N.Y.
Flowers—mixed Gladiolus hybrid Paeonia suffruticosa (tree peony) Plant—unidentified Rosa hybrid Soil sample Thrips imaginis Bgn. (Thripidae):	Ireland	1			N.Y.
Flowers—mixed Gladiolus hybrid	Australiado	1 1	1		Hawaii. Hawaii.
Thrips major Uzel (Thripidae):				i	
Calluna vulgaris (heather) cut flower Convallaria majalis (lily-of-the-valley) Ficus carica (fig)	Unknown	1	1		N.Y.
Flowers—mixed	Denmark, Scotland	$\stackrel{\scriptstyle \scriptstyle 1}{2}$			N.Y.
Rosa hybrid	Azores, England, France, Germany.	8		1	Ill., Mass., N.Y.
Thyanta pallidovirens (Stal) (Pentatomidae): Chrysanthemum sp.	Mexico	1		i	
Thysanococcus chinensis Stickney (Coccidae): Calamus sp. (rattan palm)			_		
Caramao Sp. (1400an pann)	and or or it and a second	- 4		'	Julii

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued
[An asterisk indicates State inspection]

[An asterisk indicates State Inspection]							
			nber o				
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—		
Toxoptera citricidus (Kirk.) (Aphidae):	Hawaii	1			Hawaii.		
Trialeurodes vitrinellus Ckll. (Aleyrodidae): Citrus sp. (leaf)	Mexico	1			Tex.		
Trionymus lounsburyi (Brain) (Coccidae): Crassula marnierana	Netherlands			1	D.C.		
Trionymus sacchari (Ckll.) (Coccidae): Saccharum officinarum (sugarcane)	Cuba, Hawaii, Mexico, Peru.	3		3	D.C., Fla., Hawaii, Tex.		
Saccharum sp	Barbados, Cuba, Hawaii.			3	D.C.		
Trogoderma granarium Everts (Dermestidae): Acacia senegal (gum arabic)	Sudan, United Arab Republic.	29			Mass., N.Y.		
Anogeissus latifolia (gum ghatti)	India	3 4			N.Y. N.Y., N.C.		
Apium graveolens (celery) seed	Nigeria, Senegal,		3		Ohio, Tex.		
Bagging (including used burlap and wrappers	unknown. Ceylon, England,	26	15		Ga., Md.,		
on cinnamon, cotton waste, gum karaya,	India, Mozambique,				N.Y., N.C., Pa.,		
guar gum, pigeonpea, rice, stores, etc.).	Netherlands, Pakistan, Singapore, Sudan, Thailand, United Arab Republic, unknown.				S.C., Tex.		
Cicer arietinum (chickpea)	India		2		Md., Va.		
Cinnamomum sp	CeylonKuwait	4			N.Y. Mass.		
Corylus avellana (filbert) nut	IndiaIndia, Pakistan	10			N.Y. N.Y., N.C.,		
DebrisFood—miscellaneous Gossypium sp. (cottonseed) Gum—unidentified	Unknown		1		Ill.		
Food—miscellaneous	India		. L	1	D.C.		
	India, Sudan	. 2			N.Y.		
Karaya gum Manihot esculenta (common cassava)	India, Pakistan		1		N.Y.		
Oryza sativa (rice)	Kong, India, Iraq, Japan, Korea, Paki- stan, Philippines(?),		18		Calif.,* Fla., Hawaii, Mass., N.Y.,N.C. Pa., Tex.		
	Thailand, United Arab Republic, unknown.						
Palaquium gutta (gutta-percha)Phaseolus lunatus (lima bean)	unknown. Nigeria India Formosa	. I	1		N.C.		
Phaseolus sp. (bean) dry	Formosa		1		Calif.* N.Y.		
Pistacia sp. (pistache) nutPisum sativum (pea)	Pakistan						
Quarters (hold of ship)	Unknown				111101111		
Secale cereale (rye) straw	France	. 1	27		Mass.		
Stores (including bean, chickpea, corn, nour,	Formosa, Germany, Greece, Hong Kong,		. 31		Md., Mich.,		
grits, lentil, macaroni, noodles, pigeonpea, sesame seed, soybean, and miscellaneous dry	India, Italy, Japan,				Md., Mich., N.Y., N.C., Pa., S.C.,		
stores)	Netherlands (?), Singapore, United Arab Republic,				Tex.		
Terminalia sp. (myrobalan)			1		Md., N.Y., S.C., Va. Va.		
Triticum aestivum (wheat)Zingiber officinale (ginger)root)	Federation of Malaya, Singapore.	$ \begin{bmatrix} 1\\2 \end{bmatrix}$		-	Va. N.Y.		
Trogoxylon aequale (Woll.) (Lyctidae):	Philippines	2			Ala., Hawaii		
Wood—unidentified	Haiti	_ 1		-	Fla.		
Tropidacris latreillei (Perty) (Acrididae):					Fla.		
Tropidacris latreillei (Perty) (Acrididae): Baggage (in envelope)	Unknown		_! 1	1	.¹ Pa.		
- Carrier (access of consp.)							

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued [An asterisk indicates State inspection]

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Tyrophagus oudemansi Robertson (Acaridae):					
Calluna vulgaris (heather) Daucus carota var. sativa (carrot)	Scotland Germany France			1	N.Y. Fla.
Fragaria sp. (strawberry)	France			1	N.Y.
Tyrophagus tropicus Robertson (Acaridae): Nephrolepis exaltata (common swordfern)	Hawaii	-			Hawaii.
Udea ferrugalis (Hbn.) (Pyraustidae):					
Sol anum melongena (eggplant)	Italy		1		N.Y.
Citrus aurantifolia (lime)	Brazil, Cuba, Panama	2	2		Calif.,* Fla
Citrus aurantifolia (lime) C. aurantium (sour orange) C. aurantium var.	Japan		1		Calif.*
C. ichangensis x C. reticulata (ichandarin)	do	l	1		Calif.* Calif.*
C. paradisi (grapefruit)	Panama (?), West		2		Calif.* Calif.*
C. reticulata (Mandarin orange)	Indies. Japan		1		Calif.*
C. reticulata (Mandarin orange)	Japan Brazil, Cuba, Haiti,	5	$\bar{3}$		Calif.,* Fla.,
Unaspis yanonensis (Kuw.) (Coccidae):	Mexico.				N.C.
Citrus aurantifolia (lime)	Japan, Philippines	2	7		Calif.,*
C. aurantium (sour orange)	Japan	1	31		Hawaii. Calif.*
C. aurantium var. C. ichangensis var. (ichang bitter-orange)	do		2		Calif.*
C. ichangensis var. (ichang bitter-orange) C. ichangensis x C. reticulata (ichandarin)	do=		1		Calif.* Calif.*
C. limon (lemon) C. paradisi (grapefruit)	do		17		Calif.*
			12		Calif.,* Hawaii.
C. paradisi x C. reticulata (tangelo)	do	1 39	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Hawaii.
C. retreutata (Mandarin orange)		อฮ	100		Hawaii,
C reticulata hydrid (Wing orange)	do	1	3		N.Y.
C. reticulata hydrid (King orange)	Japan, Philippines	9	161		Calif.,*
					Hawaii, N.Y., Pa.
Citrus sp.	Japan		3		Calif.,*
Valtissius diversus (Dist.) (Lygaeidae):					Hawaii.
Orchid	Canal Zone, Guatemala			2	Fla.
(Veronicellidae):					
Plant—unidentified	Costa Rica			1	Fla.
Achras zapota (sapodilla) leaf	Cuba	1			Fla.
Brassia caudata (orchid)	Cuba Canal Zone Honduras, Jamaica Jamaica			1 2	Wash.
Brassia sp					
Citrus sp. (leaf)	Dominican Republic Trinidad	$\frac{1}{2}$			N.Y. Am. V.I.
Epidendrum atropurpureum (orchid)	Costa Rica			1	Fla.
E. fragrans E. stamfordianum	Trinidad			1	Fla. Fla.
Heliconia sp. (leaf)	Haiti, unknown	2			Fla., N.Y.
Lycaste sp. (orchid)	Venezuela			1	Fla. Calif.*
Oncidium powellii (orchid)	Canal Zone Ecuador			1	Fla.
Orchid	American Virgin			33	Calif.,* Fla., La., N.Y.,
	American Virgin Islands, Antigua, Bahamas, British				P.R.
	Guiana, British Honduras, Canal				
	Zone, Cuba,				
	Dominica, Honduras, Jamaica, Kenya,				
	Mexico, Nicaragua,				
	Panama, Peru,				
Trigonidium sp. (orchid)	Trinidad, unknown. British Honduras			1	Fla.
Xiphidiopsis lita Heb. (Tettigoniidae):					

Pests Collected and Reported From July 1, 1960, Through June 30, 1961—Continued
[An asterisk indicates State inspection]

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Xiphistes furcicornis (Germ.) (Membracidae): Vitis sp. (grape)	Republic of South	1			N.Y.
Xylobiops parilis Lesne (Bostrichidae): Orchid	Mexico			1	Tex.
Xylobiops sextuberculatus (LeC.) (Bostrichidae): Debris	do		1		Tex.
Xylomeira torquata (F.) (Bostrichidae): Airplane	Unknown		1		P.R.
Xylopsocus castanoptera (Fairm.) (Bostrichidae):	Japan (?)		1		Hawaii.
Zeadiatraea lineolata (Wlk.) (Crambidae):	Honduras	1			Fla.
Zetha chavesi (Bol.) (Polyphagidae): Straw (jacket)	Azores	1			Mass.

Hosts and Insects

ARTOCARPUS: ACACIA: Mimosestes sallaei (Coleoptera) Eutetranychus banksi (Acarina) ARUM:
"Targionia" hartii (Homoptera) Trogoderma granarium (Coleoptera) ACER: Aceria macrorhynchus (Acarina) Tetranychus neocalidonicus (Acarina) Chrysomphalus inopinatus (Homoptera) Lecanium coryli (Homoptera) ASIMINA: Ceratitis capitata (Diptera) Periphyllus aceris (Homoptera) ASTER: Myzus ascalonicus (Homoptera) BAMBOO: ACHRAS: Vinsonia stellifera (Homoptera) AGAVE: Asterolecanium miliaris robustum (Homoptera) Aegiale hesperiaris (Lepidoptera)
Batrachedra linaria (Lepidoptera)
Chrysomphalus agavis (Homoptera)
Gymnococcus agavium (Homoptera) Cryptoblabes gnidiella (Lepidoptera) Dinoderus brevis (Coleoptera) Minthea rugicollis (Coleoptera) Myelobia smerinthus (Lepidoptera) BAMBUSA:
Asterolecanium bambusae (Homoptera) Ligyrocoris nitidulus (Hemiptera) Nysius tenellus (Hemiptera) Pseudischnas pis bowreyi (Homoptera) ALLIUM CEPA: Heterobostrychus aequalis (Coleoptera) BARRINGTONIA: Aceria tulipae (Acarina)
Ecpantheria icasia (Lepidoptera)
Myzus ascalonicus (Homoptera)
ALLIUM PORRUM: Ectomyelois ceratoniae (Lepidoptera) BASELLA: Pseudococcus neobrevipes (Homoptera) BETA: Acrolepia assectella (Lepidoptera) ALLIUM SATIVUM: Gnorimoschema ocellatella (Lepidoptera) Theba pisana (Mollusca) Aceria tulipae (Acarina) Brachycerus algirus (Coleoptera) BETULA: Eriophyes leionotus (Acarina) BIFRENARIA: Dyspessa ulula (Lepidoptera) Plusia orichalcea (Lepidoptera) ALOCASIA: Asterolecanium epidendri (Homoptera) BORASSUS: Pentalonia nigronervosa (Homoptera) Dinoderus brevis (Coleoptera) BRASSIA: ALPINIA: Vinsonia stellifera (Homoptera) BRASSICA OLERACEA VAR. BOTRYTIS: Adoretus sinicus (Coleoptera) Bradybaena similaris (Mollusca) Evergestis forficalis (Lepidoptera) Helix aperta (Mollusca) Limax marginatus (Mollusca) Pentalonia nigronervosa (Homoptera) Pheidole megacephala (Hymenoptera) Pulvinaria psidii (Homoptera) Siphanta acuta (Homoptera)
ALTHAEA:
Thrips flavus (Thysanoptera) Mamestra brassicae (Lepidoptera) Otala lactea (Mollusca)
Phytomyza rufipes (Diptera)
BRASSICA OLERACEA VAR. CAPITATA: ALYXIA: Ecpantheria eridanus (Lepidoptera)
Epilachna 28-punctata (Coleoptera)
Helicella itala (Mollusca)
Helix aperta (Mollusca)
Hellula undalis (Lepidoptera)
Limax unginatus (Mollusca) Ceroplastes rubens (Homoptera)
AMARYLLIS: Euborellia stali (Dermaptera) Taeniothrips gracilis (Thysanoptera) Tenthecoris distinctus (Hemiptera) ANACHARIS: Pheidole megacephala (Hymenoptera) L. maximus (Mollusca) ANANAS: Mamestra brassicae (Lepidoptera) Alpheias conspirata (Lepidoptera) Pheidole megacephala (Hymenoptera) Monacha carthusiana (Mollusca) Phytomyza rufipes (Diptera)
Pieris brassicae (Lepidoptera)
Theba pisana (Mollusca)
BRASSICA RAPA: Platynota rostrana (Lepidoptera) Ribua innoxia (Lepidoptera) ANNONA Anastrepha ludens (Diptera)
Aspidiotus destructor (Homoptera)
Bephrata maculicollis (Hymenoptera)
Brevipal pus phoenicis (Acarina)
Cerconota anonella (Lepidoptera) Phytomyza rufipes (Diptera) BRASSICA SP.: Mamestra brassicae (Lepidoptera) Nysius raphanus (Hemiptera) BROMELIA: Talponia bates: (Lepidoptera) ANOGEISSUS: Isorhinus undatus (Coleoptera)
BROMELIAD: Agroiconota propinqua (Coleoptera)
Arphnus melanotylus (Hemiptera)
Chrysomphalus umboniferus (Homoptera) Trogoderma granarium (Coleoptera) ANTHEMIS Helicella variabilis (Mollusca) Sterrha inquinata (Lepidoptera) Clerada apicicornis (Hemiptera)
Cyrtomenus bergi (Hemiptera)
Dallasiellus orchidiphilus (Hemiptera)
Dysdercus minus (Hemiptera)
Iridomyrmex iniquus (Hymenoptera) Theba pisana (Mollusca) ANTHURIUM: Bradybaena similaris (Mollusca) Ceroplastes rubens (Homoptera) I. lcucomelas (Hymenoptera) Chrysom phalus umboniferus (Homoptera) Orthezia praelonga (Homoptera) Nasutitermes ephratae (Isoptera) N. nigriceps (Isoptera) Perkinsiella saccharicida (Homoptera) N. higrice ps (Isoptera)
Neolobophora rufice ps (Dermaptera)
Nudur fractivittarum (Lepidoptera)
Ogdoecosta biannularis (Coleoptera)
Paragonatas divergens (Hemiptera)
Pheidole megacephala (Hymenoptera)
Polyglypta costata (Homoptera) Siphanta acuta (Homoptera) APIUM: Euleia heraclei (Diptera) Trogoderma granarium (Coleoptera) ARACHIS: Caryedon gonagra (Coleoptera) Pseudoparlatoria ostreata (Homoptera) Trogoderma granarium (Coleoptera) Rhynchotermes nasutissimus (Isoptera) ARAUCARIA: Subulina octona (Mollusca) BROSIMUM: Eriococcus araucariae (Homoptera) Neophyllaphis araucariae (Homoptera)
"Pseudoparlatoria" giffardi (Homoptera) Chrysomphalus personatus (Homoptera) BROUGHTONIA: Asterolecanium epidendri (Homoptera) ARECA: Vinsonia stellifera (Homoptera) Dacus dorsalis(?) (Diptera)

BUXUS: Eriophyes canestrinii (Acarina) CACTUS: Amitermes wheeleri (Isoptera) Aulacoscelis melanocera (Coleoptera) Camirus moestus (Coleoptera)
Lepidosaphes philococcus (Homoptera)
Oxychilus alliarius (Mollusca)
Plagiomorpha scabricula (Coleoptera) CAJANUS:

Ancylostomia stercorea (Lepidoptera)

Callosobruchus analis (Coleoptera) Epinotia aporema (Lepidoptera) Maruca testulalis (Lepidoptera)
CALAMUS: Thysanococcus chinensis (Homoptera)
CALLIANDRA:
Pheidole megacephala (Hymenoptera)
CALLISTEPHUS: Taeniothrips atratus (Thysanoptera) CALLUNA: ALLUNA:
Aphis callunae (Homoptera)
Gelechia ericetella (Lepidoptera)
Limothrips denticornis (Thysanoptera)
Taeniothrips atratus (Thysanoptera)
T. ericae (Thysanoptera)
Thrips flavus (Thysanoptera)
T. major (Thysanoptera)
Tyrophagus oudemansi (Acarina) CALOCARPUM: Anastrepha mombin praeoptans (Diptera) A. serpentina (Diptera) Chrysom phalus odontoglossi (Homoptera) C. personatus (Homoptera)
CALOCHORTUS: Pentalonia nigronervosa (Homoptera) CALOPHYLLUM: Dacus dorsalis (Diptera) CAMELLIA Aleurotrachelus camelliae (Homoptera) Aspidiotus degeneratus (Homoptera) Ceronema ja ponica (Homoptera) Fiorinia theae (Homoptera)
Pinnas pis theae (Homoptera)
CANANGA: Bemisia tabaci (Homoptera)
ANAVALIA:
Lampides boeticus (Lepidoptera)
Maruca testulalis (Lepidoptera) Taeniothrips vitticornis (Thysanoptera) CAPSICUM: Ceratitis capitata (?) (Diptera) Frankliniella sulphurea (?) (Thysanoptera) Gnorimoschema gudmannella (Lepidoptera) Pheidole megacephala (Hymenoptera)
Prodenia litura (Lepidoptera)
CASSIA: Aganactesis indecora (Lepidoptera) Caryedon gonagra (Coleoptera) Ectomyelois ceratoniae (Lepidoptera) E. muriscis (Lepidoptera) CASTANEA Hemimene juliana (Lepidoptera) Las peyresia s plendana (Lepidoptera) Ostrinia nubilalis (Lepidoptera) CATASETUM: Asterolecanium epidendri (Homoptera) CATTLEYA: Asterolecanium e pidendri (Homoptera) Eurytoma orchidearum (Hymenoptera) Pseudischnaspis alienus (Homoptera) CEDRUS: Megastigmus sus pectus pinsapinis (Hymenoptera) CELOSIA: Cryptoblabes gnidiella (Lepidoptera) CEPHALOCEREUS: Puto mexicanus (Homoptera) CHAMAECYPARIS: Diaspis juniperi (Homoptera) CHAMAEDOREA: Asterolecanium inlabefactum (Homoptera) Calyptocephala marginipennis (Coleoptera) Charidotis seminulum (Coleoptera) Deloyala guttata (Coleoptera) Helicina strebeli (Mollusca)

Labia arcuata (Dermaptera) Parisoschoenus expositus (Coleoptera)
P. flavolimbatus (Coleoptera) CHAMAEROPS: Dactylotry pes uyttenboogaarti (Coleoptera)
CHRYSANTHEMUM:
Bryobia ehari (Acarina) Conotelus mexicanus (Coleoptera) Frankliniella formosae (Thysanoptera)
Lygus lineolaris (Hemiptera)
Nysius tenellus (Hemiptera)
Ostrinia nuolialis (Lepidoptera) Phytomyza atricornis (Diptera) Stephanitis pyri (Hemiptera) Taeniothrips distalis (Thysanoptera) Thrips flavus (Thysanoptera)
Thyanta pallidovirens (Hemiptera) CHRYSOPHYLLUM: Anastrepha ser pentina (Diptera)
CIBOTIUM:
Pheidole megacephala (Hymenoptera) CICER: Bruchus tristiculus (Coleoptera) Trogoderma granarium (Coleoptera) CICHORIUM: Phytomyza rufipes (Diptera)
CINNAMOMUM:
Trogoderma granarium (Coleoptera)
CITRUS AURANTIFOLIA: Aleurocanthus woglumi (Homoptera)
Anastrepha ludens (Diptera)
Chrysomphalus personatus (Homoptera)
Morganella longispina (Homoptera)
Parlatoria cinerea (Homoptera)
P. zizyphus (Homoptera)
P. seudannidia trilohitiformis (Homoptera) Pseudaonidia trilobitiformis (Homoptera)
Unaspis citri (Homoptera)
U. yanonensis (Homoptera) CITRUS AURANTIUM: Aleurocanthus spiniferus (Homoptera) Aleurotuberculatus aucubae (Homoptera) Anastrepha ludens (Diptera) Pulvinaria aurantii (Homoptera) Unaspis citri (Homoptera) U. yanonensis (Homoptera) CITRUS AURANTIUM VAR.: Unaspis citri (Homoptera) U. yanonensis (Homoptera) CITRUS GRANDIS:

Morganella longispina (Homoptera)

Parlatoria cinerea (Homoptera) P. zizy phus (Homoptera)
CITRUS ICHANGENSIS VAR.:
Unaspis yanonensis (Homoptera)
CITRUS ICHANGENSIS X C. RETICULATA: Unas pis citri (Homoptera) U. yanonensis (Homoptera) CITRUS LIMON: Aonidiella citrina (Homoptera) Brevipal pus chilensis (Acarina) B. obovatus (Acarina) Ceratitis capitata (Diptera)
Cryptoblabes gnidiella (Lepidoptera)
Fiorinia proboscidaria (Homoptera) Lorryia formosa (Acarina)
L. malı (Acarina)
Parlatoria cinerea (Homoptera) P. zizy phus (Homoptera)
Pseudaonidia trilobitiformis (Homoptera)
Pseudococcus gahani (Homoptera) Tetranychus cinnabarinus (Acarina) T. ludeni (Acarina)
Unaspis yanonensis (Homoptera)
CITRUS PARADISI: Anastrepha ludens (Diptera) Aonidiella citrina (Homoptera) Brevipal pus phoenicis (Acarina) Ceratitis capitata (Diptera) Morganella longispina (Homoptera) Parlatoria cinerea (Homoptera) P. zizyphus (Homoptera)
Unaspis citri (Homoptera)
U. yanonensis (Homoptera)
CITRUS PARADISI X C. RETICULATA: Unaspis yanonensis (Homoptera)

CITRUS RETICULATA: Aleurotuberculatus aucubae (Homoptera) Aleurotuverculatus aucuvae (Homopi Brevipalpus obovatus (Acarina) B. phoenicis (Acarina) Cerutitis capitata (Diptera) Morganella longispina (Homoptera) Parlatoria cinerea (Homoptera) P. zizyphus (Homoptera) Pseudococcus citriculus (Homoptera) Unaspis citri (Homoptera) U. yanonensis (Homoptera) CITRUS RETICULATA HYBRID: Unas pis yanonensis (Homoptera) CITRUS SINENSIS: Aleurocanthus woglumi (Homoptera)
Aleurolobus marlatti (Homoptera)
Aleurotuberculatus aucubae (Homoptera)
Anastrepha ludens (Diptera)
Aonidiella citrina (Homoptera)
Aspidiotus destructor (Homoptera)
A. palmae (Homoptera)
Bemisia citricola (Homoptera)
Brevipalpus phoenicis (Acarina)
Ceratitis capitata (Diptera)
Chrysom phalus personatus (Homoptera)
Cryptoblabes gnidiella (Lepidoptera)
Ectomyelois ceratoniae (Lepidoptera)
Morganella longispina (Homoptera)
Parlatoria cinerea (Homoptera) Aleurocanthus woglumi (Homoptera) Parlatoria cinerea (Homoptera) Partatoria cinerea (Homoptera)
P. zizyphus (Homoptera)
Pseudaonidia trilobitiformis (Homoptera)
Pseudischnaspis longissima (Homoptera)
Theba pisana (Mollusca)
Unaspis citri (Homoptera)
U. yanonensis (Homoptera) CITRUS SINENSIS X PONCIRUS TRIFOLIATA: Aonidiella citrina (Homoptera) CITRUS SP.: Aleurocanthus woglumi (Homoptera)
Aonidiella citrina (Homoptera)
Coccus viridis (Homoptera)
Dialeurodes citrifolii (Homoptera)
Parlatoria zizyphus (Homoptera)
Trialeurodes vitrinellus (Homoptera) Unaspis yanonensis (Homoptera) Vinsonia stellifera (Homoptera) COCCOLOBA: Pheidole megacephala (Hymenoptera) Aspidiotus destructor (Homoptera) A. excisus (Homoptera) A. palmae (Homoptera) A. pangoensis (Homoptera)
Blastobasis inana (Lepidoptera)
Chrysomphalus albopictus (Homoptera) Diocalandra taitensis (Coleoptera) Fiorinia theae (Homoptera) Furcas pis oceanica (Homoptera) Pheidole megacephala (Hymenoptera) Pinnaspis buxi (Homoptera) Pseudococcus cocotis (tentative) (Homoptera) P. palmarum (Homoptera) Vinsonia stellifera (Homoptera) CODIAEUM: Lepidosaphes tokionis (Homoptera) Parlatoria crotonis (Homoptera) Selenothrips rubrocinctus (Thysanoptera) COFFEA: Auximobasis coffeaella (Lepidoptera) Brevipalpus phoenicis (Acarina)
Ceratitis capitata (Diptera)
Coccus alpinus (Homoptera)
C. viridis (Homoptera)
Estemulois caratenias (Lorida) Ectomyelois ceratoniae (Lepidoptera) Leucoptera coffeella (Lepidoptera) Stephanoderes hampei (Coleoptera) COLA: Ceratitis colae (?) (Diptera) COLOCASIA: Palpifer sexnotatus (?) (Lepidoptera) CONVALLARIA:

Thrips major (Thysanoptera)

CORDYLINE:
Bradybaena similaris (Mollusca) Dacus dorsalis (?) (Diptera)
Pheidole megacephala (Hymenoptera)
Pinnaspis buxi (Homoptera) Pseudococcus mali (tentative) (Homoptera) CORYLUS: Trogoderma granarium (Coleoptera) CRASSULA: Trionymus lounsburyi (Homoptera) CRATAEGUS: Grapholitha packardi (Lepidoptera) CRESCENTIA: Heterotermes cardini (Isoptera) CRINUM: Haplothrips gowdeyi (Thysanoptera)
CROTALARIA:
Pheidole megacephala (Hymenoptera)
CRYPTOMERIA: Callidium rufipenne (Coleoptera)
Megastigmus cryptomeriae (Hymenoptera) CUCUMIS: Dacus cucurbitae (Diptera)
Dysdercus mimus (Hemiptera)
D. suterellus (?) (Hemiptera)
Ligyrocoris aurivilliana (Hemiptera)
Taylorilygus pallidulus (Hemiptera)
CUCURBITA: Dacus cucurbitae (Diptera)
CUMINUM:
Trogoderma granarium (Coleoptera)
CUPRESSUS: Callidium rufipenne (Coleoptera) Forficula senegalensis (Dermaptera)
CYAMOPSIS: Trogoderma granarium (Coleoptera) CYATHEA: Nasutitermes corniger (Isoptera) CYCAD: Diaspis zamiae (Homoptera) CYCAS: Pheidole megacephala (Hymenoptera)
CYDONIA:
Anastrepha ludens (Diptera) Ceratitis capitata (Diptera) Ectomyelois ceratoniae (Lepidoptera) CYMBIDIUM: Xiphidiopsis lita (Orthoptera)
CYMBOPOGON:
"Targionia" sacchari (Homoptera) CYNARA: Anuraphis cardui (Homoptera)
Apion carduorum (Coleoptera)
Gortyna flavago (Lepidoptera)
Thrips angusticeps (Thysanoptera)
CYNODON: Odonas pis ruthae (Homoptera) CYPRIPEDIUM: Puto ulter (Homoptera)
DALBERGIA: Amitermes foreli (Isoptera) Coptotermes niger (Isoptera) C. testaceus (Isoptera) Heterotermes convexinotatus (Isoptera) Nasutitermes corniger (Isoptera) Pheidole megacephala (Hymenoptera) Subulitermes microsoma (Isoptera) DAUCUS: Phalonia zephyrana (Lepidoptera) Tyrophagus oudemansi (Acarina) DENDROBIUM: Monomorium destructor (Hymenoptera)
Praeacedes thecophora (Lepidoptera)
Taeniothrips hawaiiensis (Thysanoptera) DIALIUM: Caryedon gonagra (Coleoptera)
DIANTHUS: Arge ochropa (Hymenoptera) Frankliniella formosae (Thysanoptera) F. intonsa (Thysanoptera) Stator pruininus (Coleoptera) Taeniothrips atratus (Thysanoptera) T. dianthi (Thysanoptera)
T. distalis (Thysanoptera)
DIGITARIA: Antonina gramınis (Homoptera)

DIOSCOREA: Neotermes castaneus (Isoptera)
Palaeopus costicollis (Coleoptera)
"Targionia" hartii (Homoptera)
DIOSPYROS: Lepidosaphes conchiformis (Homoptera)
L. kuwacola (Homoptera)
L. yanagicola (Homoptera)
Pseudococcus gahani (Homoptera)
Tenuipalpus japonicus (Acarina)
DRACAENA:
Cephaloleia pretiosa (Coleoptera)
ENCEPHALARTOS:
Dias pis zamiae (Homoptera)
ENTEROLOBIUM:
Ectomyelois muriscis (Lepidoptera) Ectomyelois muriscis (Lepidoptera) EPIDENDRUM: Asterolecanium epidendri (Homoptera) Chrysomphalus umboniferus (Homoptera) Conchaspis orchidarum (Homoptera) Pseudischnaspis alienus (Homoptera)
Puto mexicanus (Homoptera)
Vinsonia stellifera (Homoptera)
ERIOBOTRYA:
Ceratitis capitata (Diptera) Lepidosaphes punicae (Homoptera) Specularius erythrinae (Colcoptera) Dacus dorsalis (Diptera) FICUS Azochis gripusalis (Lepidoptera)
Ceratitis capitata (Diptera)
Ceroplastes rusci (Homoptera)
Drasterius bimaculatus (Coleoptera)
Ephestia calidella (Lepidoptera)
Homotoma ficus (Homoptera)
Lepidosaphes ficus (Homoptera)
Thrips major (Thysanoptera)
FOENICULUM:
Anuraphis aniifoliae (?) (Homoptera) Anuraphis apiifoliae (?) (Homoptera) FRAGARIA: Cecilioides acicula (Mollusca) Euborellia plebeja (Dermaptera) Rhyparochromus pini (Hemiptera) Taphropeltus contractus (Hemiptera) Tyrophagus oudemansi (Acarina) FUCHSIA: Brevipalpus obovatus (Acarina)
GARCINIA: Stephanitis typica (Hemiptera) GARDENIA: Coccus viridis (Homoptera) Dialeurodes kirkaldyi (Homoptera) Pealius hibisci (Homoptera) Protopulvinaria pyriformis (Homoptera) Pseudaonidia clavigera (Homoptera) Pulvinaria psidii (Homoptera)

Taeniothrips hawaiiensis (Thysanoptera)
GENTIANA:

Stenoptilia stigmatodactyla (Lepidoptera)
GLADIOLUS: Euscelis plebejus (Homoptera) Frankliniella intonsa (Thysanoptera) Monomorium destructor (Hymenoptera) Taeniothrips atratus (Thysanoptera)
T. gracilis (Thysanoptera)
Thrips flavus (Thysanoptera)
T. imaginis (Thysanoptera)
GOSSYPIUM: Ceresium unicolor (Coleoptera) Pectinophora gossypiella (Lepidoptera) Trogoderma granarium (Coleoptera)
HAKEA: Blissus diplopterus (Hemiptera) HAWORTHIA: Opogona sacchari (Lepidoptera) HEDYCHIUM: Pulvinaria psidii (Homoptera) Frankliniella intonsa (Thysanoptera) Haplothrips gowdeyi (Thysanoptera) HELICONIA: Bradybaena similaris (Mollusca) Eucalymnatus tessellatus (Homoptera) Pentalonia nigronervosa (Homoptera) Vinsonia stellifera (Homoptera)

HIBISCUS: Aceria hibisci (Acarina) Earias cupreoviridis (Lepidoptera)
Pectinophora gossypiella (Lepidoptera)
Pheidole megacephala (Hymenoptera)
Pseudaonidia clavigera (Homoptera) ILEX Dialeurodes tristylii (Homoptera) IPOMOEA: Bradybaena similaris (Mollusca) Cylas formicarius (Coleoptera) C. formicarius elegantulus (Coleoptera)
C. formicarius formicarius (Coleoptera)
Euscepes porcellus (Coleoptera)
E. post fasciatus (Coleoptera)
Graptostethus manillensis (Hemiptera) Megastes grandalis (Lepidoptera)
Pheidole megacephala (Hymenoptera)
IXORA: Brevipalpus phoenicis (Acarina)
Coccus viridis (Homoptera)
Pheidole megacephala (Hymenoptera)
Pseudaonidia trilobitiformis (Homoptera) JASMINUM: Aonidiella comperei (Homoptera) Coccus viridis (Homoptera) Dialeurodes kirkaldyi (Homoptera) Lecanium corni (Homoptera) Parlatoria crypta (Homoptera) Ectomyelois ceratoniae (Lepidoptera) Solenopsis saevissima richteri (Hymenoptera) JUNIPERUS: Acronicta rumicis (Lepidoptera) Diaspis minima (Homoptera) Lepidosaphes newsteadi (Homoptera) Pentamerismus oregonensis (Acarina) KENTIA: Aspidiotus destructor (Homoptera) Furcaspis haematochroa (Homoptera)
LABURNUM:
Sparteus villosus (Coleoptera)
LACTUCA: A. palmae (Homoptera) ACTUCA:
Athalia colibri (Hymenoptera)
Conotelus mexicanus (Coleoptera)
Dicy phus annulatus (Hemiptera)
Haplothrips clarisetis (?) (Thysanoptera)
Helicella maritima (Mollusca)
H. variabilis (Mollusca)
Helix aperta (Mollusca)
H. aspersa (Mollusca)
Limax marginatus (Mollusca)
Macrosiphum formosanum (Homoptera) Macrosiphum formosanum (Homoptera) Monacha cantiana (Mollusca) Nysius huttoni (Hemiptera) Otala lactea (Mollusca) Phytomyza rufipes (Diptera)
Pieris brassicae (Lepidoptera)
Theba pisana (Mollusca)
Thrips angusticeps (Thysanoptera) Puto ulter (Homoptera) LANSIUM: Pheidole megacephala (Hymenoptera) LATHYRUS: Acanthothrips coriaceus (Thysanopter Bruchus affinis (Coleoptera)
B. emarginatus (Coleoptera)
B. tristiculus (Coleoptera)
B. tristis (Coleoptera)
Frankliniella intonsa (Thysanoptera)
Pheidole megacephala (Hymenoptera)
Taeniothrips atratus (Thysanoptera)
T. gracilis (Thysanoptera)
LAURUS:
Gynaikothrips ficorum (Thysanoptera) Acanthothrips coriaceus (Thysanoptera) Gynaikothrips ficorum (Thysanoptera)
LAVANDULA:
Taeniothrips atratus (Thysanoptera) LENS: Bruchus ervi (Coleoptera) B. lentis (Coleoptera) B. signaticornis (Coleoptera) Callosobruchus rhodesianus (Coleoptera) LEUCADENDRON: Parlatoria pittospori (Homoptera)

LEUCAENA: NERIUM: As pidiotus destructor (Homoptera) Conotelus mexicanus (Coleoptera) Stator pruininus (Coleoptera) LILIUM: Cryptoblabes gnidiella (Lepidoptera) Frankliniella lilivora (Thysanoptera) Lepidosa phes philococcus (Homoptera)
OCHROSIA: Brevipal pus obovatus (Acarina) Frankliniella paucispinosa (Thysanoptera) Dacus dorsalis (Diptera) ODONTOGLOSSUM: Coccus viridis (Homoptera)
Cryptophlebia illepida (Lepidoptera)
C. ombrodelta (Lepidoptera)
Dacus dorsalis (Diptera) Puto ulter (Homoptera) OLEA: Dacus oleae (Diptera) Pulvinaria psidii (Homoptera) Prays oleellus (Lepidoptera) ONCIDIUM: LUPINUS: Bruchus tristis (Coleoptera)
LYCASTE: Pseudischnas pis alienus (Homoptera) Puto ulter (Homoptera) Vinsonia stellifera (Homoptera) LYCOPERSICON: Tenthecoris vestitus (Hemiptera) Vinsonia stellifera (Homoptera) OPHIOPOGON: Dacus cucurbitae (Diptera) Pinnas pis caricis (Homoptera)
OPUNTIA:
Ceratitis capitata (Diptera) Neoleucinodes elegantalis (Lepidoptera) Pachybrachius albocinctus (Hemiptera)
LYCORIS: Taeniothrips gracilis (Thysanoptera)
MACADAMIA: ORCHID: Andrector salvini (Coleoptera)
As pidiotus mendax (Homoptera)
A. palmae (Homoptera) Aspidiotus herculeanus (Homoptera) Cryptophlebia illepida (Lepidoptera) As terolecanium epidendri (Homoptera)
Bradybaena similaris (Mollusca)
Cecilioides acicula (Mollusca) MALUS Adoxophyes orana (Lepidoptera)
Argyresthia conjugella (Lepidoptera)
Carposina niponensis (Lepidoptera)
Ceratitis capitata (Diptera)
Epidiaspis piricola (Homoptera) Chrysogramma octomaculata (Coleoptera) Chrysomphalus opimus (tentative) (Homoptera) C. umboniferus (Homoptera) Cocconotus degeeri (Orthoptera) Corimelaena palmeri (Hemiptera) Deloyala auttata (Coleoptera) Grapholitha janthiana (?) (Lepidoptera) Psylla mali (Homoptera) Tetranychus viennensis (Acarina) Diorymerellus laevimargo (Coleoptera) MANGIFERA: Doru albipes (Dermaptera)
Dysdercus andreae (Hemiptera)
Eobia bicolor (Hemiptera) Anastrepha ludens (Diptera) A. mombin praeoptans (Diptera) Aonidiella inornata (Homoptera) Aulacas pis tubercularis (Homoptera) Eurytoma orchidearum (Hymenoptera) Farinococcus guatemalensis (Homoptera) Ceratitis capitata (Diptera) Helix aspersa (Mollusca) Chrysomphalus personatus (Homoptera) Dacus dorsalis (Diptera) Insara tolteca (Orthoptera) Iridomyrmex iniquus (Hymenoptera) Lepidosaphes tuberculata (Homoptera) Heterotermes convexinotatus (Isoptera) Phenacas pis cockerelli (Homoptera) Pseudaonidia trilobitiformis (Homoptera) Lincus rufospilotus (Coleoptera) Mecolaemus carvalhoi (Hemiptera) Microcerotermes exiguus (Isoptera) Sternochetus mangiferae (Coleoptera) MANIHOT: Mormidea inermis (Hemiptera)
Myodocho longicollis (Hemiptera)
Nasutitermes corniger (Isoptera)
N. ephratae (Isoptera) Phyllophaga analis (Coleoptera) Trogoderma granarium (Coleoptera) MEDICAGO: Conotelus mexicanus (Coleoptera) N. nigriceps (Isoptera)
Onychaspidium apicale (Diptera)
Orchidophilus aterrimus (Coleoptera)
Oxychilus alliarius (Mollusca)
Pheidole megacephala (Hymenoptera)
Poseudischnaspis alianus (Homoptera) Brevipalpus obovatus (Acarina) Phorodon menthae (Homoptera) METROSIDEROS: Siphanta acuta (Homoptera) MURRAYA: Pseudischnaspis alienus (Homoptera) Aulacaspis crawii (Homoptera) Puto ulter (Homoptera) Selenothrips rubrocinctus (Thysanoptera) Automolis ataenia (Lepidoptera)
Ceramidia viridis (Lepidoptera)
Ceratitis capitata (?) (Diptera)
Cosmopolites sordidus (Coleoptera)
Dacus dorsalis (Diptera)
Epilachna borealis var. (Coleoptera)
Euglandina striata (Mollusca)
Metamasius hemipterus sericeus (Coleoptera)
Pheidole megacephala (Hymenoptera)
Platoeceticus summieta (Lepidoptera) Sparedrus depressus (Coleoptera)
Taeniothrips hawaiiensis (Thysanoptera)
Tenthecoris bicolor (Hemiptera)
T. continuous (Hemiptera) T. distinctus (Hemiptera)
Valtissius diversus (Hemiptera)
Vinsonia stellifera (Homoptera)
Xylobio ps parilis (Coleoptera)
ORNITHOGALUM:
Diaphone eumela (Lepidoptera)
Epichorista ione phela (Lepidoptera)
Opagana sacchari (Lepidoptera) Platoeceticus symmicta (Lepidoptera) Polytus mellerborgi (Coleoptera) Opogona sacchari (Lepidoptera)
ORYZA: Porphyrobaphe iostoma (Mollusca) Solaropsis monile (Mollusca) Calameuta idolon (Hymenoptera)
Chilo suppressalis (Lepidoptera)
Sesamia inferens (Lepidoptera)
Taeniothrips hawaiiensis (Thysanoptera)
Trogoderma granarium (Coleoptera) Steneotarsonemus laticeps (Acarina) Taeniothrips gracilis (Thysanoptera) NECTANDRA: Platypus rugulosus (Coleoptera) OSMANTHUS: NEPHELIUM: Aleurotuberculatus aucubae (Homoptera) Dichocrocis punctiferalis (Lepidoptera) PAEONIA: Callidium rufipenne (Coleoptera) Thrips flavus (Thysanoptera) PALAQUIUM: NEPHROLEPIS: Tyrophagus tropicus (Acarina) NERINE:

Trogoderma granarium (Coleoptera)

Frankliniella schultzei (Thysanoptera)

PALM: Aspidiotus destructor (Homoptera)
Asterolecanium simile (Homoptera)
Chrysomphalus sphaerioides (Homoptera)
Coccotrypes carpophagus (Coleoptera)
Pinnaspis buxi (Homoptera)
PANDANUS: Aspidiotus destructor (Homoptera) Pseudococcus giffardi (Homoptera) PELARGONIUM: Coccus viridis (Homoptera) Corythucha mcelfreshi (Hemiptera)
PERISTERIA:
Asterolecanium epidendri (Homoptera) PERSEA: Chrysomphalus albopictus (Homoptera) C. personatus (Homoptera) Lamellaxis gracilis (Mollusca) Pseudacysta perseae (Hemiptera)
Stenoma catenifer (Lepidoptera)
Subulina octona (Mollusca)
PETROSELINUM: Anuraphis apiifoliae (?) (Homoptera) Mamestra brassicae (Lepidoptera) PHAEOMERIA: Pentalonia nigronervosa (Homoptera) Siphanta acuta (Homoptera) **PHALAENOPSIS** Tenuipalpus pacificus (Acarina) PHASEOLUS: Acanthoscelides obreptus (Coleoptera) Ancylostomia stercorea (Lepidoptera) Callosobruchus rhodesianus (Coleoptera) Everes comyntas (Lepidoptera) Forficula pubescens (Dermaptera) Hedylepta indicata (Lepidoptera) Maruca testulalis (Lepidoptera)
Matsumuraeses phaseoli (Lepidoptera)
Ostrinia nubilalis (Lepidoptera) Trogoderma granarium (Coleoptera) PHILODENDRON:
Chrysomphalus tenax (Homoptera)
Pinnaspis buxi (Homoptera) PHRAGMITES Brevipal pus chilensis (Acarina) Dasyneura inclusa (Diptera) Nipponaclerda biwakoensis (Homoptera) PICEA: Laspeyresia strobilella (Lepidoptera) Callidium rufipenne (Coleoptera) Coptotermes crassus (Isoptera) Dichocrocis punctiferalis (Lepidoptera) Euborellia plebeja (Dermaptera) Heterotermes convexinotatus (Isoptera) Laspeyresia strobilella (Lepidoptera) Lepidosaphes pini (Homoptera) Leucaspis lowi (Homoptera) L. pusilla (Homoptera) Matsucoccus matsumurae (Homoptera) Plagionotus arcuatus (Coleoptera) Pseudococcus pini (Homoptera) PINUS (?): Ips typographus (Coleoptera) Protopulvinaria longivalvata (Homoptera) PISTACIA: Chrysomphalus inopinatus (Homoptera) Trogoderma granarium (Coleoptera) Ancylostomia stercorea (Lepidoptera) Bruchus ervi (Coleoptera)
B. tristis (Coleoptera) Forficula decipiens (Dermaptera) Laspeyresia nigricana (Lepidoptera) Trogoderma granarium (Coleoptera) Cryptophlebia ombrodelta (Lepidoptera) Dacus dorsalis (Diptera) Stator limbatus (Coleoptera) PLATANUS:

Aspidiotus pyri (Homoptera)

Aceria plucheae (Acarina)

PLUCHEA:

PLUMERIA: Conotelus mexicanus (Coleoptera) Dialeurodes kirkaldyi (Homoptera) Eobia bicolor (Coleoptera) Haplothrips gowdeyi (Thysanoptera) Pheidole megacephala (Hymenoptera) Taeniothrips hawaiiensis (Thysanoptera) POLIANTHES: Taeniothrips hawaiiensis (Thysanoptera) POPULUS: Pemphigus populiramulorum (Homoptera) PORTULACA: Conotelus mexicanus (Coleoptera) Loxostege bifidalis (Lepidoptera) Nysius raphanus (Hemiptera) "Chionaspis" leucadendri (Homoptera) Mesochelidura peringueyi (Dermaptera) Pseudococcus gahani (Homoptera) PRUNUS AMYGDALUS: Ectomyelois ceratoniae (Lepidoptera) PRUNUS ARMENIACA: Ceratitis capitata (Diptera) PRUNUS DOMESTICA: Geniocremnis chilensis (Coleoptera) Lecanium persicae (Homoptera)
Micrapate scabrata (Coleoptera)
PRUNUS PERSICA: Adoxophyes orana (Lepidoptera)
Ceratitis capitata (Diptera)
Pheidole megacephala (Hymenoptera)
PRUNUS PERSICA VAR. NECTARINA: Limothrips angulicornis (Thysanoptera) PRUNUS SPINOSA: Rhynchites auratus (Coleoptera) PRUNUS SP. (cherry): Ceratitis capitata (Diptera) Rhagoletis cerasi (Diptera) PRUNUS SP.: Lecanium corni (Homoptera) Nilotaspis halli (Homoptera) Aleuroglandulus emmae (Homoptera) Anastrepha suspensa (Diptera) Ceratitis capitata (Diptera) Coccus viridis (Homoptera)
Dacus dorsalis (?) (Diptera)
Pseudococcus lilacinus (Homoptera) PUERARIA: Callosobruchus ademptus (Coleoptera) PUNICA: Anastrepha ludens (Diptera) Cacaecimorpha pronubana (Lepidoptera) Ceratitis capitata (Diptera) Cryptoblabes gnidiella (Lepidoptera) Ectomyelois ceratoniae (Lepidoptera) Eurydema ornatum (Hemiptera) Ceratitis capitata (Diptera) Monomorium destructor (Hymenoptera) QUERCUS: Aspidiotus zonatus (Homoptera) RAPHANUS: Phytomyza rufipes (Diptera) RHODODENDRON:

Brevipalpus obovatus (Acarina) Dialeurodes chittendeni (Homoptera) Lepidosaphes tubulorum (Homoptera) Pseudococcus azaleae (Homoptera) Stephanitis pyrioides (Hemiptera) RIBES: Ephestia calidella (Lepidoptera) ROSA: Adoxophyes orana (Lepidoptera) Ardis sulcata (Hymenoptera) Aspidiotus destructor (Homoptera) Centrotus cornutus (Homoptera) Cladius pectinicornis (Hymenoptera) Endelomyia aethiops (Hymenoptera) Frankliniella intonsa (Thysanoptera) Lecanium corni (Homoptera) Myzaphis bucktoni (?) (Homoptera)
Taeniothrips atratus (Thysanoptera)
T. ericae (Thysanoptera)

ROSA—Continued T. hawaiiensis (Thysanoptera) Tetranychus cinnabarinus (Acarina) Thrips flavus (Thysanoptera) T. major (Thysanoptera) ROSACEAE:
Rhagoletis alternata (?) (Diptera) Asterobemisia carpini (Homoptera) RUTA: Brevipalpus obovatus (Acarina) SACCHARUM: Chilo loftini (Lepidoptera) Pheidole megacephala (Hymenoptera) Pseudococcus boninsis (Homoptera) Targionia glomerata (Homoptera) "Targionia" sacchari (Homoptera) Trionymus sacchari (Homoptera) SALIX Leptidea brevipennis (Coleoptera) SALVIA: *Eurytoma infracta* (Hymenoptera) SAMANEA Cryptophlebia ombrodelta (Lepidoptera) Pheidole megacephala (Hymenoptera)
Stator limbatus (Coleoptera)
SCHINUS: Coccus viridis (Homoptera) SCHOMBURGKIA: Chrysomphalus umboniferus (Homoptera) Nasutitermes ephratae (Isoptera) N. nigriceps (Isoptera) Termes hispaniolae (Isoptera) SCINDAPSUS: Pinnaspis buxi (Homoptera) SECALE:
Suidasia medanensis (Acarina) Trogoderma granarium (Coleoptera) SECHIUM: Cacaecimorpha pronubana (Lepidoptera) SESAMUM Phricodus hystrix (Hemiptera) SESBANIA: Dacus dorsalis (?) (Diptera)
Maruca testulalis (Lepidoptera)
SIDEROXYLON: Anastrepha serpentina (Diptera) SOIL: Bradybaena similaris (Mollusca) Cecilioides acicula (Mollusca) Cochlicella barbara (Mollusca) Eremocoris plebejus (Hemiptera) Forficula pubescens (Dermaptera) Helicella striata (Mollusca) H. variabilis (Mollusca) Lamellaxis gracilis (Mollusca) Oulema melanopa (Coleoptera) Pheidole megacephala (Hymenoptera) Rumina decollata (Mollusca)
Thrips flavus (Thysanoptera)
SOLANUM ACULEATISSIMUM: Ceratitis capitata (Diptera) SOLANUM MELONGENA: Neoleucinodes elegantalis (Lepidoptera) Udea ferrugalis (Lepidoptera) SOLAN UM QUITOENSE: Neoleucinodes elegantalis (Lepidoptera) SORGHUM Ostrinia nubilalis (Lepidoptera) Sesamia cretica (Lepidoptera) SPONDIAS: Anastrepha mombin praeoptans (Diptera) Chrysomphalus calurus (Homoptera) Macroplax fasciata (Hemiptera) STRELITZIA: Diaspis zamiae (Homoptera) Pentalonia nigronervosa (Homoptera) Taeniothrips hawaiiensis (Thysanoptera) STRONGÝLODON (?): Maruca testulalis (Lepidoptera) SWIETENIA: Trogoxylon prostomoides (Coleoptera)

SYRINGA: Sitona lineata (Coleoptera)
TAMARINDUS: Caryedon gonagra (Coleoptera) Cryptophlebia ombrodelta (Lepidoptera) Ectomyelois ceratoniae (Lepidoptera) TECOMARIA: Brevipal pus phoenicis (Acarina) TERMINALIA: Anastrepha mombin praeoptans (Diptera) Ceratitis capitata (Diptera) Dacus dorsalis (Diptera) Trogoderma granarium (Coleoptera)
TILLANDSIA: Exptochiomera oblonga (Hemiptera) Leptodictya sinaloana (Hemiptera) Podisus lineolatus (Hemiptera) Ptilia versicolor (Hymenoptera) TRICHOPILIA: Puto mericanus (Homoptera)
TRIGONIDIUM: Vinsonia stellifera (Homoptera) TRITICUM: Trogoderma granarium (Coleoptera)
TROPAEOLUM: Cepaea hortensis (?) (Mollusca) Helicella ericetorum (Mollusca) TSUGA Lamellaxis gracilis (Mollusca) VACCINIUM: Aspidiotus degeneratus (Homoptera) VANDA: Bradybaena similaris (Mollusca) Conotelus mexicanus (Coleoptera) Orchidophilus aterrimus (Coleoptera) VANDOPSIS: Tenuipalpus pacificus (Acarina) VICIA Bruchus guttalis (Coleoptera)
B. tristis (Coleoptera) Callosobruchus analis (Coleoptera) Epinotia aporema (Lepidoptera) Lampides boeticus (Lepidoptera) Callosobruchus rhodesianus (Coleoptera) VIROLA: Coptotermes niger (Isoptera) VITIS: Aclerda fraterna (Coleoptera) Brevipal pus chilensis (Acarina) Ceratitis capitata (Diptera) Conoderus ru fangulus (Coleoptera) Leptoglossus chilensis (Hemiptera) Lobesia botrana (Lepidoptera) Naupactus xanthographus (Coleoptera) Nezara viridula (Hemiptera) Phlyctinus callosus (Coleoptera) Targionia vitis (Homoptera) Xiphistes furcicornis (Homoptera) VRIESIA: Chrysomphalus personatus (Homoptera) WISTERIA: Chionaspis wistariae (Homoptera) \mathbf{YUCCA} : Leptopharsa usingeri (Hemiptera) ZANTEDESCHIA: Para puto taraktogeni (Homoptera) Moodna bisinuella (Lepidoptera) Nysius raphanus (Hemiptera)
Pagiocerus fiorii (Coleoptera)
Sesamia nonagrioides (Lepidoptera)
Zeadiatraea lineolata (Lepidoptera) Pentalonia nigronervosa (Homoptera) Pulvinaria urbicola (?) (Homoptera) "Targionia" hartii (Homoptera) Trogoderma granarium (Coleoptera) ZINNIA: Chirothrips meridionalis (Thysanoptera) Haplothrips gowdeyi (Thysanoptera) ZIZYPHUS: Ceratitis capitata (Diptera)

Hosts Unknown

AIRPLANE: FLOWERS: Acanthoderes circumflexa (Coleoptera) Aethus indicus (Hemiptera) Alloxacis spinosus (Coleoptera) Antotacis spinosus (Coleoptera)
Anastrepha suspensa (Diptera)
Ancognatha scarabaeoides (Coleoptera)
Callipogon armillatum (Coleoptera)
Cassida circumdata (Coleoptera)
Ceratitis capitata (Diptera) Clanis phalaris (Lepidoptera)
Engonus subcylindricus (Coleoptera)
Eobia bicolor (Coleoptera) Euconocephalus platynotum (Orthoptera)
Exitianus obscurinervis (Homoptera)
Gynaikothrips ficorum (Thysanoptera) Hemiargus ĥanno (Lepidoptera) Leptocorixa varicornis (Hemiptera)
Listronotus palustris (Coleoptera)
Melolontha melolontha (Coleoptera)
Metopoplax ditomoides (Hemiptera)
Mimosestes sallaei (Coleoptera) FOOD: Nasutitermes nigriceps (Isoptera)
Nephotettir apicalis (Homoptera)
Nysius delectulus (Hemiptera)
N. tenellus (Hemiptera)
Oenoniella unidentata (Hemiptera) N. tenellus (Hemiptera)
Oenopiella unidentata (Hemiptera)
Orphulella punctata (Orthoptera)
Otosema odorata (Lepidoptera)
Oxycopis vittata (Coleoptera)
Paroxacis antillarum (Coleoptera)
Pelopidas mathias oberthuri (Lepidoptera)
Phaneroptera furcifera (Orthoptera)
Phurys immunis (Lepidoptera)
Popillia lewisi (Coleoptera)
Rehimena phrynealis (Lepidoptera)
Sardia pluto (Homoptera)
Schoenobius incertulas (Lepidoptera)
Sessinia livida (Coleoptera)
Sinoxylon conigerum (Coleoptera) Sinoxylon conigerum (Coleoptera)
Stromatium longicorne (Coleoptera)
Synyrias diffundens (Lepidoptera)
Thaumatomyia notata flavifrons (Diptera)
Xylomeira torquata (Coleoptera)
Xylopsocus castanoptera (Coleoptera)
AUTOMOBILE:
Bradwig carbonaria (Diptera) Bradysia carbonaria (Diptera) Iphiclides protesilaus (Lepidoptera) Onthophagus taurus (Coleoptera) Achatina fulica (Mollusca) Ascia monuste (Lepidoptera) Callidium rufipenne (Coleoptera)
Dacus oleae (Diptera)
Elimaea punctifera (Orthoptera)
Eosta bicolor (Homiptera) Geotomus pygmaeus (Hemiptera) Helix aspersa (Mollusca) H. pomatia (Mollusca) Homoeogryllus japonicus (Orthoptera)

Jadera haematoloma (Hemiptera)

Lyctus linearis (Coleoptera)

Oxacıs xerensis (Coleoptera) Patanga japonica (Orthoptera)
Philaspis bivulnerata (Coleoptera)
Sybra alternans (Coleoptera)
Tropidacis latreillei (Orthoptera) BAGGING: Sitona hispidula (Coleoptera) Trogoderma granarium (Coleoptera) CARDBOARD: Heterotermes convexinotatus (Isoptera) Dysdercus bidentatus (Hemiptera)
D. mimus (Hemiptera)
D. ruficollis (Hemiptera)
D. rusicollis (Lepidoptera) Neoleucinodes elegantalis (Lepidoptera) CONIFER: Pityogenes chalcographus (Coleoptera) PACKING: rneva DEBRIS: Pheidole megacephala (Hymenoptera) Sitona hispidula (Coleoptera) Trogoderma granarium (Coleoptera) Xylobiops sextuberculatus (Coleoptera)

Pentalonia nigronervosa (Homoptera)

Achaea janata (Lepidoptera) Anuraphis cardui (Homoptera) Bradybaena similaris (Mollusca) Bradybaena similaris (Mollusca)
Cryptotermes brevis (Isoptera)
Eobia bicolor (Coleoptera)
Exitianus obscurinervis (Homoptera)
Forficula senegalensis (Dermaptera)
Frankliniella intonsa (Thysanoptera)
Haplothrips cottei (Thysanoptera)
H. gowdeyi (Thysanoptera)
Pheidole megacephala (Hymenoptera)
Taeniothrips atratus (Thysanoptera)
T. dianthi (Thysanoptera)
T. hawaiiensis (Thysanoptera)
T. hawaiiensis (Thysanoptera)
T. imaginis (Thysanoptera)
T. major (Thysanoptera)
OOD: Pheidole megacephala (Hymenoptera)
Trogoderma granarium (Coleoptera)
FRUIT—UNIDENTIFIED: Diaspis zamiae (Homoptera) Monomorium destructor (Hymenoptera) Monomorium destructor (Hymenoptera) Lyctus linearis (Coleoptera) Trogoderma granarium (Coleoptera) Monomorium destructor (Hymenoptera) Sterrha inquinata (Lepidoptera)
KARAYA GUM:
Trogoderma granarium (Coleoptera)
LEAF—UNIDENTIFIED: Protopulvinaria longivalvata (Homoptera)
Sitona lineata (Coleoptera)
Toxoptera citricidus (Homoptera)
LEGUME: Mimosestes sallaei (Coleoptera) Stator limbatus (Coleoptera) Opogona sacchari (Lepidoptera) MAIL: Achatina fulica (Mollusca) Cryptotermes brevis (Isoptera)
Dacus dorsalis (Diptera)
Eobia bicolor (Coleoptera) Kalotermes immigrans (Isoptera)
Monomorium destructor (Hymenoptera)
Pheidole megacephala (Hymenoptera)
Sinorylon conigerum (Coleoptera)
MILITARY CARGO:
Cochlicella barbara (Mollusca) C. conoidea (Mollusca)
C. ventrosa (Mollusca)
Cryptothelea minuscula (Lepidoptera) Cryptothelea minuscula (Lepi-Helicella caperata (Mollusca) H. conspurcata (Mollusca) H. derbentina (Mollusca) H. itala (Mollusca) H. maritima (Mollusca) H. neglecta (Mollusca) H. pyramidata (Mollusca) H. striata (Mollusca) H. variabilis (Mollusca) Helix aspersa (Mollusca) Monacha cantiana (Mollusca) Monacha cantiana (Mollusca) M. carthusiana (Mollusca) Nezara viridula (Hemiptera) Ostrinia nubilalis (Lepidoptera) Otala lactea (Mollusca)
O. vermiculata (Mollusca)
Oxychilus draparnaldi (Mollusca) Pieris brassicae (Lepidoptera)
Rhaphogaster nebulosa (Coleoptera)
Theba pisana (Mollusca)
MOLLUSK: pisana (Mollusca) Callidium rufipenne (Coleoptera)
PLANTS—UNIDENTIFIED:
Ceutorhynchus erysimi (Coleoptera) Oulema melanopa (Coleoptera) Haplothrips aculeatus (Thysanoptera) Limothrips denticornis (Thysanoptera)

Hosts Unknown—Continued

PLANTS-UNIDENTIFIED-Continued

LANTS—UNIDENTIFIED—Cont
Lygus lucorum (Hemiptera)
Monacha cantiana (Mollusca)
Morganella longispina (Homoptera)
Nysius raphanus (Hemiptera)
Pheidole megacephala (Hymenoptera)
Sitona lineata (Coleoptera)
Taeniothrips atratus (Thysanoptera)
Thrips flavus (Thysanoptera)
Veronicella moreleti (?) (Mollusca)

PLANT MATERIAL: Diploptera punctata (Orthoptera)

QUARTERS:

Augocoris illustris (Hemiptera)
Lobesia botrana (?) (Lepidoptera)
Monomorium destructor (Hymenoptera)
Phoebolampta excellens (Orthoptera)
Porphyrobaphe iostoma (Mollusca) Syneda confirmans (Lepidoptera) Theba pisana (Mollusca) Trogoderma granarium (Coleoptera) Tropidacris latreillei (Orthoptera)

RAILWAY CAR: Tenuirostritermes cinereus (Isoptera)

Caryedon gonagra (Coleoptera) Ectomyelois ceratoniae (Lepidoptera) Megacerus alternatus (Coleoptera) Mimosestes sallaei (Coleoptera) Puto barberi (Homoptera)

Achatina fulica (Mollusca)

STORES: Callosobruchus analis (Coleoptera) Helicella maritima (Mollusca) Helix aspersa (Mollusca) H. pomatia (Mollusca) Myzus ascalonicus (Homoptera) Systole albipennis (Hymenoptera) Trogoderma granarium (Coleoptera) STRAW:

Bruchus guttalis (Coleoptera) Zetha chavesi (Orthoptera) WATERLILY:

Pheidole megacephala (Hymenoptera)

Anoplotermes ater (Isoptera) - Bostrychoplites cornutus (Coleoptera)

Bostrychoplites cornutus (Coleoptera)
Brevipal pus phoenicis (Acarina)
Callidium violaceum (Coleoptera)
Heterobostrychus aequalis (Coleoptera)
Lyctus africanus (Coleoptera)
Librunneus (Coleoptera)
Micrapate labialis (Coleoptera)
Minthea rugicollis (Coleoptera)
Molorchus minor (Coleoptera)
Nicostalis (Isoptera)
Nicostalis (Isoptera)
Procry ptotermes hubbardi (Isoptera)
Reticulitermes speratus (Isoptera)
Sinoxylon anale (Coleoptera)
S. ruficorne (Coleoptera)
Taeniothrips vitticornis (Thysanoptera)
Tetrapriocera longicornis (Coleoptera)
Trogoxylon aequale (Coleoptera)

Countries of Origin and Insects

AFRICA (country(?)): Ectomyelois ceratoniae Opogona sacchari ALGERIA: Parlatoria zizy phus AMERICAN SAMOA: Aceria hibisci As pidiotus pangoensis Lyctus brunneus AMERICAN VIRGIN ISLANDS: Anastrepha mombin praeoptans Vinsonia stellifera ANGOLA: Sinoxylon ruficorne ANGUILLA: "Targionia" hartii ANTIGUA: Alloxacis spinosus Vinsonia stellifera ARGENTINA: Aceria tulipae Aonidiella citrina Brevipalpus obovatus B. phoenicis Ceratitis capitata Frankliniella paucispinosa Lorryia formosa Parlatoria cinerea Pseudaonidia trilobitiformis Tetranychus cinnabarinus
ARGENTINA (?):
Oenopiella unidentata
AUSTRALIA: Aonidiella citrina Aspidiotus herculeanus Dinspis za miae Epilachna 28-punctata Lepidosaphes tuberculata Pseudococcus boninsis Taeniothrips hawaiiensis Thrips imaginis
Thysanococcus chinensis
AUSTRALIA (?): Parlatoria cinerea AUSTRIA: Grapholitha janthiana (?) Leucaspis lowi AUSTRIA (?): Dacus oleae AZORES: Bruchus tristiculus Ceratitis capitata Cochlicella ventrosa Eriococcus araucariae Helicella conspurcata Limax marginatus Pieris brassicae Thrips major Zetha chavesi BAHAMAS: Ancylostomia stercorea Aspidiotus destructor Pheidole megacephala Phytomyza atricornis Pseudococcus boninsis Syneda confirmans Vinsonia stellifera BARBADOS: Coccus viridis "Targionia" sacchari Trionymus sacchari BELGIUM: Bruchus tristiculus Helix aspersa Lecanium coryli Phytomyza rufipes Pityogenes chalcographus BERMUDA: Anuraphis apiifoliae (?) Bradybaena similaris

Cochlicella ventrosa Conotelus mexicanus

Cryptoblabes gnidiella

Eriococcus araucariae

Haplothrips gowdeyi

Morganella longispina Pheidole megacephala Taeniothrips gracilis BRAZIL: Amitermes foreli Asterolecanium e pidendri Azochis gripusalis Brevipalpus phoenicis Ceratitis capitata Chrysomphalus personatus C. umboniferus Coccotrypes carpophagus Coccus alpinus C. viridis Coptotermes niger C. testaceus Euscepes post fasciatus Heterotermes convexinotatus Iridomyrmex leucomelas Lyctus brunneus Maruca testulalis Megastes grandalis Minthea rugicollis Nasutitermes corniger N. nigriceps Neoleucinodes elegantalis Parlatoria cinerea Pectinophora gossypiella Pheidole megacephala Pseudaonidia trilobitiformis Pseudoparlatoria ostreata Stenoma catenifer Stephanoderes hampei Subulitermes microsoma Unaspis citri BRAZIL (?): Cerconota anonella BRITISH GUIANA:
Asterolecanium epidendri Microcerotermes exiguus Paragonatas divergens Platypus rugulosus Vinsonia stellifera BRITISH HONDURAS: Chrysomphalus umboniferus Euscepes porcellus Nasutitermes ephratae $N.\ nigriceps$ Nudur fractivittarum Pheidole megacephala Pseudischnaspis alienus Tenthecoris bicolor T. confusus Vinsonia stellifera BRITISH WEST AFRICA: Earias cu preoviridis BRITISH WEST INDIES: Ancylostomia stercorea Nysius tenellus BULGARIA: Ephestia calidella Phorodon menthae BURMA: Callosobruchus analis CAMEROUN: Parlatoria zizyphus CANADA: Taeniothrips atratus CANAL ZONE: Andrector salvini Cecilioides acicula Chrysomphalus umboniferus Cocconotus degeeri Conchaspis orchidarum Pentalonia nigronervosa Pheidole megacephala Pseudischnas pis alienus Valtissius diversus Vinsonia stellifera CANARY ISLANDS: Dactylotry pes uyttenboogaarti CANTON ISLAND: Sessinia livida CAPE VERDE ISLANDS: Caryedon gonagra

CEYLON:

Countries of Origin and Insects—Continued

Taeniothrips hawaiiensis
Trogoderma granarium
CHILE:
Aclerda fraterna
Brevipalpus chilensis
Conoderus rufangulus
Geniocremnis chilensis
Lecanium persicae
Leptoglossus chilensis
Limothrips angulicornis
Micrapate scabrata
Naupactus xanthographus
Nezara viridula
Pseudococcus gahani
CHINA:

CHINA:
Palpifer sexnotatus (?)
Parlatoria zizyphus
Trogoderma granarium

CHRISTMAS ISLAND: Eobia bicolor Pseudococcus cocotis Sessinia livida

COLOMBIA:
Anastrepha mombin praeoptans
Ancylostomia stercorea
Anoplotermes ater
Bephrata maculicollis
Brevipal pus phoenicis
Cerconota anonella
Chrysomphalus umboniferus
Cyrtomenus bergi
Eurytoma orchidearum

Chrysomphalus umbonifer Cyrtomenus bergi Eurytoma orchidearum Jadera haematoloma Lincus rufospilotus Nasutitermes corniger Puto barberi Stenoma catenifer

COSTA RICA:
Anastrepha mombin praeoptans
Aspidiotus destructor
A. palmae
Asterolecanium epidendri
Auximobasis coffeaella
Ceratitis capitata
Chrysomphalus albopictus
Coptotermes niger
Corimelaena palmeri
Dysdercus minus
Eurytoma orchidearum
Metamasius hemipterus sericeus
Neolobophora ruficeps
Pseudischnaspis alienus
P. longissima
Veronicella moreleti (?)
Vinsonia stellifera

CUBA:

Anastrepha mombin praeoptans Aonidiella comperei Ascia monuste Aspidiotus destructor Asterolecanium epidendri Augocoris illustris Coccus viridis Cylas formicarius elegantulus Dialeurodes citrifolii $Gnorimoschema\ gudmannella$ Gynaikothrips ficorum Hedylepta indicata Heterobostrychus aequalis Leucoptera coffeella Pectinophora gossy piella Pentalonia nigronervosa Pheidole megacephala Phyllophaga analis Pinnaspis buxi Protopulvinaria pyriformis noua innoxia "Targionia" hartii "Targionia" sacchari Tetra priocera longicornis Trionymus sacchari Unaspis citri

Vinsonia stellifera

CURACAO: Caryedon gonagra CYPRUS: Ceratitis capitata Dacus oleae CZECHOSLOVAKIA: Cecilioides acicula Rhagoletis cerasi DENMARK Frankliniella intonsa Rhagoletis cerasi Thrips flavus T. major DOMINICA: Euborellia stali Vinsonia stellifera DOMINICAN REPUBLIC: Aganactesis indecora Anastrepha mombin praeoptans Ancylostomia stercorea Cylas formicarius elegantulus Nasutitermes ephratae Orphulella punctata Pectinophora gossypiella Phurys immunis Polyancistrus serrulatus Ribua innoxia "Targionia" hartii Vinsonia stellifera ECUADOR: Aceria tulipae Ceramidia viridis Dysdercus bidentatus D. mimus D. ruficollisEpilachna borealis var. Epinotia aporema Euglandina striata Metamasius hemipterus sericeus Parlatoria cinerea Pentalonia nigronervosa Porphyrobaphe iostoma Solaropsis monile Stenoma catenifer Vinsonia stellifera EL SALVADOR:
Anastrepha mombin praeo ptans Aulacas pis tubercularis Chrysom phalus personatus C. umboniferus Eurytoma orchidearum Stenoma catenifer Tenthecoris confusus ENGLAND: Cladius pectinicornis Frankliniella intonsa Las peyresia strobilella $oldsymbol{Lyctus}$ a fricanus

ENGLAND:
Cladius pectinicornis
Frankliniella intonsa
Las peyresia strobilella
Lyctus africanus
Mamestra brassicae
Minthea rugicollis
Phorodon menthae
Phytomyza rufipes
Sinoxylon conigerum
Steneotarsonemus laticeps
Systole albipennis
Taeniothrips atratus
T. ericae
Thrips angusticeps
T. major

Trogoderma granarium ETHIOPIA: Odonas pis ruthae

FEDERATION OF MALAYA:
Dichocrocis punctiferalis
"Targionia" hartii

Trogoderma granarium
FEDERATION OF RHODESIA AND
NYASALAND:

Specularius erythrinae FIJI:

Pheidole megacephala "Targionia" hartii
FIJI (?):

Dacus dorsalis

Countries of Origin and Insects—Continued

FINLAND: Eriophyes leionotus FORMOSA: Chilo suppressalis Parlatoria cinerea P. zizyphus Pinnaspis theae Taeniothrips gracilis Trogoderma granarium FRANCE: Acrolepia assectella Asterobemisia carpini Athalia colibri Bemisia citricola Bruchus emarginatus B. signaticornis Centrotus cornutus Chrysomphalus personatus Cladius pectinicornis Cochicella barbara Diaspis zamiae Epidiaspis piricola Forficula senegalensis Frankliniella intonsa Helicella conspurcata H. maritima H. striata H. variabilis Helix aspersa Lecanium corni Mamestra brassicae Melolontha melolontha Monacha cantiana Myzaphis bucktoni (?) Oxychilus draparnaldi Periphyllus aceris Phytomyza atricornis Rhagoletis cerasi Suidasia medanensis Taphropeltus contractus Theba pisana
Thrips flavus
T. major Trogoderma granarium Tyrophagus oudemansi FRANCE (?): Leptidea brevipennis Megastigmus suspectus pinsapinis GAMBIA: Parlatoria zizyphus GERMANY: Aphis callunae Arge ochropa Asterolecanium epidendri Bruchus lentis Cladius pectinicornis Dasyneura inclusa Euleia heraclei Frankliniella intonsa Helix aperta Laspeyresia splendana L. strobilella Mamestra brassicae Monacha cantiana Myzus ascalonicus Oulema melanopa Phytomyza rufipes Pityogenes chalcographus Rhagoletis cerasi Rhyparochromus pini Sitona hispidula Taeniothrips atratus T. dianthi Tetranychus viennensis Thrips flavus T. major $Trogoderma\ granarium$ Tyrophagus oudemansi RAND CAYMAN: Dysdercus andreae Pectinophora gossypiella Termes hispaniolae GREECE: Aspidiotus pyri

Bruchus ervi

B. lentis

B. tristis
Calameuta idolon
Ceratitis capitata
Chrysomphalus inopinatus
Cryptoblabes gnidiella
Dacus oleae
Ectomyelois ceratoniae
Ephestia calidella
Haplothrips cottei
Helicella pyramidata
H. striata
Helix a perta
Leucaspis pusilla
Pieris brassicae
Rhagoletis cerasi
Stephanitis pyri
Trogoderma granarium
GUAM:

GUAM:
Achatina fulica
Dacus dorsalis
Phaneroptera furcifera
Sternochetus mangiferae

GUAM (?):
Furcaspis oceanica
GUATEMALA:
Anastrepha ludens
A. mombinpraeoptans
Aspidiotus mendax
A. palmae
Automolis ataenia
Chrysogramma octomaculata
Chrysomphalus umboniferus
Farinococcus guatemalensis
Gnorimoschema gudmannella
Iridomyrmex iniquus
Leucoptera coffeella
Platoeceticus symmicta
Protopulvinaria longivalvata
Pseudischnaspis alienus
Puto ulter
Stenoma catenifer
Valtissius diversus

HAITI: Aceria plucheae Anastrepha mombin praeoptans Ancylostomia stercorea Brevipal pus phoenicis Bruchus guttalis Ecpantheria icasia Heterotermes cardini H. convexinotatus $Leucoptera\ coffeella$ Neoleucinodes elegantalis Neotermes castaneus Pectinophora gossypiella Phoebolam pta excellens Trogoxylon prostomoides Unaspis citri Vinsonia stellifera HAWAII:

Achaea janata Achatina fulica Adoretus sinicus Antonina graminis Aulacas pis crawii Blastobasis inana Bradybaena similaris Brevipal pus phoenicis Caryedon gonagra Ceratitis capitata Ceresium unicolor Ceroplastes rubens Coccus viridis Conotelus mexicanus Cryptophlebia illepida C. ombrodelta Cryptotermes brevis D. dorsalis Dialeurodes kirkaldyi Diocalandra taitensis Diploptera punctata Ectomyelois ceratoniae Elimaea punctifera Eobia bicolor

Countries of Origin and Insects-Continued

HAWAII-Continued Frankliniella sulphurea (?) Geotomus pygmaeus Graptostethus manillensis Haplothrips gowdeyi Kalotermes immigrans Lampides boeticus Lepidosaphes tokionis Maruca testulalis Megacerus alternatus Mimosestes sallaei Monomorium destructor Morganella longispina Neophyllaphis araucariae Nysius delectulus Orchidophilus aterrimus Parlatoria crotonis Pealius hibisci Pectinophora gossypiella Pentalonia nigronervosa Perkinsiella saccharicida Pheidole megacephala Pinnas pis buxi Praeacedes thecophora Pseudaonidia clavigera Pseudococcus giffardi P. mali P. palmarum
"Pseudoparlatoria" giffardi
Pulvinaria psidii
P. urbicola (?) Selenothrips rubrocinctus Sinoxylon conigerum Siphanta acuta Stator limbatus S. pruininus Sternochetus mangiferae Sybra alternans Taeniothrips hawaiiensis T. vitticornis Tetranychus neocalidonicus Toxoptera citricidus Trionymus sacchari Tyrophagus tropicus Xiphidiopsis lita HONDURAS: Anastrepha mombin praeoptans Aspidiotus destructor Aulacaspis tubercularis Coptotermes crassus Dysdercus mimus D. suterellus (?) Heterotermes convexinotatus Nasutitermes corniger Pheidole megacephala Pseudischnaspis alienus Stenoma catenifer Vinsonia stellifera Zeadiatraea lineolata HONG KONG: Cylas formicarius C. formicarius elegantulus C. formicarius formicarius Parlatoria zizyphus ${m Pectinophora}$ gossy piella Trogoderma granarium HUNGARY: Frankliniella intonsa Rhagoletis cerasi Taeniothips atratus T. dianthi
Thrips flavus
INDIA: Callosobruchus analis Dinoderus brevis Heterobostrychus aequalis Lyctus africanus L. linearis Minthea rugicollis Monomorium destructor Paraputo taraktogeni Parlatoria cinerea P. crypta Pectinophora gossypiella Sinoxylon anale

S. conigerum

Sternochetus mangi ferae Targionia glomerata Trogoderma granarium INDONESIA: Aspidiotus destructor Monomorium destructor IRAN Aceria macrorhynchusBruchus ervi Ceratitis ca pitata Nilotaspis halli IRAQ: Trogoderma granarium IRELAND: Bradysia carbonaria Steneotarsonemus laticeps Thrips flavus ISRAEL: Aonidiella citrina Ceratitis capitata Chirothrips meridionalis Chrysomphalus inopinatus Cryptoblabes gnidiella Ectomyelois ceratoniae Eurydėma ornatum Haplothrips gowdeyi Parlatoria zizyphus Prodenia litura ISRAEL (?): Rhagoletis cerasi ITALY: Acrolepia assectella Anuraphis apit foliae (?) A. carduiApion carduorum Ardis sulcata Bruchus ervi $B.\ lent is$ B. signaticornis B. tristis Cacaecimorpha pronubana Ceratitis capitata Ceroplastes rusci Cochlicella barbara C. ventrosa Cryptoblabes gnidiella Dacus oleae Diaspis minima D. zamiae Dicy phus annulatus Drasterius bimaculatus Dyspessa ulula Ectomyelois ceratoniae Endelomyia aethiops Eurytoma infracta Euscelis plebejus Forficula decipiens F. pubescens Gnorimoschema ocellatella Gortyna flavago Helicella caperata H. conspurcata H. itala H. maritima H. striata Helix aperta H. aspersa H. pomatia Hemimene juliana Laspeyresia nigricana L. splendana Lepidosaphes ficus Limax marginatus L. maximus Lobesia botrana Macroplax fasciata Mamestra brassicae Monacha cantiana M. carthusiana Ostrinia nubilalis Otala lactea O. vermiculata Oxychilus alliarius Parlatoria zizyphus Pectinophora gossypiella

Countries of Origin and Insects-Continued

 $Pseudococcus\ azaleae$

ITALY-Continued Phalonia zephyrana Pieris brassicae Prays oleellus Rhagoletis alternata (?) R. cerasi Rumina decollata Sesamia cretica Sparteus villosus Sterrha inquinata Targionia vitis Tetranychus cinnabarinus T. ludeni Theba pisana Thrips major Trogoderma granarium Udea ferrugalis ITALY (?): Brevipalpus obovatus
JAMAICA:
Acanthoderes circumflexa Aganactesis indecora Aleurocanthus woglumi Anastrepha mombin praeoptans Ancylostomia stercorea Asterolecanium epidendri A. simile Cerconota anonella Ectomyelois ceratoniae Epinotia aporema Eutetranychus banksi Lamellaxis gracilis Mimosestes sallaei Palaeopus costicollis Pectinophora gossypiella Pentalonia nigronervosa
Pseudaonidia trilobitiformis
Pseudischnas pis bowreyi
Vinsonia stellifera JAPAN: Acronicta rumicis Aethus indicus Aleurocanthus spiniferus Aleurolobus marlatti Aleurotrachelus camelliae Aleurotuberculatus aucubae Aonidiella citrina Aspidiotus degeneratus Brevipal pus obovatus Bryohia ehari Callidium rufipenne Carposina niponensis Ceronema japonica Chilo suppressalis Chionaspis wistariae Chionaspis wistariae
Clanis phalaris
Cryptotermes brevis
Dialeurodes tristylii
Dichocrocis punctiferalis
Euborellia plebeja
Eucohocephalus platynotum
Fiorinia proboscidaria
Frankliniella formosae
F. lilivora Homoeogryllus japonicus Lamellaxis gracilis Lecanum corni Lepidosaphes conchiformis L. kuwacola L. newsteadi L. pini L. tubulorum L. yanagicola Macrosiphum formosanum Mamestra brassicae Maruca testulalis Matsucoccus matsumurae Matsumuraeses phaseoli медаяндтия стурнотетнае Morganella longispina Nipponaclerda biwakoensis Ostrinia nubilalis

Parlatoria zizyphus

Pentamerismus oregonensis

Patanga japonica

Pinnaspis buxi

P. citriculus P. pini Pulvinaria aurantii Reticulitermes speratus Sesamia inferens Stephanitis pyrioides Taeniothrips distalis T. gracilis Tenuipal pus japonicus Tetranychus viennensis Thrips flavus Trogoderma granarium Unaspis citri U. yanonensis JAPAN (?): Caryedon gonagra Nephotettix apicalis Pelopidas mathias oberthuri Xylopsocus castanoptera KENYA: Caryedon gonagra Chrysomphalus opimus (tentative) Vinsonia stellifera Callosobruchus ademptus Frankliniella formosae Trogoderma granarium KUWAIT: Trogoderma granarium KWAJALEIN: Furcaspis oceanica LEBANON:
Aonidiella citrina Bruchus ervi Ceratitis capitata Chrysomphalus inopinatus Dacus oleae Lobesia botrana LIBERIA: $oldsymbol{P} arlatoria$ zizy $oldsymbol{p} hus$ LIBYA:
Helicella conspurcata Theba pisana MADEIRA ISLANDS: Coccus viridis MARTINIQUE: Heterotermes convexinotatus MEXICO: Aegiale hesperiaris Agroiconota propinqua Aleurocanthus woglumi Aleuroglandulus emmae Alpheias conspirata Amitermes wheeleri Anastrepha ludens A. mombin praeoptans A. serpentina Arphnus melanotylus Aspidiotus destructor A. palmae Asterolecanium inlabefactum A. miliaris robustum Aulacoscelis melanocera Batrachedra linaria Brevipalpus obovatus Calyptocephala marginipennis Camirus moestus Caryedon gonagra Cecilioides acicula Charidotis seminulum Chilo loftini Chrysomphalus agavis C. albopictus
C. personatus C. sphaerioides C. tenax umboniferus Conotelus mexicanus Corythucha mcelfreshi Cryptophlebia ombrodelta Deloyala guttata Diorymerellus laevimargo Ectomyelois muriscis Everes comyntas

Countries of Origin and Insects—Continued

MEXICO—Continued NETHERLANDS: Adoxophyes orana Aspidiotus zonatus $Exitianus\ obscurinervis$ Exptochiomera oblonga Bruchus affinis Fiorinia theae Gnorimoschema gudmannella Grapholitha packardi Cepaea hortensis (?) Ceutorhynchus erysimi Dialeurodes chittendeni Gymnococcus agavium Gynaikothrips ficorum Haplothrips clarisetis (?) Diaspis juni peri Haplothrips aculeatus Helicina strebeli Helicella ericetorum Insara tolteca Iphiclides protesilaus Helix a perta Limothrips denticornis Iridomyrmex iniquus Lygus lucorum Mamestra brassicae Myzus ascalonicus Isorhinus undatus Labia arcuata Lamellaxis gracilis Oulema melanopa Phytomyza rufipes Rhagoletis cerasi Lepidosaphes philococcus Leptodictya sinaloana Leptopharsa usingeri Sitona lineata Ligyrocoris aurivilliana L. nitidulus Loxostege bifidalis Taeniothrips atratus Thrips flavus Trionymus lounsburyi Trong has to know your Trong of man granarium

NETHERLANDS (?):

Trogoderma granarium

NETHERLANDS NEW GUINEA: Lygus lineolaris Micrapate labialis Mimosestes sallaei Moodna bisinuella Mormidea inermis Myelobia smerinthus Cosmopolites sordidus NETHERLANDS WEST INDIES: Cylas formicarius elegantulus NEW GUINEA: Cosmopolites sordidus NEW ZEALAND: Myodocha longicollis Nasutitermes corniger Neoleucinodes elegantalis Nysius raphanus N. tenellus Brevipal pus obovatus Nysius huttoni NICARAGUA: Ogdoecosta biannularis Onychaspidium apicale Oxacis xerensis $A leurocanthus\ woglumi$ Oxychilus alliarius Anastrepha mombin praeoptans Pachybrachius albocinctus Parisoschoenus expositus A. serpentina Chrysomphalus calurus P. flavolimbatus C. personatus Parlatoria cinerea Stenoma catenifer Pectinophora gossypiella Pemphigus populiramulorum Pheidole megacephala Philaspis bivulnerata Tenthecoris vestitus Vinsonia stellifera NIGERIA: Caryedon gonagra Phorodon menthae Plagiomorpha scabricula Ceratitis colae (?) Pseudococcus boninsis Trogoderma granarium NORTHERN IRELAND: Steneotarsonemus laticeps Platynota rostrana Podisus lineolatus Polyglypta costata Procryptotermes hubbardi Pseudacysta perseae Pseudischnas pis alienus Ptilia versicolor NORWAY Aphis callunae Argyresthia conjugella Eremocoris plebejus Evergestis forficalis $Puto\ mexicanus$ Sparedrus depressus Stator limbatus Ips typographus Taeniothrips atratus Stenoma catenifer T. ericaeTal ponia batesi Taylorilygus pallidulus Tenthecoris bicolor OKINAWA:
Parlatoria zizyphus Pheidole megacephala Popillia lewisi Pulvinaria psidii OKINAWA (?): Tenthecoris distinctus Tenuirostritermes cinereus Thyanta pallidovirens Sinoxylon conigerum Stromatium longicorne PAKISTAN: Trialeurodes vitrinellus Trionymus sacchari Unaspis citri Vinsonia stellifera Xylobiops parilis X. sextuberculatus Sinoxylon conigerum Trogoderma granarium PALMYRA ISLAND: Pseudococcus neobrevipes
PALMYRA ISLAND (?):
Eobia bicolor MONTSERRAT: Ectomyelois ceratoniae MOROCCO: Cochlicella barbara $A nastrepha\ mombin praeoptans$ C. ventrosa Helicella conspurcata Ancylostomia stercorea Aspidiotus destructor Metopoplax ditomoides Cephaloleia pretiosa Nezara viridula Chrysomphalus odontoglossi Otala lactea C. umboniferus ${\tt O.\ }vermiculata$ Ecpantheria eridanus Pieris brassicae Lepidosaphes tokionis Thaumatomyia notata flavifrons Metamasius hemipterus sericeus Theba pisana Pentalonia nigronervosa MOZAMBIQUE: Pinnaspis buxi Trogoderma granarium Pseudischnaspis alienus

.Countries of Origin and Insects—Continued

PUERTO RICO (?):

Anastrepha sus pensa
REPUBLIC OF SOUTH AFRICA: PANAMA—Continued Stenoma catenifer Unaspis citri Vinsonia stellifera
PANAMA (?):
Unas pis citri Blissus diplopterus Bostrychoplites cornutus Ceratitis capitata
"Chionaspis" leucadendri
Diaphone eumela PERU:
Acanthoscelides obreptus
Ceratitis capitata
Clerada apicicornis Diaspis zamiae Epichorista ionephela Dallasiellus orchidiphilus Helix aspersa Forficula senegalensis Frankliniella schultzei Lincus ru fospilotus Mecolaemus carvalhoi Mesochelidura peringueyi Nezara viridula Odonaspis ruthae Pagiocerus fiorii Pentalonia nigronervosa Opogona sacchari Parlatoria pittospori Phlyctinus callosus Phricodus hystrix Rhynchotermes nasutissimus Selenothrips rubrocinctus Tenthecoris distinctus Pseudococcus gahani Trionymus sacchari Specularius erythrinae
Xiphistes furcicornis
REPUBLIC OF THE CONGO: Vinsonia stellifera PHILIPPINES:
Aonidiella inornata Callosobruchus rhodesianus
RUMANIA:
Grapholitha janthiana (?)
ST. KITTS:
Ancylostomia stercorea Aspidiotus destructor A. excisus A. palmae
Aulacaspis tubercularis
Caryedon gonagra
Cosmopolites sordidus
Cryptophlebia ombrodelta Coccus viridis Pheidole megacephala
ST. LUCIA:
Lamellaris gracilis Cylas formicarius elegantulus Dialeurodes kirkaldyi Ectomyelois ceratoniae Eobia bicolor Subulina octona
"Targionia" hartii
SCOTLAND: Fiorinia theae Aphis callunae Gelechia ericetella Limothrips denticornis Furcas pis haematochroa Heterobostrychus aequalis Leptocorixa varicornis Rhynchites auratus Monomorium destructor Parlatoria cinerea Taeniothrips atratus T. ericae Thrips flavus P. zizyphus Pheidole megacephala Phenacaspis cockerelli Polytus mellerborgi T. major
Tyrophagus oudemansi
SENEGAL: Pseudaonidia trilobitiformis Pseudococcus lilacinus Stephanitis typica Trogoderma granarium SINGAPORE: Bemisia tabaci Taeniothrips vitticornis Pheidole megacephala Tenuipal pus pacificus Trogoxylon aequale Trogoderma granarium SOLOMON ISLANDS: Unaspis yanonensis Pheidole megacephala
SOUTH AMERICA (country(?)): PHILIPPINES (?): Nephotettix apicalis Rehimena phrynealis Soleno psis saevissima richteri SOUTH PACIFIC: Trogoderma granarium Cassida circumdata POLAND: Sardia pluto SOUTHWEST PACIFIC: Argyresthia conjugella Endelomyia aethiops Frankliniella intonsa Eobia bicolor SPAIN: Acrolepia assectella Brachycerus algirus Rhagoletis cerasi Taeniothrips atratus T. dianthi Brevipal pus obovatus
B. phoenicis
Bruchus lentis PORTUGAL: Bruchus guttalis Caryedon gonagra
Ceratitis capitata
Ectomyelois ceratoniae
Hemimene juliana B. signaticornis Callidium violaceum Ceratitis capitata Chilo suppressalis Cochlicella barbara C. conoidea Las peyresia splendana Pheidole megacephala Rhagoletis cerasi Cryptoblabes gnidiella Dactylotrypes uyttenboogaarti Dyspessa ulula Sitona lineata PUERTO RICO:
Anastrepha mombin praeoptans Gymnococcus agavium Helicella conspurcata A. suspensaAncylostomia stercorea H. maritima H. neglecta Asterolecanium bambusae Cylas formicarius elegantulus $H.\ variabilis$ Doru albipes Helix aspersa Las peyresia s plendana Ectomyelois ceratoniae Maruca testulalis Limax marginatus Oxycopis vittata Lorryia mali Ostrinia nubilalis Pinnaspis caricis Protopūlvinaria longivalvata Otala vermiculata

Parlatoria zizyphus

"Targionia" sacchari

Countries of Origin and Insects—Continued

SPAIN—Continued Plusia orichalcea Rhagoletis cerasi Rhaphogaster nebulosa Sesamia nonagrioides Theba pisana Thrips angusticeps SUDAN:

Trogoderma granarium SURINAM: Parlatoria cinerea Subulina octona

SWEDEN

Acanthothrips coriaceus Anuraphis cardui Frankliniella intonsa

Molorchus minor SWITZERLAND: Cecilioides acicula Psylla mali

Stenoptilia stigmatodactyla TAHITI:

Brevipalpus phoenicis Dialeurodes kirkaldyi Morganella longispina Parlatoria cinerea TANGANYIKA:

Mamestra brassicae THAILAND:

Cylas formicarius Heterobostrychus aequalis Lepidosaphes punicae Minthea rugicollis Parlatoria zizyphus Trogoderma granarium
TORTOLA:

Aspidiotus destructor TRINIDAD:

· Anastrepha mombin praeoptans Euscepes post fasciatus Monomorium destructor Nasutitermes costalis Orthezia praelonga Palaeopus costicollis Parlatoria cinerea Pectinophora gossypiella Tropidacris latreillei Vinsonia stellifera TURKEY:

Ceratitis capitata Cochlicella barbara Ectomyelois ceratoniae Helicella derbentina H. striata Las peyresia s plendana Pectinophora gossy piella

Theba pisana
UNITED ARAB REPUBLIC:
Ceratitis capitata Gnorimoschema ocellatella Hellula undalis Lampides boeticus Pectinophora gossypiella Trogoder ma granarium UNKNOWN:

A doxophyes orana Ancognatha scarabaeoides Callipogon armillatum Callosobruchus rhodesianus Ceratitis capitata Chilo suppressalis Chrysom phalus personatus Cochlicella ventrosa Dacus oleae Eriophyes canestrinii Eucalymnatus tessellatus Exitianus obscurinervis Gelechia ericetella Grapholitha janthiana (?) Helicella itala H. striata H. variabilis Helix pomatia Las peyresia strobilella Listronotus palustris Lobesia botrana (?) Monomorium destructor Myzus ascalonicus Nezara viridula Onthophagus taurus Parlatoria cincrea P. zizyphus Phytomyza rufipes Plagionotus arcuatus Porphyrobaphe iostoma Pseudococcus gahani Rhagoletis cerasi Schoenobius incertulas Taeniothrips atratus T. dianthi
"Targionia" hartii
Tetranychus viennensis Theba pisana
Thrips angusticeps
T. flavus
T. major Trogoderma granarium Tropidacris latreillei Vinsonia stellifera Xylomeira torquata

VENEZUELA: Aceria tulipae Aulacas pis tubercularis Cerconota anonella Engonus subcylindricus Mimosestes sallaei Neoleucinodes elegantalis Otosema odorata Paroxacis antillarum Synrias diffundens Vinsonia stellifera

VENEZUELA (?): Hemiargus hanno Minthea rugicollis

VIETNAM: Cryptothelea minuscula

WEST INDIES (island(?)):
Anastrepha mombin praeoptans Unaspis citri

YUGOSLAVIA: Dyspessa ulula Grapholitha janthiana (?) Homotoma ficus Las peyresia splendana Ostrinia nubilalis Sterrha inquinata

Pests Collected and Reported From July 1, 1960, Through June 30, 1961

		Mun	ber o	f in-	
			ptions		
Pest and host	Country of origin	-du	ry	3-	Collected
		Consump- tion	Nonentry	Propaga- tion	in—
		Con	Z	Pro	
tAecidium cannonii Griff.:					
Fouquieria sp. (leaf)				1	Tex.
Ipomoea batatas (sweetpotato)	do	1			Tex.
Christie(?): Bletilla striata (orchid) stem sheath	Japan			1	N.J.
†Ascochyta caricae Pat.: Carica papaya (papaya)	Eniwetok, Mexico	1	1		Hawaii, Tex.
†Ascochyta citri Penz.: Citrus aurantium (sour orange)	Japan				Calif.*
‡Ascochyta cycadina Scalia: Cycas revoluta (sago palm)	Okinawa			1	Hawaii.
Ascochyta passiflorae Penz. & Sacc.: Passiflora sp. (passionflower) fruit	Colombia	1			Calif.
‡Ascochyta phaseolorum Sacc.: Phaseolus vulgaris (bean)	Brazil			1	Calif.,* S.C.
‡Asterinema caseariae Bat. & Gayão(?): Maxillaria sp. (orchid)	Costa Rica			1	Fla.
Maxillaria sp. (orchid)					
Chamaedorea elegans (palm) leaf ‡Camaros porium cheno podii Ell. & Ev.:	Mexico	2			Tex.
Exomis axyrioides (seed)	Republic of South Africa				D.C.
Citrus sinensis (sweet orange)	Australia		1		Hawaii.
Syd.: Lophocereus schottii (cactus)	Mexico			1	Ariz.
Carnation ringspot virus: Dianthus sp. (cutting)		1		1	N.J.
Ceratocystis narcissii (Limber) J. Hunt: Narcissus sp. (bulb) Cercospora brachiata Ell. & Ev.: Phaseolus vulgaris var. (string bean)	Puerto Rico	1			P.R.
Cercos por a brassicicola P. Henn.: Brassica sp	Tanan		1		P.R.
Cercospora coleroides Sacc.: Casimirou sp. (leaf)	Movico	1			
† Cercos por a moricola Cke.: Morus sp. (mulberry) leaf					
†Cercospora punicae P. Henn.: Punica granatum (pomegranate) †Cercospora vaginae Krüger:	India				Hawaii.
† Cercospora vaginae Krüger: Saccharum sp † Chaetothyrina musarum (Speg.) Th. sensu	ao				IIAWAII.
Batista: Musa paradisiaca (plantain)	Mexico	1			Tex.
Chrysomyra lear a By. var. rhoadaenari (a By.)					
Savile: Rhododendron ferrugineum(rock rhododendron) R. uniflorum Rhododendron sp	Canada			1	Wash.
Rhododendron sp	Switzerland	'			Tex.
†Ciliospora gelatinosa Zimm.: Palm (frond) †Circinella minor Lendner(?): Citrullus vulgaris (watermelon)	Mexico				Tex.
Citrullus vulgaris (watermelon)	do				Tex.
Aster sp	Korea	1			Wash.
(Ell. & Halst.) Arx:			. 1		Calif.*
Spinacia oleracea (spinach)	Australia		1		
Coniothyrina agaves (Dur. & Mont.) Petr. & Syd.:	Mexico	1	1		
t Conjoth urium brevisnorum I. Mivake:					
Oryza sativa (rice) straw				1	
Palm (seed)	, MICAICULLELLELLELLELLELLELLELLELLELLELLELLELLE				

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Criconemoides mutabile Taylor: Soil with Delonix regia (flamboyant-tree)	Mexico			1	Tex.
Soil with <i>Philodendron</i> spSoil with unidentified plant	do			1	Ariz. Ariz.
Cryptospora longispora Servazzi: Araucaria excelsa (Norfolk-Island-pine) seed	Australia, Norfolk Island, unknown.			6	Calif.,* Fla., N.J.
Cumminsiella mirabilissima (Pk.) Nannf.: Mahonia aquifolium (Oregon-grape) Cylindrocarpon candidum (Lk.) Wr.:	Canada			1	Wash.
Polygonum aubertii (root)				1	N.J.
Stanhopea sp. (orchid) leaf	Mexico			1	Tex.
Schinus molle (California peppertree) †Cymadothea trifolii (Fr.) Wolf: Trifolium resupinatum (Persian clover) seed				1	Tex.
Cytospora sacchari Butl.: Saccharum officinarum (sugarcane) node	Mexico				Tex.
Dendrophoma obscurans (Ell. & Ev.) H. W. Anderson: Fragaria sp. (strawberry) leaf	France, Germany			5	N.Y.
Dendryphion interseminata (Berk. & Rav.) Hughes: Dahlia hybrid (root)	Mexico			1	Tex.
Dahlia hybrid (root) †Diaporthe batatis Harter & Field: Ipomoea batatas (sweetpotato) Didumelling ornithandi Lacques:	do	1			Ariz.
Ornithogalum thyrsoides (Cape chinkerichee)		1			Mass.
†Didymium squamulosum (Alb. & Schw.) Fr.: Chamaedorea elegans (palm) leaf †Dinemasporium graminum Lév.:	Mexico	1			Tex.
Secale cereale (rye) straw jacket					Fla.
Cocos nucifera (coconut) cap		1			Calif.*
Oryza sativa (rice) straw		1		_	Calif.*
Ribes sp. (stem) †Discula quercina (West.) Arx: Quercus phillyreoides	l Janan			1	N.J.
Ditylenchus dipsaci (Kühn) Filip.: Narcissus 'Beryl', 'Charity May', 'Cobweb', 'Moschatus of Haworth', 'Nor-Nor', 'Snipe', 'Stafford'.	England				N.J.
N. bulbocodium (petticoat daffodil)	ld0				N.J. N.J. N.J.
N. odorus (campernelle jonquil)	do			1	N.J. N.J.
t Dothiorella gravegrige (Vogl.) Potr	do			1	N.J.
Araucaria cunninghamii (seed)	Nicaragua			2 1	Fla. Fla.
& Syd.: Barringtonia speciosa (India barringtonia) Elsinoe australis Bitanc. & Jenkins:	Hawaii				
Citrus aurantifolia (sour lime)	Brazil, unknown Argentina, Brazil, unknown.		3 28		Calif.,* P.R. Ala., Calif.,* Ga., Fla.,
C. paradisi (grapefruit)	Argentina, Brazil		6		La., N.Y. Calif.,* Fla., N.Y., Tex.
C. reticulata (Mandarin orange)	Argentina, unknown Argentina, Brazil, unknown, Uruguay.	6 7	16 97		
					N.Y., N.C., Pa., P.R., Tex.,
See footnotes at end of table.	1			1	Va.

			nber o		
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
‡Elsinoe lepagei Bitanc. & Jenkins:					
Pouteria campechiana (leaf)†Elsinoe mangiferae Bitanc. & Jenkins:	Mexico				
Mangifera indica (mango) †Fusarium solani (Mart.) Appel & Wr. emend Snyd. & Hans.:	Antigua	1			P.R.
Solanum tuberosum (potato) ‡Gonatobotrys simplex Cda.:	Peru				Fla.
Lycopersicon esculentum (tomato) †"Greasy spot":	Mexico		1		Ariz.
Citrus sp. (leaf)	Dominican Republic, Puerto Rico.	2			P.R.
‡Guignardia bidwellii (Ell.) Viala & Ravaz: Vitis sp. (grape)	Chile	1			N.Y.
Gymnosporangium haraeanum Syd.: Juniperus chinensis (pyramid Chinese juniper)	Japan			6	Hawaii,
J. chinensis var. sargentii	do				Wash. Hawaii.
Helicotylenchus nannus Steiner: Soil with plants (Asparagus sp., Capsicum	Mexico	1		9	Ariz., Tex.
annuum, Citrus sp., Echeveria sp., Ficus religiosa, Laurus sp., Tradescantia sp., and unidentified plants).					,
Helminthosporium turcicum Pass.: Zea mays (corn)	do	1			Ariz.
Heterodera avenae (Wr) Filin ·		1			N.Y.
Soil with Allium sepa (onion)	Sweden	2			N.Y. Fla.
Soil with propagative material (Citrus limon, Freesia sp., Rosa hybrid, Tulipa sp., and	Denmark, England,			6	N.Y.
Vitis sp.). Soil with Solanum tuberosum (potato) Heterodera cacti Filip. & Schuurm. Stek.:	Belgium				Fla.
Soil with Allium sativum (garlic)	Argentina, †Chile,		2	24	N.Y. Ariz., Calif.*
cactus, fern, Philodendron sp., Polianthes tuberosa, and unidentified plants).	Italy, Mexico, Switzerland.				Fla., N.Y., Tex.
Soil with railway carHeterodera punctata Thorne:	Mexico		1		Tex.
Soil with automobileSoil with propagative material (Amaryllis sp., Begonia sp., cactus, Calluna vulgaris, grass,	England	1		12	Fla. Calif.,* Fla., N.J.,N.Y., Tex.
Gypsophila sp., Philodendron sp., Rosa hybrid, and unidentified plants). Soil with railway car	Switzerland.		. 1		
Heterodera rostochiensis Wr.: Soil sample	Poland				N.Y.
Soil with propagative material (Amaryllis sp., Begonia sp., cactus, Chrysanthemum sp., Dahlia hybrid, Dianthus sp., fern, Fragaria sp., Haworthia papillosa, Hedera sp., Medi-	England, Germany, Ireland, Mexico, Poland, Sweden.			. 19	Ariz.,Calif.,* D.C.,N.J., N.Y., Tex.
nilla magnifica, Paeonia sp., palm, Pelargo- nium zonale, Trifolium repens var., uniden- tified plants, and Viola sp.). Soil with stores (Apium graveolens, A. graveo-	Belgium, England,		. 9		Calif.,* Fla., N.Y., Tex.
lens var. rapaceum, Armoracia lapathifolia, Brassica rapa, Lactuca sativa, and Solanum tuberosum).	Germany, Nether- lands, Spain.				N.Y., Tex.
######################################	China			. 1	Hawaii.
Kellermannia anomala (Cke.) Hoehn.:	Mexico	. 1		. 1	Ariz., Tex.
†Lecanidion atratum (Hedw.) Endl.: Aloe sp. (stem)	Bermuda	. 1			N.Y.
†Leptosphaeria coffeigena (Berk. & Curt.) Sacc.:	Mexico			. 1	Tex.
Lophodermium arundinaceum (Fr.) Chev.: Phalaris sp.(?) (mat)		. 1			La.
Phragmites sp. (reed) cane	. do	.' 1	d	.6=1	Oreg.

		Number of interceptions in—			
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Macrophoma araucariae De Lac.:					
Araucaria cunninghamii (seed)	New Zealand Norfolk Island			1 4	Calif.* Calif.*
Macrophoma musae (Cke.) Berl. & Vogl.: Musa paradisiaca (plantain)	†American Samoa,	1	1		Hawaii.
M. paradisiaca var. sapientum (banana) leaf Musa sp. (fruit and leaf)	†Guam, Japan, Phlip-	1 6	1		Calif.* Hawaii.
Macrophoma oleae (DC.) Berl. & Vogl.:	pines, †Singapore.				
Olea europaea (olive) Melampsora abieti-capraearum Tub.:	Italy				N.Y.
Salix sp. (willow) herbarium specimen Meloidogyne arenaria (Neal) Chitwood:	Mexico	1			
Meloidogyne arenaria (Neal) Chitwood: Alocasia sp. (rhizome) Caladium x hortulanum 'Candidum' (tuber)	Guatemala			1 2	N.J.
Caladium sp. (tuber) Dioscorea sp. (yam) root Gerbera sp. (root)	Japan		<u>-</u> -	1	G 110 A
Gerbera sp. (root) † Meloidogune grengrig grengrig (Neal) Chitwood:	do			1	
†Meloidogyne arenaria arenaria (Neal) Chitwood: Zantedeschia aethiopica (calla lily) Meloidogyne hapla Chitwood:					La.
Begonia sp. (tuber)	Notherlands			1 1	Wash. N.Y.
Gerbera sp. (pip) Leontopodium alpinum (common edelweiss)	-			2	Calif.*
root.					N.Y.
'Phygelius capensis (capefuchsia)	England Germany Netherlands Control		1 2	N.J.	
Viburnum fragrans (root)	Netherlands			1	N.Y.
wood: Asparagus sp. (root)	Mexico			1	Tex.
Beta vulgaris (beet) Daucus carota var. sativa (carrot) root	do	6			Tex. Tex.
Meloidogyne incognita acrita Chitwood: Coriandrum sativum (coriander) root					
Gardenia sp. (root) Polianthes tuberosa (tuberose)	do			1	Tex. N.Y.
Zantedeschia sp. (calla lily) tuber	Mexico			1	Calif.*
Meloidogyne javanica (Treub) Chitwood: Asparagus myriocladus	Japan			1	
Asparagus x sieberianus	Rapublic of South Africa			1 1	NT
Daucus carota var. sativa (carrot) root Euphorbia multiceps (root) Zantedeschia aethiopica (calla lily) tuber	Mexico Republic of South Africa	1		1	Tex. Calif.*
IMenispora acicola Ell. & EV.:					
Theobroma cacao (cacao) pod					
Theobroma cacao (cacao) pod	do	1			Tex.
Mahonia sp. ‡Mycosphaerella molleriana (Thuem.) Lindau:	Japan			1	Hawaii.
Eucalyptus sp. (leaf) Mycosphaerella schoenoprasi (Ces. & de N.) Schroet.:	Australia				Hawaii.
Allium cepa (onion) top	Belgium, Japan Japan †Australia, Belgium,		8		Calif.* Calif.,* N.Y.
A. porrum (leek) top	†Australia, Belgium,		42		Calif.,* P.R.
A. sativum (garlic) top	Japan. †Germany Japan				
Allium spp. †Mycosphaerella serrulatae (Ell. & Ev.) Diehl:					
Palm (leaf)	Colombia				Fla.
Agave sp.	Mexico				Tex.
†Myiocopron corrientum Speg.: Diacrium sp. (orchid) Neovossia horrida (Tak.) Padw. & A. Khan:	Costa Rica			1	Fla.
	India, Japan, †Korea,	2			

		Number of interceptions in—			
Pest and host	Country of origin				Collected
		Consump- tion	Nonentry	Propaga- tion	in
				<u> </u>	
\$\footnote{O}idium macrosporum (Farl.) Linder: Ricinus communis (castorbean) \$\footnote{O}lpitrichum macrosporum (Farl.) Sumstine:	Mexico	1			Ariz.
Oryza sativa (rice) straw	Japan	1			Calif.*
Strongylodon macrobotrys ("jade vine")	Mexico †Philippines		1	1	Tex. Calif.*
†Periconia pulla (Bon.) Sacc.: Oryza sativa (rice) straw rope †Peronos pora destructor (Berk.) Casp.:	Japan		1		Calif.*
Allium cepa (onion) top	do		1		Calif.*
Brassica oleracea var. capitata (cabbage)	Netherlands		1		Tex.
†Phakopsora jatrophicola Cumm.: Jatropha curcas (Barbados-nut) leaf †Phoma acicola (Lév.) Sacc.:	Dominican Republic	1			P.R.
†Phoma acicola (Lév.) Sacc.: Pinus spp Phoma citricarpa McAlp.:	Thailand	1			Calif.*
Citrus aurantium (sour orange)	·Japan		6		Calif.,* Wash.
C. grandis (pummelo)	Asia (country(?)), China, unknown.	3			Calif.,* Hawaii, Mich.
C. limon (lemon)	Australia, Fiji, Formosa, Japan, New Zea-	2	43		Calif.,* Hawaii,
	land, unknown.				Mass., Mich., N.Y.,
C. medica (Chinese citron)	JapanAustralia, Fiji, Japan	2	1		N.C., Pa. Tex. Calif.,*
C. paradisi (grapefruit)	–		•		_Hawaii.
C. paradisi x C. reticulata (tangelo)	China, Formosa, Hong Kong, Japan, un-	63	1 5		Calif.,* Hawaii.
C. sinensis (sweet orange)	known. Africa (country(?)), Australia, Brazil,	74	40		Ala., Calif.,* Fla.,
	China, Formosa, Hong Kong, Japan,				Hawaii, La., Mass.,
	Mozambique, Republic of South Africa,				Md., Mich.,
	unknown, West Pacific.				Minn., N.J.,N.Y., Pa., P.R.,
Citrus sp. (peel)	Asia (country(?)),	14			Tex., Wash. Ariz., Fla.,
	China, Hong Kong, unknown.				Ill., Mass., Mich., Tex.
‡Phoma equisetii Desm.: Equisetum sp. (horsetail) ‡Phoma lineolata Desm.:					Hawaii.
Larix decidua (European larch) seed †Phoma malisorica Bub.:	Scotland			1	N.J.
Clematis dioscoreifolia var. robusta (sweet autumn clematis)seed.	Japan			1	N.J.
†Phoma oryzae Cke. & Mass.: Oryza sativa (rice) straw	China, India	3			Calif.,* Wash.
Phomopsis cocoes Petch: Cocos nucifera (coconut) Phomopsis mahoniae Grove(?):					Calif.*
Mahonia sp.	Japan			1	Hawaii.
Ginkgo biloba (ginkgo) dwarf tree	do			1	Calif.*
Areca cathecy (betel palm) nut.	Guam	1			Hawaii.
Phomopsis pterophila (Fckl.) Died.: Fraxinus excelsior (European ash) seed †Phyllachora boutelouae Rehm:				1	N.J.
Bouteloua curtipendula (sideoats grama) B. gracilis (blue grama)	Mexico			1	Tex. Tex.
See footnotes at end of table					

		Number of interceptions in—			
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
‡Phyllachora rulgata Th. & Syd.: Muhlenbergia sp. (muhly grass)	Mexico			1	Ariz.
Phyllosticta aucubicola Sacc.: Aucuba japonica 'Croton'				1	N.J.
Phyllosticta draconis Berk.: Cordyline terminalis (ti) leaf				2	Calif.*
†Phyllosticta kalmicola (Schw.) Ell. & Ev.: Laurus sp. (laurel) leaf				-	Tex.
Phyllosticta mortoni Fairm.:					
Mangifera indica (mango) leaf ‡Phyllosticta quercus Sacc. & Speg.:					Tex.
Quercus garryana (Oregon white oak) leaf †Phyllosticta salicifoliae P. Brun.:					Wash.
†Phyllosticta salicifoliae P. Brun.: Metrosideros sp. (irontree) †Phyllostictina cordylines (Thuem.) Petr. & Syd.:	Australia	1			Hawaii.
Cordyline terminalis (ti)	Hawaii	5			Hawaii.
Mangifera indica (mango) leaf	Mexico	2			Tex.
Physalospora wildemanniana Sacc.: Oncidium cebolleta (orchid)	do			1	Tex.
Pratylenchus penetrans (Cobb) Chitwood & Oteifa:					_
Dahlia hybrid (root)	Australia			1	N.J.
Pelargonium sp. (geranium) Prospodium appendiculatum (Wint.) Arth.:	Mexico			1	Tex.
Tecoma stans	do	1			Ariz.
Tabebuia rosea (trumpet-tree)	do	1			Ariz.
†Prospodium pithecoctenii (Paz.) Cumm.: Pithecoctenium echinatum (Mexican monkey-	do	2			Ariz., Tex.
comb). ‡Pseudomonas gardeniae(Burkh, & Pirone)Dows.:					
Gardenia jasminoides (leaf)	do				
†Pseudomonas syringae v. Hall: Citrus limon (lemon)	Republic of South		1		Calif.
Psilenchus hilarulus deMan:				1	Tex.
Mesembryanthemum spSoil with unidentified plant	dodo			1	Ariz.
Puccinia arenariae (Schum.) Wint.: Dianthus barbatus (sweetwilliam) leaf Puccinia baccharidis Diet. & Holw.:	England		1		Mass.
Baccharis sp.	Mexico	1			Ariz.
†Puccinia blasdalei Diet. & Holw.: Allium sativum (garlic)	France(?)		1		Minn.
Bouteloua curtipendula (sideoats grama)		(Tex.
Puccinia buxi DC.: Buxus sp. (boxwood) leaf	France, Ireland	1		1	Calif.,*Mass.
Puccinia carthami Cda.: Carthamus tinctorius (safflower)				1	
†Puccinia hordei Otth: Hordeum vulgare (barley) straw					
Puccinia horiana P. Henn.: Chrysanthemum morifolium (florists chrysan-					Alaska,
themum).	Japan	J	*		Hawaii,
Chrysanthemum sp	do	4	1	1	Wash. Calif.,*
Puccinia kusanoi Diet.:					Hawaii.
Bamboo (leaf)					
Phragmites sp. (reed) cane	Germany				
Lagascea glandulosa (herbarium specimen) Puccinia obtecta Pk.:	Mexico	1			Ariz.
Scirpus sp. (bulrush) straw	Mexico, †Portugal	4			Fla., Tex.
Puccinia strii ormis West.: Secale cereale (rye) leaf Straw—unidentified	Japan		1		Wash.
Straw—unidentified † Puccinia thaliae Diet.: Canna sp. (leaf)	do		1		Fla.
Canna sp. (leaf)	Venezuela	1			N.Y.

		Number of interceptions in				
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—	
Pyrenochaeta oryzae I. Miyake:						
Oryza sativa (rice) straw	†Formosa	1			Calif.*	
Radopholus similis (Cobb) Thorne: Anthurium sp. (root)	Hawaii			1	Calif.*	
Ravenelia papillifera Syd.: Cassia sp., probably bauhinioides	Mexico	1			Ariz.	
!Rhizosphaera pini (Cda.) Maubl.:					Calif.*	
Pinus sp. (pine) Rhytisma punctatum (Pers.) Fr.:						
Acer circinatum (vine maple) leaf)					Wash.	
Soil with Crassula sp. plant	Mexico			1	Tex. Ariz.	
†Scutellonema christiei (Golden & Taylor) Andrassy: Soil with Philodendron sp.				1		
†Septonema toruloides Berl.: Oryza sativa (rice) hull					Ariz.	
Sentoria azaleae Vogl:					Calif.*	
Rhododendron japonicum 'Adonis'				1	N.J.	
Citrus limon (lemon)	Italy, Japan, Spain		4			
C. sinensis (sweet orange)	Japan, Spain, unknown	1	7		N.Y. Calif.,* Tex.	
\$Septoria curvula I. Miyake: Oryza sativa (rice) straw rope and mat	Japan		2		Calif.*	
Septoria oryzae Catt.: Oryza sativa (rice) straw					Calif.*	
‡Septoria pruni Ell.: Prunus sp. (leaf)					N.Y.	
1 SITOUES TO THE OTTO THE OSTITUTE OF IN "				_		
Cocos nucifera (coconut) cap	Mexico	1			Calif.*	
scabiosa (McAlp. & Tryon) Jenkins:	Australia		1		Hawaii	
Citrus aurantifolia (lime) C. limon (lemon) C. sinensis (sweet orange)	do	1	1		Hawaii.	
Sphaceloma numicae Ritane & Ionkins			1			
Punica granatum (pomegranate). Sphaerodothis pringlei (Pk.) Th. & Syd.:						
Agave sp	Mexico				Tex.	
Euonymus europaeus 'Intermedius' Sphenospora kevorkianii Linder:	Canada			1	N.J.	
Epidendrum sp. (orchid) leaf	Bahamas, British Honduras, †Haiti,			12	Fla.	
	Hondurge unknown					
Gongora sp. (orchid) leaf	†Peru Jamaica			1 1	Fla. Fla.	
Oncidium nanum (orchid) leaf	†Brazil			1 1	Fla. Fla.	
O. stipitatum (orchid) leal	Canal Zone			T	Fla.	
Oncidium sp	Cuha				Fla.	
Orchid	Jamaica, †Peru			$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$		
R. decora (orchid) leaf	do			1	Fla.	
Rodriguezia sp. †Sphenospora mera Cumm.: Bletia sp.(?) (orchid) leaf	d0			1	Fla.	
Catasetum sp. (orchid) leaf	Peru			$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	Fla. Fla.	
Mormodes sp.(?) (orchid) leaf ‡Sphenospora saphena Cumm.:	do			1	Fla.	
Oncidium mulchellum (orchid)	Haiti, Jamaica			$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$	Fla.	
Oncidium spOrchid	Haiti			1	Fla. Fla.	
‡Sphenospora saphena Cumm.(?): Ionopsis utricularioides (orchid) leaf					Fla.	
Stomatogene agaves (Ell. & Ev.) Th.: Agave sp.					Ariz.	
Aguve sp.	MICALOULILIA	- 1		-4	ZXI XU.	

		Number of interceptions in—			
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Tylenchorhynchus capitatus M. W. Allen:	BA				A .*
Soil with Citrus sp. plant Tylenchus costatus de Man: Soil with Saintpaulia sp. plant		1	1		Ariz.
† Tylenchus filiformis Bütschli: Soil with Saintpaulia sp. plant Lizado behnishiana B. Hann					
OTEGO OEGGICKIGIGG F. MEHIT.:			1		Ariz.
Epidendrum prismatocarpum (orchid) leaf E. radiatum	Panama	l		1	Fla. Fla.
Epidendrum sp	Mexico			3	Fla. Tex.
Oncidium forbesii (orchid) leaf	Brazil			1 2	Fla.
Oncidium spOrchid (leaf)	Costa Rica			1 1	Fla. Calif.*
Orchid (leaf) Schomburgkia sp. (orchid) leaf Uredo epidendri P. Henn.:				î	Fla.
Ionopsis utricularioides (orchid)	Trinidad Jamaica			1 4	Hawaii. Fla.
Oncidium triquetrum(?) (orchid)	do			1 1	Fla. Hawaii.
Oncidium spOrchid (leaf)	Costa Rica, Honduras,	I		3	Calif.,* Fla.
Rodriguezia secunda (orchid)	Nicaragua. Trinidad			1	Hawaii.
Rodriguezia sp Trigonidium egertonianum (orchid) leaf	British Honduras			1	Fla. Fla.
Trizeuxis falcata (orchid)Uredo quacae Mayor:	Trinidad			2	Hawaii.
Epidendrum sp. (orchid) leaf Miltonia roezlii (orchid) leaf	Canal Zone	l	l	1	Fla. Fla.
Odontoglossum sp. (orchid)Orchid (leaf)	Mexico Ecuador, Panama			1 4	Ariz. Fla.
Ornithocephalus sp. (orchid) Sobralia leucoxantha (orchid)	Peru			1	Fla.
Stanhopea sp. (orchid)	Peru			1	Fla.
Tetramicra parviflora (orchid)	Brazil			1 1	Fla. Fla.
† Uredo monsterae Syd.: Philodendron sp.(?) (leaf)	Canal Zone			1	Fla.
Uredo nidularii P. Henn.: Bromeliad (leaf)	†Costa Rica			2	Fla.
Tillandsia lucida (leaf)	Mexico			1 2	Tex. Ariz., Tex.
Uredo oncidii P. Henn.: Huntleya sp. (orchid) leaf Oncidium bicallosum (orchid)	Costa Rica			1	Fla.
Oncidium bicallosum (orchid)	Guatemala			1	Fla.
O. papilio	Trinidad			1	Fla.
Oncidium sp	Honduras, Mexico, Panama, Peru, unknown.			9	Fla., Hawaii.
Ornithocephalus sp. (orchid) leaf	Panama, Peru Peru			1	Fla. Fla.
Aloe dewetiiA. simii	Republic of South Africa			1 1	Tex. Tex.
A. vryheidensis	do			i	Tex.
Uromyces fabae (Grev.) Cke.: Lens culinaris (lentil)					Work
Lens sp. (pod)					
Les pedeza bicolor (shrub lespedeza) seed Les pedeza sp. (leaf with seed)	Japan †Pakistan			2 1	D.C.
Triticum aestivum (wheat)	Mexico	1			Tex.

		Number of interceptions in—			
Pest and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Xanthomonas citri (Hasse) Dowson: Citrus aurantifolia (lime)	India, Philippines, Thailand.	2	2		Calif.,* Hawaii, Md.
C. aurantium (sour orange)	Japan		13		Calif.,* Pa., Tex.,
C. grandis (pummelo) C. ichangensis x C. reticulata (ichandarin) C. limon (lemon) C. paradisi (grapefruit)	Hong Kong, Japan China, India, Japan,		1 1 18 10		Wash. Calif.* Calif.* Calif.,* N.Y., Pa. Calif.,* Ga.,
C. reticulata (Mandarin orange)	Philippines, unknown. China, Japan	2	1		Pa., Tex., Wash. Calif.,*
C. reticulata 'Unshiu' (Satsuma orange) C. sinensis (sweet orange)	Japan		1 63		Hawaii. N.Y. Calif.,* Hawaii, Ill., Md., N.Y., Pa.,
Citrus sp	Hong Kong, Japan		1		Wash. Calif.,* Tex.
Citrus limon (lemon) C. paradisi (grapefruit)	Argentina, unknown Argentina, unknown		3 2		Fla., La., N.Y. Calif.,* N.Y.
O. paradot (grapentuit)	Argentina, unknown		2		Calli., IV. I.

An asterisk (*) indicates State inspection.

A dagger (†) indicates a first interception from the country named.

A double dagger (‡) indicates a first interception by Division inspectors.

Hosts and Diseases

CITRULLUS: ACER: †Circinella minor (?) (Phycomycetes) CITRUS AURANTIFOLIA: Rhytisma punctatum (Ascomycetes) AGAVE: Coniothyrina agaves (Deuteromycetes)

† Myiocopron affine (Deuteromycetes)

Sphaerodothis pringlei (Ascomycetes) Elsinoe australis (Ascomycetes) Sphaceloma fawcettii var. scabiosa (Deuteromy-Stomatogene agaves (Ascomycetes)
ALLIUM CEPA:
Mycosphaerella schoenoprasi (Ascomycetes) Xanthomonas citri (Schizomycetes)
CITRUS AURANTIUM:
†Ascochyta citri (Deuteromycetes) †Peronospora destructor (Phycomycetes)
ALLIUM FISTULOSUM:
Mycosphaerella schoenoprasi (Ascomycetes) Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS GRANDIS: Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS ICHANGENSIS X C. RETICULATA:
Xanthomonas citri (Schizomycetes) ALLIUM PORRUM: †Mycosphaerella schoenoprasi (Ascomycetes) ALLIUM SATIVUM: $\dagger My cosphaerella$ schoenoprasi (Ascomycetes) Puccinia blasdalei (Promycetes) CITRUS LIMON Elsinoe australis (Ascomycetes) Phoma citricarpa (Deuteromycetes) Mycosphaerella schoenoprasi (Ascomycetes)
ALOCASIA: † Pseudomonas syringae (Schizomycetes) Septoria citri (Deuteromycetes) Sphaceloma fawcettii var. scabiosa (Deuteromy-Meloidogyne arenaria (Nematoda) ALOE: $\dagger Lecanidion \ attatum \ (Ascomycetes)$ Xanthomonas citri (Schizomycetes) Xanthomonas sp. (Cancrosis B) (Schizomycetes) CITRUS MEDICA: Uromyces aloes (Promycetes)
ANTHURIUM: Radopholus similis (Nematoda)
ARAUCARIA:
Cryptospora longispora (Ascomycetes) Phoma citricarpa (Deuteromycetes) CITRUS PARADISI: Elsinoe australis (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
Xanthomonas sp. (Cancrosis B) (Schizomycetes)
CITRUS PARADISI X C. RETICULATA:
Phoma citricarna (Douteromycetes) † Dothiorella araucariae (Deuteromycetes) Macrophoma araucariae (Deuteromycetes) ARECA: Phomopsis palmicola (Deuteromycetes) ASPARAGUS: Meloidogyne incognita (Nematoda) M. javanica (Nematoda) Phoma citricarpa (Deuteromycetes) CITRUS RETICULATA: Elsinoe australis (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
CITRUS RETICULATA 'UNSHIU': ASTER: †Coleosporium asterum (Promycetes) AUCUBA: Phyllosticta aucubicola (Deuteromycetes) BACCHARIS:

Puccinia baccharidis (Promycetes) Xanthomonas citri (Schizomycetes) CITRUS SINENSIS: BAMBOO: ‡Camaros porium limonii (Deuteromycetes) Elsinoe australis (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Septoria citri (Deuteromycetes) Papularia sphaeros perma (Deuteromycetes) Puccinia kusanoi (Promycetes) BARRINGTONIA: †Dothiorella barringtoniae (Deuteromycetes) BEGONIA: Sphaceloma fawcettii var. scabiosa (Deuteromycetes) Meloidogyne hapla (Nematoda) Xanthomonas citri (Schizomycetes) BETA CITRUS SP.: t"Greasy spot"

Phoma citricarpa (Deuteromycetes) Meloidogyne incognita (Nematoda) BLETIA (?): †Sphenospora mera (Promycetes) BLETILLA: Xanthomonas citri (Schizomycetes) CLEMATIS Aphelenchoides fragariae (?) (Nematoda) BOUTELOUA: Meloidogyne hapla (Nematoda) *Phoma malisorica* (Deuteromycetes) †Phyllachora boutelouae (Ascomycetes)
Puccinia boutelouae (Promycetes)
BRASSICA OLERACEA VAR. CAPITATA: Diplodia coccocarpa (Deuteromycetes) Phomopsis cocoes (Deuteromycetes) Peronospora parasitica (Phycomycetes) BRASSICA SP.: †Sirodesmium granulosum (Deuteromycetes) COFFEA: †Leptosphaeria coffeigena (Ascomycetes)
CORDYLINE:
Phyllosticta draconis (Deuteromycetes) Cercos pora brassicicola (Deuteromycetes) BROMELIAD: Uredo nidularii (Promycetes) BUXUS †Phyllostictina cordylines (Deuteromycetes) Puccinia buxi (Promycetes) CALADIUM: CORIANDRUM: Meloidogyne incognita acrita (Nematoda) CUSSONIA: Meloidogyne arenaria (Nematoda) Meloidogyne javanica (Nematoda) CANNA †Puccinia thaliae (Promycetes) CARICA: $\ddagger Ascochyta\ cycadina\ (Deuteromycetes)$ †Ascochyta caricae (Deuteromycetes) CARTHAMUS: Dendryphion interseminata (Deuteromycetes) †Puccinia carthami (Promycetes) Pratylenchus penetrans (Nematoda) CASIMIROA: DAUCUS: Cercos por a coleroides (Deuteromycetes) Meloidogyne incognita (Nematoda) Ravenelia papillifera (Promycetes)
CATASETUM: M. javanica (Nematoda) DIACRIUM: †Myiocopron corrientum (Deuteromycetes) ra (Promycetes) DIANTHUS: CHAMAEDOREA: ‡Carnation ringspot virus Botryosphaeria palmigena (Ascomycetes) Puccinia arenariae (Promycetes) $\ddagger Didymium\ squamulosum\ (Myxomycetes)$ CHRYSANTHEMUM: DIOSCOREA: Meloidogyne arenaria (Nematoda) Puccinia horiana (Promycetes)

See footnotes at end of this list.

Hosts and Diseases—Continued

EPIDENDRUM: †Sphenospora kevorkianii (Promycetes) Uredo behnickiana (Promycetes) U. guacae (Promycetes) EQUISETUM: †Phoma equisetii (Deuteromycetes) EUCALYPTUS: †Mycosphaerella molleriana (Ascomycetes) EUONYMUS: Sphaeropsis malorum (Deuteromycetes) EUPHORBIA: Meloidogyne javanica (Nematoda) **EXOMIS:** t Camaros porium chenopodii (Deuteromycetes) FOUQUIERIA: ‡Aecidium cannonii (Promycetes) FRAGARIA: Dendrophoma obscurans (Deuteromycetes) FRAXINUS: Phomopsis pterophila (Deuteromycetes) GARDENIA: Meloidogyne incognita acrita (Nematoda) Pseudomonas gardeniae (Schizomycetcs) GERBERA: *Meloidogyne arenaria* (Nematoda) M. hapla (Nematoda)
GINKGO: Phomopsis occulta var. ginkgoina (Deuteromycetes) GONGORA: †Sphenospora kevorkianii (Promycetes) HORDEUM: †Puccinia hordei (Promycetes) HUNTLEYA: Uredo oncidii (Promycetes) IONOPSIS: Sphenospora kevorkianii (Promycetes) ‡S. saphena (?) (Promycetes) Uredo epidendri (Promycetes) IPOMOEA †Aphelenchoides bicaudatus (Nematoda) Diaporthe batatis (Ascomycetes) JATROPHA:

†Phakopsora jatrophicola (Promyectes) JUNIPERUS: Gymnosporangium haraeanum (Promycetes) LAELIA Uredo behnickiana (Promycetes) LAGASCEA: ‡Puccinia noccae (Promycetes) LARIX: ‡Phoma lineolata (Deuteromycetes) LAURUS: †Phyllosticta kalmicola (Deuteromycetes) †Uromyces fabae (Promycetes) LEONTOPODIUM: Meloidogyne hapla (Nematoda) LESPEDEZA: † Uromyces lespedezae-procumbentis (Promycetes) LOPHOCEREUS: †Camaros porium setuliferum (Deuteromycetes)
LYCOPERSICON:
‡Gonatobotrys simplex (Deuteromycetes) MAHONIA Cumminsiella mirabilissima (Promycetes) ‡Mycosphaerella berberidis (Ascomycetes) Phomopsis mahoniae (?) (Deuteromycetes) MALUS † Coniothecium chomatosporum (?) (Deuteromycetes) MANGIFERA: †Elsinoe mangiferae (Ascomycetes) Phyllosticta mortoni (Deuteromycetes) Phyllostictina mangiferae (Deuteromycetes) MAXILLARIA: ‡Asterinema caseariae (?) (Ascomycetes) IESEMBRYANTHEMUM Psilenchus hilarulus (Nematoda) METROSIDEROS: ‡Phyllosticta salicifoliae (Deuteromycetes)

MORMODES (?): †Sphenospora mera (Promycetes) MORUS: †Cercospora moricola (Deuteromycetes)
MUHLENBERGIA: ‡Phyllachora vulgata (Ascomycetes) MUSA: †Chaetothyrina musarum (Ascomycetes) †Macrophoma musae (Deuteromycetes) NARCISSUS: Ceratocystis narcissii (Ascomycetes) Ditylenchus dipsaci (Nematoda) ODONTOGLOSSUM: Uredo guacae (Promycetes) OLEA: Macrophoma oleae (Deuteromycetes) ONCIDIUM: Physalospora wildemanniana (Ascomycetes)
†Sphenospora kevorkianii (Promycetes)
‡S. saphena (Promycetes)
Uredo behnickiana (Promycetes)
U. epidendri (Promycetes)
†U. oncidii (Promycetes)
ORCHID: †Sphenospora kevorkianii (Promycetes) ‡S. saphena (Promycetes) Uredo behnickiana (Promycetes) U. epidendri (Promycetes) U. guacae (Promycetes) ORNITHOCEPHALUS: *Uredo guacae* (Promycetes) U. oncidii (Promycetes) ORNITHOGALUM: Didymellina ornithogali (Ascomycetes) ORYZA: ‡Coniothyrium brevisporum (Deuteromycetes) Diplodia oryzae (Deuteromycetes)
†Neovossia horrida (Promycetes) †Olpitrichum macrosporum (Deuteromycetes) Periconia pulla (Deuteromycetes) †Phoma oryzae (Deuteromycetes) Pyrenochaeta oryzae (Deuteromycetes) Septonema toruloides (Deuteromycetes) ‡Septoria curvula (Deuteromycetes) S. oryzae (Deuteromycetes) PACHYSANDRA: Volutella pachysandricola (Deuteromycetes) PALM: †Ciliospora gelatinosa (Deuteromycetes)
†Coniothyrium palmicolum (Deuteromycetes)
†Mycosphaerella serrulatae (Ascomycetes) PASSIFLORA: †Ascochyta passiflorae (Deuteromycetes)
PELARGONIUM: Pratylenchus pratensis (Nematoda)
PHALARIS (?): Lophodermium arundinaceum (Ascomycetes) PHASEOLUS: †Ascochyta phaseolorum (Deuteromycetes) Cercospora brachiata (Deuteromycetes) PHILODENDRON (?): † Uredo monsterae (Promycetes) PHRAGMITES: Lophodermium arundinaceum (Ascomycetes) †Puccinia magnusiana (Promycetes) PHYGELIUS: Meloidogyne hapla (Nematoda) PINUS: †Phoma acicola (Deuteromycetes) ‡Rhizosphaera pini (Deuteromycetes) PITHECOCTENIUM: ‡Prospodium pithecoctenii (Promycetes) POLIANTHES: Meloidogyne incognita acrita (Nematoda) POLYGONUM: Cylindrocarpon candidum (Deuteromycetes) POUTERIA: ‡Elsinoe lepagei (Ascomycetes) PRUNUS: ‡Septoria pruni (Deuteromycetes) PUNICA: † Cercos por a punicae (Deuteromycetes) Sphaceloma punicae (Deuteromycetes)

See footnotes at end of this list.

Uredo guacae (Promycetes)

MILTONIA:

PLANT QUARANTINE DIVISION

Hosts and Diseases—Continued

QUERCUS:

†Discula quercina (Deuteromycetes) †Phyllosticta quercus (Deuteromycetes) RHODODENDRON:

Chrysomyxa ledi var. rhododendri (Promycetes)

Septoria azaleae (Deuteromycetes)

RIBES:

†Diplodina grossulariae (Deuteromycetes) RICINUS:

‡Oidium macrosporum (Deuteromycetes) RODRIGUEZIA:

†Sphenospora kevorkianii (Promycetes)

† *Uredo epidendri* (Promycetes) RODRIGUEZIA (?):

Uredo oncidii (Promycetes)

ROSA:

Meloidogyne hapla (Nematoda)

SACCHARUM

† Cercospora vaginae (Deuteromycetes) Cytospora sacchari (Deuteromycetes)

SALIX:

Melampsora abieti-capraearum (Promycetes)
SCHINUS:
‡Cylindrosporium toxicodendri (Deuteromycetes)
SCHOMBURGKIA:

† *Uredo behnickiana* (Promycetes)

SCIRPUS:

 $\dagger Puccinia\ obtecta\ ({
m Promycetes})$

SECALE:

†Dinemasporium graminum (Deuteromycetes)

Puccinia striiformis (Promycetes)

SOBRALIA:

Uredo guacae (Promycetes)

SOIL:

Criconemoides mutabile (Nematoda)

Helicotylenchus nannus (Nematoda) Heterodera avenae (Nematoda)

†H. cacti (Nematoda)

H. punctata (Nematoda) H. rostochiensis (Nematoda)

Psilenchus hilarulus (Nematoda) Scutellonema brachyurum (Nematoda)

†S. christiei (Nematoda)

Tylenchorhynchus capitatus (Nematoda) Tylenchus costatus (Nematoda)

†T. filiformis (Nematoda)

SOLANUM:

† Fusarium solani (Deuteromycetes)

SPINACIA:

Colletotrichum dematium f. spinaciae (Deuteromy-

cetes)

STANHOPEA:

†Cylindrocladium scoparium (Deuteromycetes)

Uredo guacae (Promycctes) STRONGYLODON:

†Papularia sphaerosperma (Deuteromycetes)

TABEBUIA:

‡Prospodium perornatum (Promycetes)

TECOMA:

Prospodium appendiculatum (Promycetes)

TETRAMICRA

Uredo guacae (Promycetes)
THEOBROMA:

†Menispora acicola (Deuteromycetes)

†M. ciliata (Deuteromycetes)
TILLANDSIA:

Uredo nidularii (Promycetes)

TRIFOLIUM:

† Cymadothea trifolii (Ascomycetes)

TRIGONIDIUM:

Uredo epidendri (Promycetes)

TRITICUM

Ustilago tritici (Promycetes)

TRIZEUXIS:

Uredo epidendri (Promycetes) VIBURNUM:

Meloidogyne hapla (Nematoda)

Uromyces fabae (Promycetes)

VITIS:

‡Guignardia bidwellii (Ascomycetes)

YUCCA:

Kellermannia anomala (Deuteromycetes)

ZANTEDESCHIA:

‡Meloidogyne arenaria arenaria (Nematoda)

M. incognita acrita (Nematoda)

M. javanica (Nematoda)

ZEA:

Helminthosporium turcicum (Deuteromycetes)

ZYGOSTATES:

Uredo guacae (Promycetes)

Hosts Unknown

STRAW—UNIDENTIFIED Puccinia striiformis (Promycetes)

TREE-UNIDENTIFIED:

†Hexagonia velutina (Basidiomycetes)

A dagger (†) indicates a first interception from the country of origin. A double dagger (‡) indicates a first interception by Division inspectors.

Countries of Origin and Diseases

AFRICA (country(?)): Phoma citricarpa AMERICAN SAMOA: †Macrophoma musae ANTIGUA: † Elsinoe mangiferae ARGENTINA: Elsinoe australis Heterodera cacti $Meloidogyne\ javanica$ † Uromyces fabae Xanthomonas sp. (Cancrosis B)
ASIA (country(?)): Phoma citricarpa AUSTRALIA: ‡Camaros porium limonii † Coniothecium chomatos porum (?) Cryptospora longispora †Dothiorella araucariae $\sharp My cosphaerella\ molleriana$ †M. schoenoprasi
Phoma citricarpa
‡Phyllosticta salicifoliae Pratylenchus penetrans Sphaceloma fawcettii var. scabiosa AUSTRIA: Heterodera punctata BAHAMAS: Sphenospora kevorkianii S. mera BELGIUM: Heterodera avenae H. punctata H. rostochiensis Mycosphaerella schoenoprasi Phyllosticta aucubicola BERMUDA: $\dagger Lecanidion~at ratum$ BRAZIL: ‡Ascochyta phaseolorum Elsinoe australis Phoma citricarpa †Sphenospora kevorkianii Uredo behnickiana U. guacae BRITISH HONDURAS: Sphenospora kevorkianii Uredo epidendri U. oncidii CANADA: Chrysomyxa ledi var. rhododendri Cumminsiella mirabilissima Phyllosticta quercus Rhytisma punctatum Sphaeropsis malorum CANAL ZONE: †Sphenospora kevorkianii Uredo guacae † U. monsterae CHILE: ‡Guignardia bidwellii †Heterodera cacti Uromyces fabae CHILE (?) †Dinemas porium graminum CHINA ‡Coniothyrium brevisporum $\ddagger Hexagonia\ velutina$ Phoma citricarpa $\dagger P$. oryzae Xanthomonas citri COLOMBIA: Ascochyta passiflorae †Mycosphaerella serrulatae COSTA RICA: :Asterinema caseariae (?) Myiocopron corrientum Uredo behnickiana U. epiaenari † U. nidularii U. oncidii CUBA: Sphenospora kevorkianii

DENMARK: †Carnation ringspot virus
Heterodera avenae
DOMINICAN REPUBLIC:
†"Greasy spot"
†Phakoneora introphicola Phakopsora jatrophicola ECUADOR: Uredo guacae ENGLAND: Ceratocystis narcissii Ditylenchus dipsaci Heterodera avenae H. punctata $H.\ rostochiensis$ Meloidogyne hapla Puccinia arenariae ENIWETOK: †Ascochyta caricae FIJI: Phoma citricarpa FORMOSA: Phoma citricarpa †Pyrenochaeta oryzae Xanthomonas citri FRANCE: Dendrophoma obscurans Heterodera cacti ${\it Puccinia\ buxi}$ FRANCE (?): ‡Puccinia blasdalei **GERMANY:** Dendrophoma obscurans Heterodera avenae H. cacti H. punctata H. rostochiensis Lophodermium arundinaceum Meloidogyne hapla †Mycosphaerella schoenoprasi $\ddagger Puccinia\ magnusiana$ GUAM: †Macrophoma musae Phomopsis palmicola GUATEMALA: Meloidogyne arenaria Uredo oncidii HAITI: †Sphenospora kevorkianii ‡S. saphena HAWAII: Diplodia coccocarpa $\ddagger Dothiorella\ barringtoniae$ Phomopsis cocoes Phyllosticta draconis ‡Phyllostictina cordylines Radopholus similis HONDURAS: Sphenospora kevorkianii <u>U</u>redo epidendri U. guacae U. oncidii HONG KONG: Phoma citricarpa Xanthomonas citri INDIA: Cercos pora punicae †C. vaginae Neovossia horrida $\dagger Phoma$ oryzae $X an thomonas\ citri$ IRELAND: Heterodera rostochiensis Puccinia buxi ITALY: Heterodera avenae H. cacti Macrophoma oleae Meloidogyne incognita acrita Phomopsis pterophila Septoria citri ‡S. pruni Sphaceloma punicae

See footnotes at end of this list.

Countries of Origin and Diseases-Continued

JAMAICA: Sphenospora kevorkianii ‡S. saphena Uredo epidendri U. guacae JAPAN: Aphelenchoides fragariae (?) †Ascochyta citri Cercospora brassicicola Colletotrichum dematium f. spinaciae Diplodia oryzae $\dagger Discula quercina$ Gymnosporangium haraeanum Macrophoma musae Meloidogyne arenaria †M. arenaria arenaria M. hapla M. javanica ‡Mycosphaerella berberidis M. schoenoprasi Neovossia horrida ‡Olpitrichum macrosporum Periconia pulla Peronospora destructor Phoma citricarpa ‡P. equisetii ‡P. malisorica Phomopsis mahoniae (?) P. occulta var. ginkgoina Puccinia horiana P. kusanoi P. striiformis †Septonema toruloides Septoria citri ‡S. curvula Š. oryzae Uromyces les pedezae-procumbentis Xanthomonas citri KENYA: Puccinia hordei KOREA: †Coleosporium asterum †Neovossia horrida MEXICO: ‡Aecidium cannonii †Aphelenchoides bicaudatus †Ascochyta caricae Botryosphaeria palmigena †Camarosporium setuliferum Cercospora coleroides †C. moricola Chaetothyrina musarum Ciliospora gelatinosa Circinella minor (?) †Circinella minor (?)
Coniothyrina agaves
†Coniothyrium palmicolum
Criconemoides mutabile
†Cylindrocladium scoparium
†Cylindrosporium toxicodendri
Cytospora sacchari
Dendryphion interseminata
†Diaporthe batatis
†Didymium squamulosum
†Elsinoe lepagei Elsinoe lepagei Gonatobotrys simplex Helicotylenchus nannus Helminthosporium turcicum Heterodera cacti H. punctata H. rostochiensis Kellermannia anomala †Leptosphaeria coffeigena Melampsora abieti-capraearum Meloidogyne arenaria M. incognita M. incognita acrita M. javanica †Menispora acicola †M. ciliata $Myiocopron\ affine$ Oidium macrosporum Papularia sphaerosperma ‡Phyllachora boutelouae P. vulgata

 $\dagger Phyllosticta\ kalmicola$ P. mortoni
Phyllostictina mangiferae
Physalospora wildemanniana
Pratylenchus pratensis Prospodium appendiculatum

†P. perornatum

†P. pithecoctenii

†Pseudomonas gardeniae

Psilenchus hilarulus Puccinia baccharidis P. boutelouae
†P. carthami
‡P. noccae
P. obtecta Ravenelia papillifera Scutellonema brachyurum †S. christiei †Sirodesmium granulosum Sphaceloma punicae Sphaerodothis pringlei Stomatogene agaves Tylenchorhynchus capitatus Tylenchus costatus † T. filiformis Uredo behnickiana U. guacaeU. nidularii U. oncidii Ustilago tritici MOZAMBIQUE: Phoma citricarpa NETHERLANDS: Cylindrocarpon candidum Heterodera rostochiensis Meloidogyne hapla Peronos pora parasitica Septoria azaleae Uromyces fabae Volutella pachysandricola
NEW ZEALAND:
Macrophoma araucariae
Phoma citricarpa
NICARAGUA: †Dothiorella araucariae Uredo behnickiana U. epidendri NORFOLK ISLAND: Cryptospora longispora Macrophoma araucariae
NORWAY:
†Diplodina grossulariae Heterodera punctata OKINAWA: ‡Ascochyta cycadina PAKISTAN: Cymadothea trifolii † Uromyces lespedezae-procumbentis PANAMA: Uredo behnickiana U. guacae U. oncidii PERU: †Fusarium solani †Sphenospora kevorkianii †Sprenospora Resort
†S. mera
‡S. saphena
†Uredo behnickiana
†U. epidendri
U. guacae
U. oncidii
PHILIPPINES:
Macrophoma musae Macrophoma musae Neovossia horrida †Papularia sphaerosperma Xanthomonas citri POLAND: Heterodera rostochiensis PORTUGAL: †Puccinia obtecta PUERTO RICO: Cercospora brachiata

†"Greasy spot"

See footnotes at end of this list.

Countries of Origin and Diseases—Continued

REPUBLIC OF SOUTH AFRICA:

†Camarosporium chenopodii Didymellina ornithogali Meloidogyne javanica Phoma citricarpa †Pseudomonas syringae

Uromyces aloes SCOTLAND: ‡Phoma lineolata SINGAPORE:

†Macrophoma musae SPAIN: Heterodera rostochiensis

Septoria citri SURINAM: †Uredo oncidii SWEDEN:

Heterodera avenae H. rostochiensis SWITZERLAND:

Chrysomyxa ledi var. rhododendri

Heterodera cacti H. punctata TAHITI:

Diplodia coccocarpa

THAILAND:

†Phoma acicola ‡Rhizosphaera pini Xanthomonas citri

TRINIDAD: Uredo epidendri U. oncidii UNKNOWN:

Cryptospora longispora Elsinoe australis Phoma citricarpa Septoria citri

Sphenospora kevorkianii Uredo oncidii

Uromyces fabae

Xanthomonas citri Xanthomonas sp. (Cancrosis B) URUGUAY:

Elsinoe australis VENEZUELA: †Puccinia thaliae VIETNAM: Xanthomonas citri

WEST PACIFIC: Phoma citricarpa

A dagger (†) indicates a first interception from the country named. A double dagger (‡) indicates a first interception by Division inspectors.

